INDEX TO KEW BULLETIN
Volume 47

Principal references are indicated † and illustrations *

Abies alba 28
—— *concolor* 28
—— *firma* 28
—— *pinsapo* 28
Abolboda grandis Griseb. 22
—— *paniculata* Maguire 22
Abrotanella Cass. 104
Acacia latistipulata 764
Acanthaceae: A new species of Lepidagathis (Acanthaceae) from South India, P.V. Madhusoodanan & N.P. Singh 301
Acanthaceae: A reconsideration of Asystasiella Lindau (Acanthaceae), K. Ensermu, R.K. Brummitt & C.A. Furness 669
Acanthaceae 171, 173, 183, 196, 617, 619, 623, 763-4
—— subtribe *Odontoneminae* 613
—— tribe *Acantheae* 170-1
—— tribe *Aphelandreae* 170-1
—— tribe *Justicieae* 613, 623
—— tribe *Stenandriopsideae* 170-1
—— sect. *Schizostenandrium* 173, 175
—— sect. *Sphaerostenandrium* 173
Acanthaceae: Acantheae: The Old World species of Stenandrium (Acanthaceae: Acantheae), Kaj Vollesen 169
Acanthaceae: Justicieae: A note on the pollen of Trichaulax mwasumbii (Acanthaceae: Justicieae), Carol A. Furness 619
Acanthaceae: Justicieae: Trichaulax (Acanthaceae: Justicieae), a new genus from East Africa, Kaj Vollesen 613
Achyrocline (Less.) DC. 131
—— *stenopterum* (DC.) Hilliard & Burtt 131
Acineta alticola C. Schweinf. 23
Acmanthera parviflora W. Anderson 7, 19
Acmopyle pancheri 30
Acrisione B. Nord. †53
—— *cymosa* (Remy) B. Nord. 53
—— *denticulata* 53
Actinostrobus 30
Additional records of Orchidaceae for the flora of Arabia, S. Robbins 721
Additions to the orchid flora of Vanuatu in the south-west Pacific, B.A. Lewis 685
Additions to the taxonomic revision of the continental African Bulbophyllinae (Orchidaceae), J.J. Vermeulen 137
Adenostyles Cass. 53, 104
Adiantaceae 7, 12
Aechmea aquilega (Salisb.) Griseb. 268
—— *bromeliifolia* (Rudge) Baker var. *angustispica* Philcox †268, *270
—— *caudata* Lindman 271
—— *gamosepala* Wittmack 271
—— *grandibracteata* Philcox †268
—— *leppardii* Philcox †271
—— *mollis* 261, *272, †274
Aellenia postii (Eig) Aellen 284
Aequatorium B. Nord. 50, †61
—— *albiflorum* (Wedd.) Díaz & Cuatrec. 61
Aequatorium asterotrichum B. Nord. 61
—— *fabrisii* (Cabrera) C. Jeffrey †61
—— *jamesonii* (S.F. Blake) C. Jeffrey †61
—— *polygonoides* B. Nord. 61, 62
—— *repandum* (Wedd.) C. Jeffrey †292
—— *stellatopilosum* (Greenm. & Cuatrec. ex Cuatrec.) C. Jeffrey †62
—— *verrucosum* (Wedd.) C. Jeffrey †62
—— —— (Wedd.) Díaz & Cuatrec. 62, 292
Aerisilvaea 677
—— *serrata* A. R.-Sm. †677
—— *sylvestris* 677
Aeschynomeme 141
Aeschynomene: Two new species of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 141
Aeschynomene 143
—— ser. *Pleuronerviae* 141
—— *carvalhoi* G.P. Lewis 141
—— *genistoides* (Taub.) Harms 141
—— —— (Taub.) Rudd 141
—— *graminoides* G.P. Lewis †143, *144
—— *simplicifolia* G.P. Lewis †141, *142-3
Aetheolaena Cass. 76
Africa: Secamone (Asclepiadaceae subfam. Secamonoideae) in Africa, D.J. Goyder 437
Africa: A synopsis of Ocimum L. (Labiatae) in Africa, Alan Paton 403
Africa, East: Another new species of Harveya (Scrophulariaceae) from East Africa, F.N. Hepper 729
Africa, tropical: The genus Canthium (Rubiaceae-Vanguerieae) in tropical Africa, Diane M. Bridson 353
African: Notes on African Euphorbiaceae XXVIII, A. Radcliffe-Smith 677
Afzelia quanzensis 762
Agathis 28
—— *alba* 28
—— *australis* 28
Agathophora (Fenzl) Bunge: Notes on Agathophora (Fenzl) Bunge and Cornulaca Del. Studies in the Chenopodiaceae of Arabia 5, Loutfy Boulos 283
Agathophora (Fenzl) Bunge †283-4, 287
—— *alopecuroides* var. *papillosa* (Maire) Boulos †284-5
—— *algeriensis* Botsch. 283-4
—— —— var. *alopecuroides* †284, 285
—— —— var. *papillosa* (Maire) Boulos †284-5
—— *galalensis* Botsch. 283-4
—— *iraqensis* Botsch. 283-4
—— *postii* (Maire) Botsch. 283-4
Aidia micrantha 763
Alafia caudata 764
Albizia niopoides (Spruce ex Benth.) Burkart: Notes on Albizia niopoides (Spruce ex Benth.) Burkart (Leguminosae: Mimosoideae), Maria de L. Rico Arce 699
Albizia 699

Albizia
Albizia adianthifolia 762
—— *caribaea* (Urban) Britton & Rose 699, 700
—— *hassleri* (Chodat) Burkart 700, 701
—— *niopoides* (Spruce ex Benth.) Burkart †699, 701
—— *paludosa* T. Anderson 700
—— *petersiana* 762
—— *richardiana* King & Prain 699, 700
Alchornea laxiflora 763
Alciope DC. ex Lindl. 50, 53, †61
—— *lanata* (Lam.) DC. 61
—— *tabularis* (Thunb.) DC. 61
Aldina latifolia Benth. 17
Aloe: A new species of Aloe from the Ethiopian Rift Valley, Sebsebe Demissew & P.E. Brandham 509
Aloe: Notes on the genus Aloe in Ethiopia: misinterpreted taxa, M.G. Gilbert & Sebsebe Demissew 647
Aloe 509, 541, 651
—— *boranensis* Cufod. 650-2
—— *calidophila* G.W. Reynolds 511
—— *elongata* Murr. 652
—— *gilbertii* T. Reynolds 509
—— —— T. Reynolds ex Sebsebe & Brandham †509, 511-2
—— *mcloughlinii* Christian 652
—— *megalacantha* 509, 511
—— *microdonta* fide Reynolds 650
—— *otallensis* Baker 650-1, †652
—— —— s. str. 651
—— —— var. *elongata* Berger 651-2
—— *parvidens* M.G. Gilbert & Sebsebe 649, †650, 652
—— *pirottae* sensu Reynolds 650
—— —— Berger 648, †649, 652
—— *pubescens* 511-2
—— *retrospiciens* †648
—— *rivae* 511
—— *rugosifolia* M.G. Gilbert & Sebsebe †652
—— *ruspoliana* s. str. 648
—— —— var. *dracaeniformis* Berger 648
—— *secundiflora* Engl. 651
—— *somaliensis* W. Watson 652
—— *vera* (L.) Burm.f. 652
—— *wrefordii* 651
Amaryllidaceae 630
Amazon: A rare report of an intoxicating snuff from the Amazon, Richard Evans Schultes & Robert F. Raffauf 743
Amazonas: Plant collections from the plateau of Serra do Aracá (Amazonas, Brazil) and their phytogeographic affinities, Ghillean T. Prance & David M. Johnson 1
Amentotaxus argotaenia 31
Anabasis alopecuroides (Del.) Moq. 284
Anacardiaceae 762
Anadenanthera 743
—— *peregrina* (L.) Spegazzini 743
Anderberg, Arne A., Axelius, Barbro, Lundin, Roger, Tehler, Anders, Wanntorp, Hans-Erik & Wiklund, Annette: Onosma orientale (L.) L. (Boraginaceae) collected in Cyprus 777
Anderson, William R.: A new species of Byrsonima (Malpighiaceae) from eastern Brazil 725
Andrachne ovalis (Sond.) Muell. Arg. 112
Angkalanthus 618
Angraecopsis
Angraecopsis nguruensis Cribb 257
Annonaceae 13, 762-4
Anogeissus 723
Another new species of Harveya (Scrophulariaceae) from East Africa, F.N. Hepper 729
Anthurium roraimense N.E. Brown 22
—— *scandens* (Aubl.) Engl. subsp. *scandens* 22
Antidesma membranaceum 763
—— *venosum* 763
Apocynaceae 20, 437, 439, 763-4
Apocynum frutescens Afzel. 464
Apodanthera: The genus Apodanthera (Cucurbitaceae) in Bahia State, Brazil, C. Jeffrey 517
Apodanthera Arn. 517
—— sect. *Apodanthera* 517
—— sect. *Pseudapodanthera* Cogn, 517, 519, 521, 523
—— *congestiflora* Cogn. 518, †525, *527
—— *eriocalyx* Cogn. 518
—— *fasciculata* Cogn. 517, †525, *527
—— *glaziovii* Cogn. 517, †518
—— *hatschbachii* C. Jeffrey 517, †521, *522
—— —— sect. *Pseudapodanthera* 521
—— *hindii* C. Jeffrey 518, †519, *520
—— *mathewsii* Arn. 517
—— *succulenta* C. Jeffrey 518, †521, *524
—— *trifoliata* Cogn. 518, *527, †528
—— *villosa* C. Jeffrey 518, †523, *526
Appendicula reflexa Blume 689
Aquifoliaceae 18
Arabia: Additional records of Orchidaceae for the flora of Arabia, S. Robbins 721
Arabia: Notes on Agathophora (Fenzl) Bunge and Cornulaca Del. Studies in the Chenopodiaceae of Arabia 5, Loutfy Boulos 283
Arabian: Some new Arabian grasses II, T.A. Cope 655
Araceae 22
Araeococcus alvimii L.B. Smith & R.W. Read 261
—— *pseudocatopsis* Philcox †261, *262
Araliaceae 7, 20, 762
Araucaria 28
—— *angustifolia* 28
Araucariaceae 28
Arbelaezaster Cuatrec. †76
—— *ellesworthii* (Cuatrec.) Cuatrec. 76
Arbutus: Leaf anatomy of an Arbutus taxon from Yugoslavia, Tomislav Bačić, T.J. Lawrence & D.F. Cutler 535
Arbutus 535, 541
—— *andrachne* L. 535-6, 538-42
—— *andrachnoides* Link. 535-6, 538-1
—— *canariensis* 541
—— *unedo* L. 535-6, 538-41
Archytaea multiflora Benth. 14
Arecaceae 7, 22
Arecidae 22
Aristida 278
—— sect. *Aristida* 278
—— sect. *Pseudarthratherum* 279
—— *abnormis* Chiov. 279
—— *adscensionis* L. 279
—— *anisochaeta* W.D. Clayton 279
—— *funiculata* Trin. & Rupr. 277, 279
—— *hemmingii* W.D. Clayton 279
—— *kelleri* Hackel 279
—— *leptura* Cope †277, 279
—— *migiurtina* Chiov. 279

Aristida

Aristida mutabilis Trin. & Rupr. 279
—— *paoliana* (Chiov.) Henrard 279
—— *plumosa* L. 661
—— *protensa* Henrard 277-9
—— *pycnostachya* Cope †277-9
—— *schebehliensis* Henrard 278, 280
—— *sieberiana* Trin. 279
—— *somalensis* Stapf 279
—— *stenophylla* Henrard 278, 280
—— *stenostachya* W.D. Clayton 278-9
—— *tenuiseta* Cope †278, 280
—— *triticoides* Henrard 279
Arnoglossum Raf. †56
—— *plantagineum* Raf. 56
Arrhenechthites Mattf. †75
—— *haplogyna* (F. Muell.) Mattf. 75
—— *hydrangeoides* C. Jeffrey †75
—— *novoguineensis* 75
—— *tomentella* Mattf. 75
Artabotrys modestus 764
Arundinaria 710
—— *ciliata* A. Camus 709, 710
—— *prainii* (Gamble) Gamble 709, 710
—— *pusilla* A. Chev. & A. Camus 710
Asclepiadaceae: Jasminum oblongum belongs in Gymnanthera (Asclepiadaceae). Studies in the genus Jasminum (Oleaceae): XIII, P.S. Green 333
Asclepiadaceae: A revision of the genus Pentarrhinum E. Meyer (Asclepiadaceae), Sigrid Liede & Ashley Nicholas 475
Asclepiadaceae subfam. Secamonoideae: Secamone (Asclepiadaceae subfam. Secamonoideae) in Africa, D.J. Goyder 437
Asclepiadaceae: Taxonomy of Secamone (Asclepiadaceae) in Asia and Australia, Jens Klackenberg 595
Asclepiadaceae 20, 437, 475-6, 595, 597
Asclepiadaceae subfam. *Asclepiadoideae* 437-9
—— subfam. *Periplocoideae* 438
—— subfam. *Secamonoideae* 438
—— subtribe *Asclepiadinae* 438, 476
—— subtribe *Cynanchinae* 476
—— tribe *Asclepiadeae* 438, 476
—— tribe *Cynancheae* 475
—— tribe *Periploceae* 438
—— tribe *Secamoneae* 597
—— *'Asclepiadeae-Asclepiadinae'* 475
Asclepias L. 475
Asia: Taxonomy of Secamone (Asclepiadaceae) in Asia and Australia, Jens Klackenberg 595
Asparagales 630
Aspicarpa 491, 493, 498-9
—— *axillaris-elongata* 498
Aspleniaceae 7, 12
Astephanus frutescens E. Mey. 455
Aster L. 104
Asteraceae 7, 9, 10, 21
Asteridae 20
Astragalus setiferus DC. 285
Asystasia Blume 669, 670, 672-3
—— *chinensis* S. Moore 672
—— *malawiana* 672
—— *neesiana* (Wall.) Nees 672
—— *parishii* T. Anders. 670
—— *thyrsacanthus* T. Anderson 673
—— *vogeliana* Benth. 672
—— *zambiana* Brummitt & Chisumpa 672

Asystasiella

Asystasiella: A reconsideration of Asystasiella Lindau (Acanthaceae), K. Ensermu, R.K. Brummitt & C.A. Furness 669
Asystasiella Lindau 669, 670, 672
—— *africana* S. Moore 669, 670, 672, †673
—— *atroviridis* (T. Anders.) Lindau 670, 672-3
—— *neesiana* (Wall.) Lindau 670
Athroostachys 709
Athrotaxis 30
Attalea funifera Mart. 717
Australia: Taxonomy of Secamone (Asclepiadaceae) in Asia and Australia, Jens Klackenberg 595
Australia, Northern Territory of: A new species of Corchorus (Tiliaceae) from the Northern Territory of Australia, Martin Cheek & Greg Leach 513
Austrocedrus 30
Austrosynotis C. Jeffrey †82
—— *rectirama* (Bak.) C. Jeffrey 82
Austrotaxus 31
Axelius, Barbro, Anderberg, Arne A., Lundin, Roger, Tehler, Anders, Wanntorp, Hans-Erik & Wiklund, Annette: Onosma orientale (L.) L. (Boraginaceae) collected in Cyprus 777

Bačić, Tomislav, Lawrence, T.J. & Cutler, D.F.: Leaf anatomy of an Arbutus taxon from Yugoslavia 535
Bactris simplicifrons Mart. 6, 7, 22
Bafutia C.D. Adams. †98
—— *tenuicaulis* C.D. Adams. 98
Bahia: The genus Apodanthera (Cucurbitaceae) in Bahia State, Brazil, C. Jeffrey 517
Bahia: Spigelia flava Zappi & Harley (Loganiaceae) - a new species from the Pico das Almas, Bahia, Brazil, D.C. Zappi & R.M. Harley 329
Bahia: Two new species of Habenaria (Orchidaceae) from Bahia, Brazil, Toscano de Brito 731
Baissea myrtifolia 764
Balanophoraceae 627
Bamboo: Dinochloa robusta, a new species of bamboo (Gramineae: Bambusoideae) from Sabah and Palawan, Soejatmi Dransfield 402
Baphia: A new species of Baphia (Leguminosae: Papilionoideae) from Madagascar, Charles H. Stirton & David J. Du Puy 289
Baphia 289
—— sect. *Longibracteolatae* (Lester-Garland) Soladoye 291
—— ser. *Chrysophyllae* Soladoye 291
—— *capparidifolia* Baker subsp. *capparidifolia* 289
—— *cuspidata* Taub. 291
—— *madagascariensis* Stirton & Du Puy †289, *290-291
—— *massaiensis* Taub. 289, 291
—— —— subsp. *gomesii* (Bak.f.) Brummitt 291
Barkleyanthus H. Robins. & Brettell †54
—— *salicifolius* (Kunth) H. Robins. & Brettell 54
Barnettia Santisuk 436

Barnettia

Barnettia kerrii (Barnett & Sandwith) Santisuk 436
—— *pagetii* (Craib) Santisuk 436
Basilicum Moench 404, 406, 408
Bates, R.J., Weber, J.Z.: Orchids of South Australia (Rev.) 335
Bauhinia loeseneriana reinstated, with notes on the forests of the Rondo Plateau, SE Tanzania, Sally Bidgood & Kaj Vollesen 759
Bauhinia 759, 761
—— *loeseneriana* Harms 759-61
—— *mombassae* Vatke 759, 760
—— *taitensis* 759, 761
Beaux, Nathalie: Le cabinet de curiosités de Thoutmosis III. Orientalia Lovaniensia Annalecta 36 (Rev.) 147
Becium 403, 406, 433
—— *irvinei* (J.K. Morton) Sebald 406
—— *serpyllifolium* (Forssk.) J.R.I. Wood 426
Bedfordia 50, †53
—— *linearis* DC. 53
—— *salicina* DC. 53
Beentje, Henk *Reviewer*: Revision of Tabernaemontana. The Old World Species, by A.J.M. Leeuwenberg 547
Befaria sprucei Meissner 1
Belcher, R. O.: The genus Senecio (Compositae) on Lord Howe and Norfolk Islands 765
Bell, Adrian D.: Plant Form. An illustrated Guide to Flowering Plant Morphology. (Rev.) 148
Bequaertiodendron magalismontanum 764
Bersama Fres. 753
—— *abyssinica* 763
Bidgood, Sally & Vollesen, Kaj: Bauhinia loeseneriana reinstated, with notes on the forests of the Rondo Plateau, SE Tanzania 759
Bidgood, Sally: The identity of Strigina Engl. (Scrophulariaceae) 775
Bignoniaceae: Santisukia, a new generic name in Bignoniaceae, R.K. Brummitt 436
Bignoniaceae 20, 436
Bivinia jalbertii 763
Blackmore, S., Knox, R.B. (Eds.): Microspores. Evolution and Ontogeny (Rev.) 336
Blackmore, S., Barnes, S.H. (Ed.): Pollen and Spores: Patterns of Diversification. The Systematics Association Special Volume No. 44 (Rev.) 781
Blechnum buchtienii Rosenst. 12
Blennosperma Less. †104
—— *chilense* Less. 104
Blepharandra hypoleuca (Benth.) Griseb. 19
Blepharodon ulei Schltr. 20
Bombacaceae 7, 14, 762
Bombax rhodognaphalon 762
Bonatea steudneri 724
Bonnetia 5, 6, 9
—— sp. 14

Book Reviews & Notices:-
Atlas Florae Europaeae. Distribution of vascular plants in Europe. Paeoniaceae to Capparaceae, by Jaakko Jalas & Juha Suominen (Eds.) 788

Book Reviews
Bioactive compounds from plants, by Derek J. Chadwick & Joan March (Eds.) 150
British Plant Communities Vol.1. Woodlands and scrub, by J.S. Rodwell 347
Catalogue of the Botanical Art Collection at the Hunt Institute. Part 4, Plant Portraits, Artists I-O, by James J. White (Compiler) & Elizabeth R. Smith (Assistant Compiler) 791
The Concise Flora of Singapore. Gymnosperms and Dicotyledons, by Hsuan Keng 156
Cortinarius. Flora Photographica, by Tor Erik Brandrud, Håkan Lindström, Hans Marklund, Jacques Melot & Siw Muskos 149
Cox's Guide to Choosing Rhododendrons, by Peter & Kenneth Cox 152
Die Orchideen ed. 3, 1 (24), by F.G. Brieger, R. Maatsch & K. Senghas (Eds.) 337
Flora of Eastern Saudi Arabia, by James P. Mandaville 158
Flora of the Outer Hebrides, by R.J. Pankhurst & J.M. Mullin 346
The genera of Sapotaceae, by T.D. Pennington 789
Hardy Herbaceous Perennials, Vol. 1 A-K & Vol.II L-Z, by Leo Jellito & Wilhelm Schacht, revised by Wilhelm Schacht & Alfred Fessler, 155
Host Specialization in the World Agromyzidae (Diptera), by Kenneth A. Spencer, illustrated by Ann Spencer 160
Hosta. The flowering foliage plant, by Diana Grenfell 339
A key to Australian grasses, by B.K. Simon 160
The Larger Rhododendron Species, Second edition, by Peter A. Cox 151
Le cabinet de curiosités de Thoutmosis III. Orientalia Lovaniensia Annalecta 36, by Nathalie Beaux 147
Luigi Balugani's drawings of African Plants from the collection made by James Bruce of Kinnaird on his travels to discover the source of the Nile 1767-1773, by Paul Hulton, F. Nigel Hepper & Ib Friis 341
Microspores. Evolution and Ontogeny, by S. Blackmore & R.B. Knox (Eds.) 336
Morphology, Development and Systematic Relevance of Pollen and Spores. Plant Systematics and Evolution, Supplement 5, by M. Hesse & F. Ehrendorfer (Eds.) 153
Mushrooms and truffles of the Southwest, by Jack S. States 162
Nephelieae pollen (Sapindaceae): Form, function and evolution. Leiden Botanical Series, Vol. 13, by R.W.J.M. van der Ham 340
An Oak Spring Pomona. A selection of the rare books on fruit in the Oak Spring Garden Library, by Sandra Raphael 159
Orchids of Java, by J.B. Comber 338
Orchids of South Australia, by R.J. Bates & J.Z. Weber 335
Per Axel Rydberg: A Biography, Bibliography and List of His Taxa, by Arnold Tiehm Stafleu, Frans A. 165

Book Reviews

Plant Form. An illustrated Guide to Flowering Plant Morphology., by Adrian D. Bell 148
Pollen and Spores of Barro Colorado Island, by David W. Roubik & Jorge Enrique Moreno P. 791
Pollen and Spores: Patterns of Diversification. The Systematics Association Special Volume No. 44, by S. Blackmore & S.H. Barnes (Ed.) 781
Pollen Flora of Maharashtra State, India, by T.S. Nayar 348
Proceedings of the 7th International Palynological Congress. From Review of Palaeobotany and Palynology, Vols. 64 & 65, by E.M. Trusswell & J.A.K. Owen (Eds.) 548
Pteridophytes of Tropical East Africa. A Preliminary Check-list of the Species, by R.J. Johns 788
Reproductive Biology and Evolution of Tropical Woody Angiosperms, by Gerhard Gottsberger & Ghillean T. Prance (Eds.) 784
Research Advances in the Compositae. Plant Systematics and Evolution Supplementum 4, by T.J. Mabry & G. Wagenitz (Eds.) 344
A Revised Handbook to the Flora of Ceylon, vol.7, by M.D. Dassanayake (Ed.) 783
A revision of Tabernaemontana. The Old World Species, by A.J.M. Leeuwenberg 547
A Revision of the Genus Arcytophyllum (Rubiaceae: Hedyotoideae), by Patricio Mena V 165
Scientia Guaianae No. 1. The Amazonas Federal Territory, Venezuela: a bibliography, by Franz H. Weibezahn & Barbara E. Janssen-Weibezahn 164
Solanaceae III: Taxonomy, Chemistry, Evolution, by J.G. Hawkes, R.N. Lester, M. Nee & N. Estrada-Ramos (Eds.) 785
A Survey of Foliar Flavonoids in the Aceraceae. Memoirs of the New York Botanical Garden, Vol. 54, by Thomas J. Delendick 153
Systematics of Platystele (Orchidaceae). Icones Pleurothallidinarum VII, by Carlyle A. Luer 343
Threatened Plants of New Zealand, by Catherine M. Wilson & David R. Given 348

Bosqueiopsis gilletii 763
Boulos, Loutfy: Notes on Agathophora (Fenzl) Bunge and Cornulaca Del. Studies in the Chenopodiaceae of Arabia 5 283
Bowenia 27
—— *serrulata* 28
Boweniaceae 27
Boyce, Peter *Reviewer*: Concise Flora of Singapore. Gymnosperms and Dicotyledons, by Hsuan Keng 156
Boyce, Peter *Reviewer*: Hardy Herbaceous Perennials, Vol. 1 A-K & Vol.II L-Z, by Leo Jellito & Wilhelm Schacht, revised by Wilhelm Schacht & Alfred Fessler 155
Brachionostylum Mattf. †75
—— *pullei* Mattf. 75
Brachystegia spiciformis 762

Brachyglottis

Brachyglottis J.R. & G. Forst. 50, †53
—— *brunonis* 53
—— *hectoris* 53
—— *kirkii* 53
—— *lagopus* 53
—— *laxifolia* 53
—— *myrianthos* 53
—— *perdicioides* 53
Braggins, J.E., Large, M.F. & Green, P.S.: The identity of Polypodium pustulatum Forst.f. (Polypodiaceae) 121
Brandham, P.E. & Sebsebe Demissew: A new species of Aloe from the Ethiopian Rift Valley 509
Brandrud, Tor Erik, Lindström,Håkan, Marklund, Hans, Melot, Jacques, Muskos, Siw.: Cortinarius. Flora Photographica. (Rev.) 149
Brazil: The genus Apodanthera (Cucurbitaceae) in Bahia State, Brazil, C. Jeffrey 517
Brazil: A new species of Byrsonima (Malpighiaceae) from eastern Brazil, William R. Anderson 725
Brazil: A new species of Canavalia (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 305
Brazil: Plant collections from the plateau of Serra do Aracá (Amazonas, Brazil) and their phytogeographic affinities, Ghillean T. Prance & David M. Johnson 1
Brazil: Spigelia flava Zappi & Harley (Loganiaceae) - a new species from the Pico das Almas, Bahia, Brazil, D.C. Zappi & R.M. Harley 329
Brazil: Two new species of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 141
Brazil: Two new species of Habenaria (Orchidaceae) from Bahia, Brazil, Toscano de Brito 731
Brazil: Two new taxa of Protium from eastern Brazil. Studies in neotropical Burseraceae V, Douglas C. Daly 713
Brazilian: Notes on Brazilian Orchidaceae I, Toscano de Brito 774
Bredemeyera myrtifolia Benn. 19
Bridelia 111
—— *atroviridis* 763
—— *duvigneaudii* 763
—— *retusa* (L.) Spreng. 111
Bridson, Diane M.: The genus Canthium (Rubiaceae-Vanguerieae) in tropical Africa 353
Brieger, F.G., Maatsch, R. Senghas, K. (Eds.): Die Orchideen ed. 3, 1 (24) (Rev.) 337
British Isles: A new species of Hydnotrya (Helvellaceae) from the British Isles, B.M. Spooner 502
Brito, Toscano de: Notes on Brazilian Orchidaceae I 774
Brito, Toscano de: Two new species of Habenaria (Orchidaceae) from Bahia, Brazil 731
Brocchinia 9
—— *amazonica* L.B. Smith 23
Bromeliaceae: Notes on South American Bromeliaceae, D. Philcox 261
Bromeliaceae: Notes on South American Bromeliaceae- corrections, D. Philcox 544
Bromeliaceae 23, 261, 630

Bromeliiflorae

Bromeliiflorae 630
Brummitt, R.K., Ensermu, K. & Furness, C.A.: A reconsideration of Asystasiella Lindau (Acanthaceae) 669
Brummitt, R.K.: Santisukia, a new generic name in Bignoniaceae 436
Bulbophyllinae: Additions to the taxonomic revision of the continental African Bulbophyllinae (Orchidaceae), J.J. Vermeulen 137
Bulbophyllum 137, 774
—— sect. *Polyphlebus* 685
—— *calyptratum* 137, 139
—— *cribbianum* Toscano †774
—— *falcatum* 137, 139
—— *fayi* J.J. Vermeulen †137, *138-9
—— *fuscatum* Schltr. 685, 687
—— *imbricatum* 139
—— *magnibracteatum* 139
—— *micropetalum* Barb. Rodr. 774
—— *molossus* Rchb.f. †139, 140
—— *sessiliflorum* H.A. Wendl. & Kränzlin 137, 139, 140
—— *vutimenaense* B. Lewis †685, *686-7
Burma: Two new species of Ixora (Rubiaceae subfam. Ixoroideae) from India and Burma, D.B. Deb & R.C. Rout 295
Burmannia bicolor Mart. 7, 23
Burmanniaceae: Embryo sac and early post-fertilisation development in Thismia (Burmanniaceae), Paula Rudall & Stephen Morley 625
Burmanniaceae 7, 23, 625, 627, 630
—— tribe *Thismieae* 625, 630
Burseraceae: Two new taxa of Protium from eastern Brazil. Studies in neotropical Burseraceae V, Douglas C. Daly 713
Burseraceae 20, 713, 716, 763
Byrsonima: A new species of Byrsonima (Malpighiaceae) from eastern Brazil, William R. Anderson 725
Byrsonima 725
—— *stannardii* W.R. Anderson 725 *726-7
—— *variabilis* Adr. Juss. 727
—— sp. aff. —— Adr. Juss. 725

Cabreriella Cuatrec. †74
—— *sanctae-martae* (Greenm.) Cuatrec. 74
Cacalia L. 58, †104
—— *alpina* L. 104
—— *delphiniifolia* 58
—— *hastata* 58
—— *jatrophoides* Kunth 55
—— *kuisiana* 58
—— *ledifolia* Kunth 71
—— *macrophylla* Bieb. 104
—— *nitida* Kunth 72
—— *peltifolia* 58
—— *penicillata* Cass. 83
—— *pulchella* Kunth 72
—— *pungens* Kunth 72
—— *racemosa* DC. 83
—— *reticulata* Vahl †77
—— *vaccinioides* Kunth 73
Cacaliopsis A. Gray †56
—— *nardosmia* A. Gray 56
Cadia 723
Cadiscus E. Mey. ex DC. †100
—— *aquaticus* E. Mey. ex DC. 100

Caesalpinia

Caesalpinia: A new species of Caesalpinia (Leguminosae: Caesalpinioideae) from Mexico, J.L. Contreras & G.P. Lewis 309
Caesalpinia hintonii Sandw. 309, 311
—— *laxa* Benth. 309
—— —— McVaugh 309
—— *macvaughii* J.L. Contreras & G.P. Lewis †309, *310-1, *312
Caesalpiniaceae 17
Calamus inops (Palmae:Calamoideae) and its relatives, Padmi Kramadibrata & John Dransfield 581
Calamus 581-2
—— sect. *Phyllanthectus* 582-583
—— *aidae* 583
—— *inops* Becc. ex Heyne 582-3, †584, *585-6, 588, 593
—— *leptostachys* Becc. ex Heyne 582
—— *orthostachyus* Furt. 582-4, 586, †591, *592-3
—— *pedicellatus* Becc. ex Heyne 582-3, †586, *587-8
—— *robinsonianus* Becc. 582-3, 586, †588, *589-91
Calea abelioides S.F. Blake 21
—— *lucidivenia* Gleason & S.F. Blake 21
Calliandra tsugoides Cowan 6, 17
Callitris endlicheri 30
Calocedrus decurrens 30
Caloncoba welwitschii 763
Calycolpus alternifolius (Gleason) Landrum 7, 17
Calycosiphonia spathicalyx 763
Camarea: A cladistic analysis of the genus Camarea (Malpighiaceae), Maria Candida Henrique Mamede & Simon J. Mayo 491
Camarea A. St.-Hil. 491, 493, 495-6, 498-500
—— *affinis* A. St.-Hil. 491, 493, 496, 498, 500
—— *affinis* × *hirsuta* 493
—— *axillaris* A. St.-Hil. 493, 498, 500
—— *elongata* Mamede 493, 498, 500
—— *ericoides* A. St-Hil. 493, 496, 498, 500
—— *hirsuta* A. St.-Hil. 493, 496, 498, 500
—— *linearifolia* A. St.-Hil. 493, 496, 498, 500
—— *sericea* A. St.-Hil. 493, 495, 496, 499, 500
Canavalia: A new species of Canavalia (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 305
Canavalia cassidea G.P. Lewis †305, *306
—— *dolichothyrsa* G.P. Lewis 305
Canthium: The genus Canthium (Rubiaceae-Vanguerieae) in tropical Africa, Diane M. Bridson 353
Canthium Lam. 353, 355-6, 359-63, †364, 365
—— subgen. *Afrocanthium* Bridson 361-2, †364, †366, †367
—— subgen. *Bullockia* 353, 362-3, †364
—— subgen. *Canthium* †364, †365
—— subgen. *Lycioserissa* 359, 361-2, †364, †387, †388
—— *aciculatum* Ridl. 359
—— *angustifolium* Roxb. 356
—— *berberidifolium* Geddes 356
—— *brachystyla* Ridl. 356
—— *burttii* Bullock 368, †383, 385, 387
—— —— subsp. *burttii* 383, †384, 387
—— —— subsp. *glabrum* Bridson 383, †385
—— —— var. *nanguanum* Tennant 383

Canthium
Canthium burttii sensu F. White 385
—— —— sensu Vollesen 383
—— *calvum* Craib 356
—— *campanulatum* Thw. 356
—— *captum* Bullock 389
—— —— sensu Robyns 389
—— *ciliatum* (Ecklon & Zeyher) Kuntze 359, 362
—— *coffeoides* Pierre 356
—— *coromandelicum* (Burm. f.) Alston 355-6, *357, *358-9, 362, 364
—— *crassum* 379
—— —— sensu Hiern 379
—— *depressinerve* Ridl. 356
—— *ferrugineum* Craib 356
—— *filipendulum* Pierre 359
—— *frangula* S. Moore 359, 366
—— *gilfillanii* 362, 368, †374
—— *glaucescens* subsp. *frangula* *357
—— *glaucum* Hiern 359, 361-2, †365-6
—— —— subsp. glaucum (S. Moore) Bridson *358, 365, †366
—— —— var. *frangula* †366
—— —— var. *pubescens* Bridson †366
—— *hirtellum* Ridl. 359
—— *horridulum* Craib 356
—— *horridum* Bl. 356
—— *inerme* (Linn.f.) Kuntze 388, †392
—— *keniense* Bullock 369, †382
—— —— sensu Bullock 381
—— —— sensu Vollesen 379
—— *kilifiense* Bridson 369, †381, *382
—— *kuntzeanum* Bridson *357, *358, 360, 362-3, †364, †393
—— *lactescens* Hiern *357, *358, 366, 368, 375, †379, 387
—— —— var. *grandifolium* S. Moore 379
—— *longipes* Geddes 359, 362
—— *molle* King & Gamble 359
—— *mundianum* Cham. & Schlecht. 362, 368, †373-4
—— —— var. *pubescens* Cham. & Schlecht. 373
—— —— sensu K. Coates Palgrave 374
—— *ngonii* Bridson 368, †371, *372
—— *oligocarpum* Hiern †388-9
—— —— subsp. *angustifolium* Bridson †389
—— —— subsp. *captum* (Bullock) Bridson †389
—— —— subsp. *friesiorum* (Robyns) Bridson 389, †391
—— —— subsp. *intermedium* Bridson 391
—— —— subsp. *oligocarpum* *357, *358, †389, 392
—— *parasiebenlistii* Bridson 370, †375, *376-7, 763
—— *parviflorum* Lam. 355, 364
—— *parvifolium* Roxb. 356
—— —— Roxb. non Lam. 356
—— *pauciflorum* (Klotzsch ex Ecklon & Zeyher) Kuntze 393
—— —— Blanco 356, 362
—— —— King & Gamble, non Blanco 356
—— *pedunculare* Cav. 359
—— *peteri* Bridson 368, †379, *380
—— *pseudorandii* Bridson 368, †385, *386-7
—— *pseudosetiflorum* 353, *357, *358
—— —— sensu Drummond 371
—— *pseudoverticillatum* S. Moore 367, †370, 373

Canthium
Canthium pseudoverticillatum subsp. *pseudoverticillatum* †370-371
—— *pseudosetiflorum* subsp. *somaliense* Bridson †370
—— —— sensu Drummond 371
—— *puberulum* 359
—— *quadratum* Craib 356
—— *racemulosum* S. Moore †383
—— —— var. *nanguanum* (Tennant) Bridson 369, †383
—— —— var. *racemulosum* 369, †383
—— *randii* sensu O.B. Miller 385
—— —— S. Moore 379, 387
—— *rheedii* DC. 356, 359
—— *robynsianum* Bullock 370
—— *rondoense* Bridson 367, †372, *373
—— *ruwenzoriense* Bullock 389
—— *salubenii* Bridson 369, †377, *378
—— *sarcocarpum* Merr. 356
—— *sarmentosum* Craib 356
—— *scabridum* Ridl. 359
—— *scandens* Bl. 356
—— *setiflorum* 353
—— *shabanii* 369, †380, *381
—— *sidamense* Cufod. 389
—— *siebenlistii* (K. Krause) Bullock 369, †374-5, 377
—— —— sensu Chiov. 391
—— —— sensu Dale & Greenway 381
—— —— sensu Vollesen 383
—— *sordidum* (K. Schum.) Bullock †393
—— *spinosum* (Ecklon & Zeyher) Kuntze 359, 362
—— *stellulatum* Craib 359, 362
—— *strigosum* Craib 359
—— *strychnoides* Craib 356
—— *subaureum* Craib 356
—— *suberosum* Codd 388, †392
—— *swynnertonii* S. Moore 392
—— *tavoyanum* (R.N. Parker) Merr. 359, 362
—— —— var. *glabriforme* Craib 359
—— *thunbergianum* Cham. & Schlecht. 392
—— *travancoricum* Bedd. 355, 359, 362, 365
—— *umbrosum* Hiern 379
—— *vanwykii* Tilney & Kok 359, 362
—— *ventosum* sensu S. Moore 392
—— *vollesenii* Bridson 368, †383, *384
—— *welwitschii* Hiern 379
—— subsp. *A* 377
—— sp. 359
—— sp. *3* 376
—— sp. *A* 368, †372
—— sp. *B* 369, †375
—— sp. *C* 377
—— sp. *D* 369
—— sp. *no. 1* 393
Caprifoliaceae 7, 21
Caraipa 9
—— *aracaensis* Kubitzki 1, 9, 14
—— *llanorum* 8
—— *longisepala* Kubitzki 7
—— *pusilla* Steyerm. 14
—— *tereticaulis* Tul. 14
Carpodiptera africana 764
Carvalhoa macrophylla 763
Casearia gladiiformis 762
Cassine eucleiforme sensu Davidson 456
Cassytha filiformis L. 7, 13
Cathaya argyrophylla 28
Cavendishia callista Donn. Smith 15

Cedrus
Cedrus atlantica 28
—— *deodara* 28
Celastraceae 764
Celastrus 438
—— *filiformis* L.f. 455-6
Celtis gomphophylla 762
Centaurea: A new species of Centaurea L. (Compositae: Cardueae) from Ethiopia, Mesfin Tadesse 737
Centaurea L. 737, 739
—— *jeffreyana* Mesfin †737, *738-9
—— *melitensis* 739
—— *nigerica* Hutch. 739
—— *praecox* Oliv. & Hiern 737, 739
—— *solstitialis* 739
Cephalocarpus rigidus Gilly 22
Cephalotaxaceae 31
Cephalotaxus drupacea 31
—— *fortunei* 31
—— *harringtonia* var. *drupacea* 31
—— *nana* 31
—— *sinensis* 31
Ceratozamia mexicana 26
Chadwick, Derek J. & March, Joan (Eds.) : Bioactive compounds from plants (Rev.) 150
Chaetocarpus 112
Chamaecyparis 30
Chapada Diamantina: New taxa of Labiatae from the Pico das Almas and the Chapada Diamantina, R.M. Harley 553
Chassalia umbraticola 763
Chazaliella abrupta 763
Cheek, Martin & Leach, Greg: A new species of Corchorus (Tiliaceae) from the Northern Territory of Australia 513
Cheek, Martin & Gasson, Peter: The wood anatomy of Pseudobersama mossambicensis and Trichilia capitata (Meliaceae) compared 753
Chelonanthus uliginosus Griseb. 20
Chenopodiaceae: Notes on Agathophora (Fenzl) Bunge and Cornulaca Del. Studies in the Chenopodiaceae of Arabia 5, Loutfy Boulos 283
Chenopodiaceae 283
Chersodoma †96
—— *candida* Phil. 96
—— *jodopappa* 96
Chiliocephalum: A new species of Chiliocephalum Benth. (Compositae: Inuleae) from Ethiopia, Mesfin Tadesse 131
Chiliocephalum 131
—— *schimperi* Benth. 131, †132, *133
—— *tegetum* Mesfin †131, *133
Chlamydites J.R. Drumm. 104
Chromosome counts in Psophocarpus (Leguminosae: Papilionoideae), Daniel K. Harder 529
Chrysobalanaceae: Five new species of neotropical Chrysobalanaceae, G.T. Prance 247
Chrysobalanaceae: New species and new records of neotropical Chrysobalanaceae, G.T. Prance 633
Chrysobalanaceae 7, 9, 16, 247, 633, 762
Chrysopteris billardieri (R. Br.) Link 126
Chusquea 709
Cineraria L. †97
—— *americana* Linn.f. 65
Cineraria
Cineraria deltoidea 97
—— *geifolia* L. 97
—— *laciniata* Sw. 63
Cinerarialucida Sw. 67
—— *parviflora* Bieb. 104
—— *praecox* Cav. 54
—— *taraxacifolia* M.-Bieb. 103
Cissampelopsis 50, †82
—— *volubilis* (Bl.) Miq. 82
Citta nigricans Lour. 244
A cladistic analysis of the genus Camarea (Malpighiaceae), Maria Candida Henrique Mamede & Simon J. Mayo 491
Cladium costatum Steyerm. 22
Clerodendrum sansibarense 764
Clidemia capitata Benth. 17
—— cf. *pycnaster* Tutin 17
—— *tepuiensis* Wurdack 17
Clusia 6, 7
—— *columnaris* Engl. 14
—— *hexacarpa* Gleason 6, 14
—— *melchiori* Gleason 14
—— *sessilis* Klotzsch ex Engler 14
—— sp. 14
—— sp. aff. —— 14
Clusiaceae 7, 8, 14, 763
Clutia: Notes on African Euphorbiaceae: XXVII. Clutia, A. Radcliffe-Smith 111
Clutia 111-2
—— *abyssinica* Jaub. & Spach 115
—— *alaternoides* L. 111
—— *brassii* 117
—— *cordata* Bernh. ex Krauss 115, 117
—— *eluteria* (L.) Sw. 111
—— *galpini* Pax †112
—— *gracilis* Hutch. 114
—— *heterophylla* Thunb. var. *hirsuta* Sond. 112
—— *hirsuta* (Sond.) Muell. Arg. †112
—— —— E. Mey. 112
—— *inyangensis* Hutch. 112
—— *monticola* S. Moore †114-5, 117
—— —— var. *stelleroides* (S. Moore) A. Radcl.-Sm. *113, †114
—— *paxii* Knauf †114
—— *pulchella* L. 111, †115
—— —— var. *obtusata* Sond. †115
—— *sessilifolia* Radcl.-Sm. †115, *116
—— *stelleroides* S. Moore 114
—— *volubilis* Hutch. 112
—— *whytei* Hutch. †117
—— —— var. *monticoloïdes* Radcl.-Sm. †117, *118
Cluytia 111
Coccocypselum aureum (Spreng.) Cham. & Schlecht. 21
Cochlidium serrulatum (Sw.) Bishop 12
—— *tepuiense* (A.C. Smith) Bishop 12
Coelogyne macdonaldii F. Muell. & Kraenzl. 689
Cola discoglypremnophylla 764
Colombia: A new species of Stephanopodium (Dichapetalaceae) from Colombia, G.T. Prance 545
Comber, J.B.: Orchids of Java (Rev.) 338
Combretaceae 762, 764
Combretum celastroides 764
—— *illairii* 764
—— *padoides* 764
—— *pentagonum* 764
—— *xanthothyrsum* 764
Commelinidae 22

Commiphora

Commiphora fulvotomentosa 763
—— *serrata* 763
Compositae: Cardueae: A new species of Centaurea L. (Compositae: Cardueae) from Ethiopia, Mesfin Tadesse 737
Compositae: The genus Senecio (Compositae) on Lord Howe and Norfolk Islands, R. O. Belcher 765
Compositae: Inuleae: A new species of Chiliocephalum Benth. (Compositae: Inuleae) from Ethiopia, Mesfin Tadesse 131
Compositae: The tribe Senecioneae (Compositae) - Corrections, C. Jeffrey 292
Compositae: The tribe Senecioneae (Compositae) in the Mascarene Islands with an annotated world check-list of the genera of the tribe. Notes on Compositae: VI, C. Jeffrey 49
Compositae: Typification of Gerbera jamesonii Adlam (Compositae), D.J.N. Hind 110
Compositae 51, 131, 737
—— subord. *Senecioninae* 52
—— subtribe *Blennospermatinae* 49
—— subtribe *Gnaphaliinae* 131
—— subtribe *Senecioninae* 49, 62
—— subtribe *Tephroseridinae* 52
—— subtribe *Tussilaginae* 52
—— tribe *Mutiseae* 110
—— tribe *Senecioneae* 49-51
—— group *Adenostyles* 62
—— sect. *Madaractis* (DC.) Hook.f. †89
—— sect. *Pseudojacobaea* Hook.f. †89
—— sect. *Xerosenecio* Cabr. †91
—— ser. *Culcitium* (Humb. & Bonpl.) Cuatrec. †90
—— subgen. *Senecio* †89
Compositae: Inuleae: A new species of Chiliocephalum Benth. (Compositae: Inuleae) from Ethiopia, Mesfin Tadesse 131
Connaraceae 763
Contreras, J.L. & Lewis, G.P.: A new species of Caesalpinia (Leguminosae: Caesalpinioideae) from Mexico 309
Conyza squamosa Bory 78
Cope, T.A. *Reviewer*: key to Australian grasses, by B.K. Simon 160
Cope, T.A. *Reviewer*: Flora of Eastern Saudi Arabia, by James P. Mandaville 158
Cope, T.A.: Some new Arabian grasses II 655
Cope, T.A.: Some new Somali grasses 277
Corchorus: A new species of Corchorus (Tiliaceae) from the Northern Territory of Australia, Martin Cheek & Greg Leach 513
Corchorus 513, 515
—— *aestuans* L. 515
—— *capsularis* L. 513
—— *cunninghamii* F. Muell. 513, 515
—— *fascicularis* Lam. 515
—— *macropetalus* (F. Muell.) Domin 515
—— *macropterus* Leach & Cheek †513, *514-5
—— *olitorius* L. 513
—— *sidoides* F. Muell. 515
—— *tomentellus* F. Muell. 515
—— *tridens* L. 515
—— *vermicularis* F. Muell. 515
Cordyla africana 762
Cornulaca Del.: Notes on Agathophora (Fenzl) Bunge and Cornulaca Del. Studies in the Chenopodiaceae of Arabia 5, Loutfy Boulos 283
Cornulaca Del. †285
—— *amblyacantha* Bunge 285, 287
—— *arabica* Botsch. 285-6
—— *aucheri* Moq. †286
—— *ehrenbergii* Aschers. †285, 287
—— *leucacantha* Charif & Aellen 286
—— *monacantha* Del. †285-6
—— *setifera* (DC.) Moq. †285-6
—— *tragacanthoides* Moq. 285
Couepia amaralae Prance 7
—— *caryophylloides* R. Ben. 254, 256
—— —— subsp. *glabra* 256
—— *morii* Prance 254, *255
—— *parvifolia* 645
—— *rankinae* Prance †640, *641
—— *sandwithii* 256
—— *scottmorii* Prance †645-6
—— *subcordata* 642
—— *uiti* 646
Cowley, Jill *Reviewer*: Hosta. The flowering foliage plant, by Diana Grenfell 339
Cox, Peter & Kenneth: Cox's Guide to Choosing Rhododendrons (Rev.) 152
Cox, Peter A.: Larger Rhododendron Species, Second edition (Rev.) 151
Crassocephalum Moench †97, 99
—— *cernuum* Moench 97
—— *montuosum* 97
—— *rubens* 97
Cremanthodium Benth. †58
—— *campanulatum* Diels 58
—— *reniforme* (DC.) Benth. 58
Crepidospermum 713
Cribb, Phillip *Reviewer*: Systematics of Platystele (Orchidaceae). Icones Pleurothallidinarum VII, by Carlyle A. Luer 343
Cribb, Phillip *Reviewer*: Die Orchideen ed. 3, 1 (24), by F.G. Brieger, R. Maatsch & K. Senghas (Eds.) 337
Cribb, P.J.: A new Polystachya (Orchidaceae) from Tanzania 257
Cribb, Phillip *Reviewer*: Orchids of South Australia, by R.J. Bates & J.Z. Weber 335
Crocidium Hook. †104
—— *multicaule* Hook. 104
Crossandra 169, 170-1, 623
—— *afromontana* Mildbr. 189
—— *boivinii* Baillon ex S. Moore 170, 191
—— *buntingii* S. Moore 170, 179
—— *elatior* S. Moore 182
—— *flava* 171
—— *gabonica* Benoist 189
—— *gossweileri* S. Moore 190
—— *guineensis* Nees 182
—— *longipes* 170
—— *talbotii* S. Moore 186
—— *thomensis* Milne-Redh. 187
—— *usambarensis* Mildbr. 188
—— *warneckei* S. Moore 188
Croton 111, 678
—— *cascarilla* (L.) Benn. 111
Cryptanthus incrassatus L.B. Smith 265
—— *pickelii* L.B. Smith 268
—— *pseudopetiolatus* Philcox †265, *267
—— *ruthae* Philcox †268, *269
Cryptomeria fortunei 30
—— *japonica* 30
Cucumis sepium G.F.W. Mey. 742

Cucurbitaceae

Cucurbitaceae: The genus Apodanthera (Cucurbitaceae) in Bahia State, Brazil, C. Jeffrey 517
Cucurbitaceae: Names of the indigenous neotropical species of Luffa Mill. (Cucurbitaceae), C. Jeffrey 741
Cucurbitaceae 15
Culcitium Humb. & Bonpl. 84
—— *hypoleucum* Turcz. 76
—— *ledifolium* Kunth 76
—— *rex* Sandw. 73
—— *rosmarinifolium* Benth. 73
Cunninghamia lanceolata 30
Cunoniaceae 16
Cuphea sp. aff. *annulata* Koehne 17
Cupressaceae 30, 34
× *Cupressocyparis* 30
Cupressus arizonica 30
Cussonia zimmermannii 762
Cutler, D.F., Bačić, Tomislav & Lawrence, T.J.: Leaf anatomy of an Arbutus taxon from Yugoslavia 535
Cuviera semsei 763
Cyathea demissa (C. Morton) A.R. Smith ex Lell. 7, 12
—— *platylepis* (Hook.) Domin 12
—— sp. aff. *lechleri* Mett. 12
Cyatheaceae 7, 12
Cybianthus 7
—— *cardonae* Agostini 16
—— *fulvopulverulentus* subsp. *fulvopulverulentus* 6, 16
—— —— subsp. *magnoliifolius* 16
—— *lepidotus* (Gleason) Agostini 16
—— *quelchii* (N.E. Brown) Agostini 6, 16
—— *resinosus* Mez 16
Cycadaceae 26
Cycas 26
—— *armstrongii* 26
—— *circinalis* 26
—— *panzhihuaensis* 26
—— *revoluta* 26
—— *taiwaniana* 26
Cyclophyllum 355
Cynanchum L. 475-6
—— *dichasiale* O. Schwarz 602-3
—— *somaliense* 476
—— *strictum* (Gleason & Mold.) Holm. 20
Cyperaceae: A new species of Cyperus and a reassessment of Cyperus rufostriatus (Cyperaceae) from Madagascar. Notes on Madagascar Cyperaceae I, D.A. Simpson 745
Cyperaceae 7, 9, 22, 745, 750
Cyperus: A new species of Cyperus and a reassessment of Cyperus rufostriatus (Cyperaceae) from Madagascar. Notes on Madagascar Cyperaceae I, D.A. Simpson 745
Cyperus rufostriatus: A new species of Cyperus and a reassessment of Cyperus rufostriatus (Cyperaceae) from Madagascar. Notes on Madagascar Cyperaceae I, D.A. Simpson 745
Cyperus 747
—— sect. *Incurvi* 745, 747
—— sect. *Leucocephali* 745, 747
—— sect. *Pandanophylli* 747
—— *androhibensis* D.A. Simpson †745, 747
—— *chamaecephalus* Cherm. 747

Cyperus

Cyperus hylophilus Cherm. 747-8
—— *molliglumis* Cherm. 747, 750
—— *pandanophyllum* C.B. Clarke 747
—— *plantaginifolius* Cherm. 747
—— *pulchellum* R. Br. 745
—— *pulchellus* 747
—— *rufostriatus* C.B. Clarke 745, 747, †748, *749, 750
Cyprus: Onosma orientale (L.) L. (Boraginaceae) collected in Cyprus, Arne A. Anderberg, Barbro Axelius, Roger Lundin, Anders Tehler, Hans-Erik Wanntorp & Annette Wiklund 777
Cyrilla racemiflora L. 5, 7, 15
Cyrillaceae 7, 15

Dacrycarpus 30
—— *dacrydioides* 30
Dacrydium 30
—— *bidwellii* 30
—— *biformae* 30
—— *colensoi* 30
—— *cupressinum* 30
—— *fonkii* 30
—— *kirkii* 30
—— *laxifolium* 30
Dacryodes 713
Daemonorops 581-2
Dalbergia 763
—— *acariiantha* 764
—— *armata* 764
—— *bracteolata* 764
Daly, Douglas C.: Two new taxa of Protium from eastern Brazil. Studies in neotropical Burseraceae V 713
Dassanayake, M.D.(Ed.): Revised Handbook to the Flora of Ceylon, vol.7 (Rev.) 783
de Vogel, E.F. *Reviewer*: Orchids of Java, by J.B. Comber 338
Deb, D.B. & Rout, R.C.: Two new species of Ixora (Rubiaceae subfam. Ixoroideae) from India and Burma 295
Decaspermum fruticosum auct. non J.R. & G. Forster 703
—— *parviflorum* (Lam.) A.J. Scott †703
—— —— subsp. *parviflorum* †704
—— —— subsp. *quadripartitum* J. Parnell & NicLughadha †704
Delairia Lem. †83
—— *odorata* Lem. 83, 772
Delendick, Thomas J.: Survey of Foliar Flavonoids in the Aceraceae. Memoirs of the New York Botanical Garden, Vol. 54 (Rev.) 153
Dendophorbium lucidum †67
Dendrocacalia (Nak.) Nak. ex Tuyama †57
—— *crepidifolia* (Nak.) Nak. ex Tuyama 57
Dendrophorbium (Cuatrec.) C. Jeffrey †65
—— *americanum* (Linn.f.) C. Jeffrey †65
—— *arboluco* (Cuatrec.) C. Jeffrey †65
—— *archeri* (Cuatrec.) C. Jeffrey †65
—— *barkleyanum* (Cuatrec.) C. Jeffrey †65
—— *biacuminatum* (Rusby) C. Jeffrey †65
—— *bomanii* R.E. Fries †65
—— *brachycodon* (Bak.) C. Jeffrey †65, 69
—— *bradei* (Cabrera) C. Jeffrey †65

Dendrophorbium

Dendrophorbium buchtienii (Greenm.) C. Jeffrey †65
—— *cabrerae* (Cuatrec.) C. Jeffrey †66
—— *cabrerianum* (Greenm. & Cuatrec.) C. Jeffrey †66
—— *catharinense* (Dusén ex Cabrera) C. Jeffrey †66
—— *chaenocephalum* (Cabrera) C. Jeffrey †66
—— *colombianum* (Cuatrec.) C. Jeffrey †66
—— *coroicense* (Rusby) C. Jeffrey †66
—— *curvidens* (Sch. Bip. ex Klatt) C. Jeffrey †66, 69
—— *dielsii* C. Jeffrey †66
—— *dolichodoryium* (Cuatrec.) C. Jeffrey †66
—— *fastigiaticephalum* (Cabrera) C. Jeffrey †66
—— *favillosum* (Cuatrec.) C. Jeffrey †66
—— *floribundum* (Cuatrec.) C. Jeffrey †66
—— *fortunatum* (Cuatrec.) C. Jeffrey †66
—— *fruticosum* (Vell.) C. Jeffrey †66
—— *glaziovii* (Bak.) C. Jeffrey †67, 69
—— *karstenii* (Hieron.) C. Jeffrey †67
—— *krukoffii* (Cuatrec.) C. Jeffrey †67
—— *limosum* C. Jeffrey †67
—— *lloense* (Hieron. ex Sodiro) C. Jeffrey †67
—— *longilinguae* (Cuatrec.) C. Jeffrey †67
—— *lucidum* (DC.) C. Jeffrey 67
—— *medullosum* (Sch. Bip. ex Greenm.) C. Jeffrey †67
—— *missionum* (Cabrera) C. Jeffrey †67
—— *moscopanum* (Cuatrec.) C. Jeffrey †67
—— *multinerve* (Sch. Bip. ex Klatt) C. Jeffrey †67, 69
—— *ocanense* (Greenm. & Cuatrec.) C. Jeffrey 67
—— *onae* (Cuatrec.) C. Jeffrey †67
—— *pellucidinerve* (Sch. Bip. ex Bak.) C. Jeffrey †68, 69
—— *peregrinum* (Griseb.) C. Jeffrey †68
—— *pluricephalum* (Cabrera) C. Jeffrey †68, 69
—— *pururu* (Cuatrec.) C. Jeffrey †68
—— *reflexum* (Kunth) C. Jeffrey †68, 69
—— *scaphiforme* (Greenm.) C. Jeffrey †68
—— *scytophyllum* (Kunth) C. Jeffrey †68, 69
—— *sibundoyense* (Cuatrec.) C. Jeffrey †68
—— *silvani* (Cuatrec.) C. Jeffrey †68
—— *sotarense* (Hieron.) C. Jeffrey †68
—— *storkii* (Cuatrec.) C. Jeffrey †68
—— *sylvani* 69
—— *tabacifolium* (Rusby) C. Jeffrey †68
—— *ullucosanum* (Hieron.) C. Jeffrey †69
—— *usgorense* (Cuatrec.) C. Jeffrey †69
—— *yalusay* (Cabrera) C. Jeffrey †69
—— *yungasense* (Britton) C. Jeffrey †69
Dendrophthora elliptica (Gardn.) Krug & Urban 18
Dendrosenecio (Hauman ex Hedb.) B. Nord. †75
—— *johnstonii* (Oliv.) B. Nord. 75
Dendrosicyinae 517
Dennis, R.W.G. *Reviewer*: Flora of the Outer Hebrides, by R.J. Pankhurst & J.M. Mullin 346
Desmodium 143
Diacidia 9
Diacidia aracaensis W. Anderson 1, 6, 19
Dialium holtzii 762
Dicercoclados C. Jeffrey & Y.L. Chen †58
Dicerolepis paludosa Bl. 333

Dichapetalaceae

Dichapetalaceae: A new species of Stephanopodium (Dichapetalaceae) from Colombia, G.T. Prance 545
Dichapetalaceae 763
Dicoma laurifolia Benth. 20
Dicranopteris flexuosa (Schrad.) Underw. 7, 12
Dictyophleba lucida 764
Dictyostega orobanchoides (Hook.) Miers subsp. *orobanchoides* 23
Digitacalia Pippen †55
—— *jatrophoides* 55
Digomphia densicoma (Mart. ex DC.) Pilger 20
Dilleniaceae 13, 764
Dilleniidae 13
Dimorphandra 743
—— *mollis* Bentham 744
—— *parviflora* Spruce ex Bentham 743-4
Dinochloa robusta, a new species of bamboo (Gramineae: Bambusoideae) from Sabah and Palawan, Soejatmi Dransfield 402
Dinochloa 402
—— *robusta* S. Dransf. †402
—— *scandens* (Bl.) O. Ktz. 402
—— *sipitangensis* S. Dransf. 402
—— *sublaevigata* S. Dransf. 402
Dioon edule 26
Dioscorea sp. 23
Dioscoreaceae 23
Diospyros verrucosa 763
Dipodium punctatum (J.E. Smith) R. Br. var. *squamatum* (G. Forst.) Finet ex Guill. 689
Disa pulchella 724
Diselma 30
Dolichoglottis B. Nord. †57
—— *lyalii* (Hook.f.) B. Nord. 57
Dolichorrhiza (Pojark.) Galushko †103
—— *renifolia* (C.A. Mey.) Galushko 103
Dolichos pruriens L. 235
Doliocarpus savannarum Sandw. 13
Dondisia DC. 356, 359
—— non Reichb. 356
—— non Scop. 356
—— *leschenaultii* DC. 356
Dorobaea Cass. 84
Doronicum L. †59
—— *pardalianches* L. 59
Dransfield, John *Reviewer*: Plant Form. An illustrated Guide to Flowering Plant Morphology., by Adrian D. Bell 148
Dransfield, John *Reviewer*: Arecaceae. Part I. Introduction and the Iriarteinae. Flora Neotropica Monograph 53, by Andrew Henderson 547
Dransfield, John & Kramadibrata, Padmi: Calamus inops (Palmae: Calamoideae) and its relatives 581
Dransfield, Soejatmi: Dinochloa robusta, a new species of bamboo (Gramineae: Bambusoideae) from Sabah and Palawan 402
Dransfield, Soejatmi: A new species of Racemobambos (Gramineae: Bambusoideae) from Sulawesi with notes on generic delimitation 707
Dresslerothamnus H. Robins. †64
—— *angustiradiata* (T. Barkl.) H. Robins. 64
—— *schizotrichus* (Greenm.) C. Jeffrey †64
Drosera: New names and new combinations in 34 taxa of Western Australian tuberous and pygmy Drosera, Neville Marchant & Allen Lowrie 315

Drosera
Drosera 327
—— *hyperostigma* N. Marchant & A. Lowrie 324
—— *bulbosa* Hook. subsp. *bulbosa* 321
—— —— subsp. *major* (Diels) N. Marchant & A. Lowrie †315
—— —— var. —— Diels 316
—— *callistos* N. Marchant & A. Lowrie †321
—— *closterostigma* N. Marchant & A. Lowrie †322
—— *dichrosepala* Turcz. 323, 327
—— *drummondii* Planchon 319
—— *echinoblastus* N. Marchant & A. Lowrie †322
—— *eneabba* N. Marchant & A. Lowrie †322
—— *enodes* N. Marchant & A. Lowrie †323
—— *ericksoniae* N. Marchant & A. Lowrie †323, 324
—— *erythrogyne* N. Marchant & A. Lowrie †316
—— *erythrorhiza* Lindley subsp. *collina* N. Marchant & A. Lowrie †317
—— —— subsp. *erythrorhiza* 317
—— —— subsp. *magna* †317
—— —— subsp. *squamosa* (Benth.) N. Marchant & A. Lowrie †318
—— *gigantea* Lindley subsp. *geniculata* N. Marchant & A. Lowrie †316
—— —— subsp. *gigantea* 316
—— *helodes* N. Marchant & A. Lowrie †324
—— *leioblastus* N. Marchant & A. Lowrie †325
—— *leucoblasta* Benth. 322, 324, 327-8
—— *lowriei* N. Marchant 318
—— *macrantha* Endl. subsp. *eremaea* N. Marchant & A. Lowrie †318
—— —— subsp. *macrantha* 318
—— *marchantii* subsp. *marchantii* 319
—— —— DeBuhr subsp. *prophylla* N. Marchant & A. Lowrie †319
—— *menziesii* R. Br. ex DC. subsp. *basifolia* N. Marchant & A. Lowrie †316
—— —— subsp. *menziesii* 316
—— —— subsp. *penicillaris* (Benth.) N. Marchant & A. Lowrie †319
—— —— var. —— (Benth.) Diels 319
—— *nitidula* Planchon subsp. *allantostigma* N. Marchant & A. Lowrie †325
—— —— subsp. *leucostigma* N. Marchant & A. Lowrie †325
—— —— subsp. *nitidula* 323, 325
—— —— subsp. *omissa* (Diels) N. Marchant & A. Lowrie †326
—— *occidentalis* Morrison subsp. *australis* N. Marchant & A. Lowrie †326
—— —— subsp. *occidentalis* 326
—— *omissa* Diels 326
—— *orbiculata* N. Marchant & A. Lowrie †319
—— *oreopodion* N. Marchant & A. Lowrie †326
—— *paleacea* DC. subsp. *paleacea* 325-6
—— —— subsp. *trichocaulis* (Diels) N. Marchant & A. Lowrie †327
—— —— var. —— Diels 327
—— *pallida* Lindley 316
—— *peltata* Thunb. 320
—— *penicillaris* Benth. 319
—— *platystigma* Lehm. 321
—— *porrecta* Lehm. 320

Drosera
Drosera roraimae 6
—— *roseana* N. Marchant & A. Lowrie †327
—— *rosulata* Lehm. 319
—— *salina* N. Marchant & A. Lowrie †320
—— *sewellia* Diels 324
—— *spilos* N. Marchant & A. Lowrie †327
—— *squamosa* Benth. 31
—— *stolonifera* Endl. subsp. *humilis* (Planchon) 320
—— —— subsp. *porrecta* (Lehm.) N. Marchant & A. Lowrie †320
—— —— subsp. *prostrata* N. Marchant & A. Lowrie †320
—— *tubaestylis* N. Marchant & A. Lowrie †321
—— *walyunga* N. Marchant & A. Lowrie †328
—— *zonaria* Planchon 318
—— sp. 15
Droseraceae 15
Drynaria billardieri (R. Br.) J. Smith 126
Drypetes †678
—— *gerrardii* Hutch. 678
—— —— var. *angustifolia* A. R.-Sm. †678
—— *natalensis* 762
—— *reticulata* 763
Du Puy, David J. & Stirton, Charles H.: A new species of Baphia (Leguminosae: Papilionoideae) from Madagascar 289
Duckea squarrosa (Link) Maguire 9, 21
Duckeella adolphii Porto & Brade 23

East Africa: Trichaulax (Acanthaceae: Justicieae), a new genus from East Africa, Kaj Vollesen 613
Ebenaceae 763
Echolium Kurz 613, 616-9, 623
Elaeoluma nuda (Baehni) Aubrév. 7, 15
Elaphoglossum plumosum (Fée) Moore 12
Ellipanthus hemandradenioides 763
Elvasia steyermarkii 6
Embryo sac and early post-fertilisation development in Thismia (Burmanniaceae), Paula Rudall & Stephen Morley 625
Emilia (Cass.) Cass. †97
—— *abyssinica* 97, 98
—— *basifolia* 97
—— *citrina* 97
—— *coccinea* 97
—— *flammea* Cass. 97
—— *hockii* 97, 98
—— *lyrata* (Cass.) C. Jeffrey †97
—— *sonchifolia* 97, 98
Emiliella S. Moore †98
—— *exigua* S. Moore 98
Emmotum glabrum Benth. ex Miers 19
Encephalartos hildebrandtii 26
—— *lehmannii* 26
—— *manikensis* 26
—— *natalensis* 26
—— *villosus* 26
Encyclia vespa (Vell.) Dressler 24
Endocellion Turcz. ex Herd. †59
—— *boreale* Turcz. ex Herd. 59
Endostemon 403-4, 433
Ensermu, K., Brummitt, R.K. & Furness, C.A.: A reconsideration of Asystasiella Lindau (Acanthaceae) 669
Ephedra 33
—— *americana* 33

Ephedra
Ephedra monosperma 33
—— *sinica* 33
Ephedraceae 33
Epidendrum elongatum Jacq. 24
—— *huebneri* Schltr. 24
—— *nocturnum* Jacq. 24
—— sp. aff. *duckei* Huber 24
Epipactis veratrifolia Boiss. 721, 724
Episcia fimbriata Fritsch 20
—— *hirsuta* (Benth.) Hanst. 20
Epistephium parviflorum Lindl. 24
Eragrostis 280-1
—— *aethiopica* Chiov. 282
—— *ambleia* W.D. Clayton 282
—— *aspera* (Jacq.) Nees 282
—— *barrelieri* Daveau 282
—— *caespitosa* Chiov. 281
—— *ciliarensis* (All.) Vign. ex Janchen 282
—— *ciliaris* (L.) R. Br. 280-1
—— *gloeophylla* S. Phillips 282
—— *incrassata* Cope 280-1
—— *japonica* (Thunb.) Trin. 281
—— *kuchariana* S. Phillips 281
—— *lepida* (A. Rich.) Hochst. ex Steudel 281
—— *mahrana* Schweinf. 281
—— *mildbraedii* Pilger 280
—— *minor* Host 282
—— *papposa* (Roemer & Schultes) Steudel 282
—— *perbella* Schumann 282
—— *psammophila* S. Phillips 282
—— *schweinfurthii* Chiov. 282
—— *sennei* Chiov. 281
—— *superba* Peyr. 281
—— *tef* (Zucc.) Trotter 281
—— *tridentata* Cope 280-1
—— *vatovae* (Chiov.) S. Phillips 282
Eranthemum indicum (Nees) C.B. Clarke 673
Erechtites †96
—— sect. *Microderis* DC. 93
—— sect. *Tulodiscus* DC. 93
—— *hieraciifolia* (L.) Raf. ex DC. 96
—— *quadridentata* (Labill.) DC. 772
—— —— var. *glabrescens* (DC.) Benth. 772
—— *valerianifolia* 96, 771
Erica: Studies in the Ericoideae (Ericaceae).VIII. New combinations for Philippia are made in Erica for the Flora Zambesiaca region, E.G.H. Oliver 665
Erica L. 665-6
—— *benguelensis* (Welw. ex Engl.) E.G.H. Oliver †666
—— —— var. *albescens* (R. Ross) E.G.H. Oliver †666
—— *evansii* (N.E. Br.) E.G.H. Oliver †666
—— *hexandra* (S. Moore) E.G.H. Oliver †666
—— *mannii* (Hook.f.) Beentje †666
—— —— subsp. *pallidiflora* (Engl.) E.G.H. Oliver †667
—— —— subsp. *usambarensis* (Alm & Fries) Beentje †667
—— *nyassana* (Alm & Fries) E.G.H. Oliver †667
—— *simii* (S. Moore) E.G.H. Oliver †667
Ericaceae 9, 15, 540
Ericaceae: Ericoideae: Studies in the Ericoideae (Ericaceae).VIII. New combinations for Philippia are made in Erica for the Flora Zambesiaca region, E.G.H. Oliver 665

Ericinella
Ericinella mannii Hook.f. 667
Eriocaulaceae 9, 22
Eriope 553, †556, †561, 567, 569, †570-1
—— sect. *Hyptidinae* 561
—— sect. *Platanthera* Epling 560-1
—— sect. *Tubiflorae* Epling 561
—— *anamariae* Harley †558, *559, 560, 579
—— *arenaria* Harley × *Eriope macrostachya* †572
—— *blanchetii* (Benth.) Harley 561, *566-7
—— *confusa* Harley 565, †567, *568, 570
—— *crassifolia* 572
—— *crassipes* Benth. 554
—— *exaltata* Harley 561, 570
—— *glandulosa* (Harley) Harley †570
—— *hypenioides* Mart. ex Benth. 570-1
—— —— × *latifolia* †571
—— —— × *macrostachya* 571
—— —— × *obovata* 571
—— —— × *polyphylla* Mart. ex Benth. 572
—— *hypoleuca* 570
—— *latifolia* (Mart. ex Benth.) Harley 570-1
—— *luetzelburgii* Harley †563, *564-5, 567, 570
—— *machrisae* (Epl.) Harley 561, 570
—— *macrostachya* Mart. ex Benth. 570-1
—— *montana* Harley †556, *557, 560
—— *monticola* Mart. ex Benth. 572
—— *obovata* Epl. †554, 571
—— —— var. *gracilis* Harley †553-4, *555, †556
—— —— var. *obovata* †554, *555
—— *parvifolia* Mart. ex Benth. subsp. *glandulosa* Harley 570
—— *salviifolia* 570
—— *simplex* (St.-Hil. ex Benth.) Harley 561, 569, 570
—— *sincorana* Harley †561, *562, 570
—— *xavantium* Harley 554
Eriopidion 553, 561
Eriotrix Cass. †79
—— *juniperifolia* Cass. 79
—— *lycopodioides* 79
Erismanthus 112
Erythrochlamys Gürke 404, 406, 409, 420
—— *cufodontii* Lanza 404, 420
—— *fruticosus* Ryding 404, 406
—— *leucosphaera* Briq. 404, 430
—— *niveus* Chiov. 421
—— *nummularia* (S. Moore) Hedge 404, 421
—— *spectabilis* Gürke 404, 430
—— sp. nov. 429
Erythrococca †678
—— *trichogyne* (Muell. Arg.) Prain †678
—— —— var. *psilogyne* A. R.-Sm. †678
Erythroxylaceae 19, 763
Erythroxylon amazonicum Peyr. 19
Erythroxylum emarginatum 763
Eschweilera alvimii Mori 717
—— *compressa* Mori 717
Ethiopia: A new species of Centaurea L. (Compositae: Cardueae) from Ethiopia, Mesfin Tadesse 737
Ethiopia: A new species of Chiliocephalum Benth. (Compositae: Inuleae) from Ethiopia, Mesfin Tadesse 131

Ethiopia
Ethiopia: A new species of Striga (Scrophulariaceae) from Ethiopia, Getachew Aweke 293
Ethiopia: Notes on the genus Aloe in Ethiopia: misinterpreted taxa, M.G. Gilbert & Sebsebe Demissew 647
Ethiopian Rift Valley: A new species of Aloe from the Ethiopian Rift Valley, Sebsebe Demissew & P.E. Brandham 509
Euceraea nitida Mart. 15
Euclea schimperi 723
Eugenia sens. lat. 703
—— *dumetorum* DC. 704
—— *trinervia* Vahl 704
Eulophia clavicornis var. *nutans* 724
—— *guineensis* Lindl. var. *purpurata* Reichb. f. ex Kotschy 721, 724
—— *petersii* 724
—— *streptopetala* var. *rueppelii* 724
Eupatorium asperulaceum Baker 21
—— *flexuosum* Lam. 77
—— *pharcidodes* B.L. Robinson 21
—— *tomentosum* Lam. 83
Euphorbiaceae: Notes on African Euphorbiaceae XXVIII, A. Radcliffe-Smith 677
Euphorbiaceae: Notes on African Euphorbiaceae: XXVII. Clutia, A. Radcliffe-Smith 111
Euphorbiaceae 7, 19, 111, 762-3
—— subtribe *Chrozophoreae* 111-2
—— subtribe *Codiaeinae* 112
—— subtribe *Galeariinae* 112
—— subtribe *Hippomaneae* 111
—— subtribe *Ricinodendrinae* 112
—— tribe *Aleuritideae* 112
—— tribe *Chaetocarpeae* 112
—— tribe *Clutieae* 112
—— tribe *Crotoneae* 111
—— tribe *Erismantheae* 112
—— tribe *Galearieae* 112
—— tribe *Hippomaneae* 111
Euryops (Cass.) Cass. †100
—— *pectinatus* (L.) Cass. 100
Euterpe montis-duida Burret ex Gleason 22
Everardia montana Ridl. ex Thurn 22
Exine stratification in extant gymnosperms: a review of published transmission electron micrographs, Marie H. Kurmann 25

Fabaceae 17
Faden, Robert R. *Reviewer*: Pteridophytes of Tropical East Africa. A Preliminary Check-list of the Species, by R.J. Johns 788
Fagaropsis angolensis 762
Farfugium Lindl. †57
—— *grande* Lindl. 57
—— *japonicum* 57
Faujasia Cass. 51, 53, †78
—— *ambavilloides* Cordem. 81
—— *cadetiana* C. Jeffrey †78
—— *fontinalis* Cordem. 79
—— *gracilis* C. Jeffrey †78
—— *pinifolia* Cass. 78, 79
—— *reticulata* (Vahl) Bak. 77
—— *salicifolia* (Pers.) C. Jeffrey †78
—— *squamosa* (Bory) C. Jeffrey †78
Faujasiopsis C. Jeffrey †77, 78
—— *boivinii* (Klatt) C. Jeffrey †77

Faujasiopsis
Faujasiopsis flexuosa (Lam.) C. Jeffrey †77
—— —— subsp. *bourbonensis* C. Jeffrey †77
—— —— subsp. *erecta* †77
—— *reticulata* (Vahl) C. Jeffrey †77
Ficus sp. 762
—— sp. aff. *mathewsii* (Miq.) Miq. 13
Fitzroya 30
Five new species of neotropical Chrysobalanaceae, G.T. Prance 247
Flacourtia indica 763
Flacourtiaceae 15, 762-3
Flora Zambesiaca: Studies in the Ericoideae (Ericaceae).VIII. New combinations for Philippia are made in Erica for the Flora Zambesiaca region, E.G.H. Oliver 665
Fokienia 30
Fuerstia T.C.E. Fries 408
Funtumia africana 763
Furness, C.A., Ensermu K. & Brummitt, R.K.: A reconsideration of Asystasiella Lindau (Acanthaceae) 669
Furness, Carol A.: A note on the pollen of Trichaulax mwasumbii (Acanthaceae: Justicieae) 619
Furness, C.A. *Reviewer*: Proceedings of the 7th International Palynological Congress. From Review of Palaeobotany and Palynology, Vols. 64 & 65, by E.M. Trusswell & J.A.K. Owen (Eds.) 548
Furness, C.A. *Reviewer*: Nephelieae pollen (Sapindaceae): Form, function and evolution. Leiden Botanical Series, Vol. 13, by R.W.J.M. van der Ham 340
Furness, Carol A. *Reviewer*: Pollen and Spores: Patterns of Diversification. The Systematics Association Special Volume No. 44, by S. Blackmore & S.H. Barnes (Ed.) 781

Gagnebina 699
—— *richardiana* Wall. 699
—— —— Wall. ex Voigt 700
Galeottia sp. 24
Garcibarrigoa Cuatrec. †76
—— *telembina* (Cuatrec.) Cuatrec. 76
Gardenia transvenulosa 763
Gasson, Peter & Cheek, Martin: The wood anatomy of Pseudobersama mossambicensis and Trichilia capitata (Meliaceae) compared 753
Gasteria 541
Gaudichaudia Kunth 491, 493, 495, 498-9
Generic delimitation: A new species of Racemobambos (Gramineae: Bambusoideae) from Sulawesi with notes on generic delimitation, Soejatmi Dransfield 707
Genianthus Hook.f. 437
—— *blumei* (Decne.) Boerl. 610
—— *crassifolius* (Wight) Hook.f. 609
—— *laurifolium* (Wight & Arn.) Hook.f. 610
—— *macrophyllus* (Blume) Boerl. 610
Geniosporum Wall. sensu Baker 409
—— *discolor* Baker 416
Gentianaceae 7, 20, 630
The genus Apodanthera (Cucurbitaceae) in Bahia State, Brazil, C. Jeffrey 517

The genus Canthium
The genus Canthium (Rubiaceae-Vanguerieae) in tropical Africa, Diane M. Bridson 353
The genus Scutellaria L. (Labiatae) in tropical Africa, Alan Paton 41
The genus Senecio (Compositae) on Lord Howe and Norfolk Islands, R. O. Belcher 765
Geonoma appuniana Spruce 22
Gerbera jamesonii: Typification of Gerbera jamesonii Adlam (Compositae), D.J.N. Hind 110
Gerbera jamesoni Bolus ex Hook.f. 110
—— *jamesonii* Adlam 110
Gesneriaceae 20
Getachew Aweke: A new species of Striga (Scrophulariaceae) from Ethiopia 293
Gilbert, M.G.: A new species of Portulaca from Kenya and Somalia 693
Gilbert, M.G. & Sebsebe Demissew: Notes on the genus Aloe in Ethiopia: misinterpreted taxa 647
Ginkgo biloba 28
Ginkgoaceae 28
Gleasonia 9
—— *prancei* Boom 21
Gleicheniaceae 7, 12
Gliricidia 699
Glossochilus Nees 669
Glossostephanus E. Meyer 475
Glyptostrobus pensilis 30
Gnetaceae 31
Gnetales 31
Gnetum 31
—— *africanum* 31
—— *gnemon* 31
—— *montanum* 31
—— *ula* 31
Gongylolepis oblanceolata Pruski 7, 10, 21
Goniostemma Wight 437
Gottsberger, Gerhard, Prance, Ghillean T. (Eds.): Reproductive Biology and Evolution of Tropical Woody Angiosperms (Rev.) 784
Goyder, D.J.: Secamone (Asclepiadaceae subfam. Secamonoideae) in Africa 437
Graffenrieda sp. 18
—— sp. aff. *caryophyllea* Triana 18
Gramineae tribe *Leptureae* 663
—— sect. *Arthratherum* 277
Gramineae: Bambusoideae: Dinochloa robusta, a new species of bamboo (Gramineae: Bambusoideae) from Sabah and Palawan, Soejatmi Dransfield 402
Gramineae: Bambusoideae: A new species of Racemobambos (Gramineae: Bambusoideae) from Sulawesi with notes on generic delimitation, Soejatmi Dransfield 707
Grammitis taenifolia (Jenm.) Proctor 12
Graphistylis B. Nord. †76
—— *organensis* (Casar.) B. Nord. 76
Grasses: Some new Arabian grasses II, T.A. Cope 655
Grasses: Some new Somali grasses, T.A. Cope 277
Green, P.S., Large, M.F. & Braggins, J.E.: The identity of Polypodium pustulatum Forst.f. (Polypodiaceae) 121
Green, P.S.: Jasminum oblongum belongs in Gymnanthera (Asclepiadaceae). Studies in the genus Jasminum (Oleaceae): XIII 333
Grenfell, Diana: Hosta. The flowering foliage plant (Rev.) 339
Grewia conocarpa 764
—— *forbesii* 764
Guatteria sessilis R.E. Fries sens lat. 13
—— sp. 13
Gunnarella aymardii (N. Hallé) Senghas 687
—— *nambana* B. Lewis †687, *688
—— *robertsii* (Schltr.) Senghas 687
Gurania acuminata Cogn. 15
Gymnanthera: Jasminum oblongum belongs in Gymnanthera (Asclepiadaceae). Studies in the genus Jasminum (Oleaceae): XIII, P.S. Green 333
Gymnanthera 334
—— *nitida* R. Br. 333
—— *oblonga* (Burm.f.) P.S. Green †333
—— *paludosa* (Bl.) K. Schum. 333
Gymnema parvifolium Oliv. 448
Gymnodiscus Less. †99
—— *capillaris* (Linn.f.) DC. 99
Gymnosperms: Exine stratification in extant gymnosperms: a review of published transmission electron micrographs, Marie H. Kurmann 25
Gynoxys Cass. 50, 53, †61
—— sect. *Praegynoxys* (Cuatrec.) Cuatrec. 61
—— *albiflora* Wedd. 61
—— *buxifolia* (Kunth) Cass. 61
—— *fabrisii* Cabrera 61
—— *jamesonii* S.F. Blake 61
—— *repanda* Wedd. 62, 292
—— *verrucosa* Wedd. 62
Gynura Cass. 98, †99
—— *auriculata* Cass. 99
—— *pseudochina* 99

Habenaria: Two new species of Habenaria (Orchidaceae) from Bahia, Brazil, Toscano de Brito 731
Habenaria Willd. 731
—— *achalensis* Kraenzl. 733, 735
—— *antennifera* 724
—— *attenuata* 724
—— *cultrata* A. Rich. 721, 724
—— *cultriformis* 724
—— *gnoma* Barb. Rodr. 731, 733
—— *hamata* Barb. Rodr. 731, 733
—— *keayi* Summerh. 721, 724
—— *lavrensis* Hoehne 733, 735
—— *lefebureana* 724
—— *leptoceras* Hook. 731, 733
—— *macrantha* 724
—— *malacophylla* Reichb.f. 721, †723-4
—— *meeana* Toscano †733, *734
—— *myodes* Summerh. 721, 724
—— *pseudohamata* Toscano †731, *732
—— *schimperana* 724
—— *secunda* Lindl. 733, 735
Haemodoraceae 630
Halliday, P. *Reviewer*: Cox's Guide to Choosing Rhododendrons, by Peter & Kenneth Cox 152
Halliday, P. *Reviewer*: Larger Rhododendron Species, Second edition, by Peter A. Cox 151

Halogeton

Halogeton C.A. Mey. 283
—— *alopecuroides* (Del.) Moq. 284
—— —— var. *papillosus* Eig 284
—— —— var. —— Maire 283-4
? *Halogeton alopecuroides* (Del.) Moq. var. *papillosus* Eig 283
Hamamelidae 13
Harder, Daniel K.: Chromosome counts in Psophocarpus (Leguminosae: Papilionoideae) 529
Harley, R.M.: New taxa of Labiatae from the Pico das Almas and the Chapada Diamantina 553
Harley, R.M. & Zappi, D.C.: Spigelia flava Zappi & Harley (Loganiaceae) - a new species from the Pico das Almas, Bahia, Brazil 329
Harveya: Another new species of Harveya (Scrophulariaceae) from East Africa, F.N. Hepper 729
Harveya alba Hepper †729, *730
—— *buchwaldii* Engl. 729
Hasteola Raf. †84
—— *suaveolens* (Raf.) Pojarkova 84
Hawkes, J.G., Lester, R.N., Nee, M., Estrada-Ramos, N. (Eds.) : Solanaceae III: Taxonomy, Chemistry, Evolution (Rev.) 785
Heinsia bussei 763
—— *crinita* 763
Heliamphora 9
Helichrysum Mill. 131
—— *chiliocephalum* Hilliard & Burtt 132
—— *schimperi* (A. Rich.) Moeser 132
—— *stenopterum* DC. 131
Helvellaceae: A new species of Hydnotrya (Helvellaceae) from the British Isles, B.M. Spooner 502
Hemizygia 403, 409, 429
—— *fischeri* (Gürke) Greenway 428
Henderson, Andrew: Arecaceae. Part I. Introduction and the Iriarteinae. Flora Neotropica Monograph 53 (Rev.) 547
Hepper, F.N.: Another new species of Harveya (Scrophulariaceae) from East Africa 729
Herodotia Urb. & Eckm. †62
—— *haitiensis* Urb. & Eckm. 62
Hertia Less. 99
Hesse, M., Ehrendorfer, F. (Eds.): Morphology, Development and Systematic Relevance of Pollen and Spores. Plant Systematics and Evolution, Supplement 5 (Rev.) 153
Hetaeria oblongifolia (Blume) Blume 690
—— *whitmeei* Reichb.f. †689, 690
Hexapterella gentianoides Urban 23
Hierocymum 408
Hind, D.J.N.: Typification of Gerbera jamesonii Adlam (Compositae) 110
Hind, D.J.N. *Reviewer*: Research Advances in the Compositae. Plant Systematics and Evolution Supplementum 4, by T.J. Mabry & G. Wagenitz (Eds.) 344
Hippocratea apocynoides 764
—— *graciliflora* 764
—— *pallens* 764
Hirtella guatemalensis 642
—— *trichotoma* Prance 642, *643
Hoehnephyton trixioides (Gaertn.) Cabrera 76

Hoehnephytum

Hoehnephytum Cabrera †76
Holographis 171
Holothrix aphylla 724
—— *arachnoidea* 724
Homogyne Cass. †59
—— *alpina* (L.) Cass. 59
Houlletia odoratissima Linden ex Lindl. 24
Hubertia Bory †79
—— *adenodonta* (DC.) C. Jeffrey †79
—— *alleizettii* (Humb.) C. Jeffrey †79
—— —— var. *taxifolius* (Pers.) C. Jeffrey †80
—— *ambavilla* Bory 79-81
—— *andringitrensis* (Humb.) C. Jeffrey †80
—— *bathiaei* (Humb.) C. Jeffrey †80
—— *beguei* (Humb.) C. Jeffrey †80
—— *conyzoides* Bory 81
—— *faujasioides* (Bak.) C. Jeffrey †80, 81
—— *foliatilis* (S. Moore) C. Jeffrey †80
—— *heimii* (Humb.) C. Jeffrey †80
—— *humblotii* (Klatt) C. Jeffrey †80
—— *hypargyrea* (DC) C. Jeffrey †80, 81
—— *ivohibeensis* (Humb.) C. Jeffrey †80
—— *lampsanifolia* (Bak.) C. Jeffrey †80, 81
—— *leucanthothamnus* (Humb.) C. Jeffrey †80
—— *multifoliosa* (Klatt) C. Jeffrey †80
—— *myricifolia* (Boj. ex DC.) C. Jeffrey †81
—— *myrtifolia* (Klatt) C. Jeffrey †81
—— *neoheimii* (Humb.) C. Jeffrey †8
—— *olivacea* (Klatt) C. Jeffrey †81
—— *pleiantha* (Humb.) C. Jeffrey †81
—— *riparia* (DC.) C. Jeffrey †81
—— —— var. *conyzoides* †81
—— *rosellata* (Boj. ex DC.) C. Jeffrey †81
—— *tomentosa* Bory 81
—— *tsimihety* (Humb.) C. Jeffrey †81
Hugonia castaneifolia 764
Hulton, Paul, Hepper, F. Nigel & Friis, Ib: Luigi Balugani's drawings of African Plants from the collection made by James Bruce of Kinnaird on his travels to discover the source of the Nile 1767-1773 (Rev.) 341
Humbertacalia C. Jeffrey 77, †82
—— *amplexifolia* (Humb.) C. Jeffrey †83
—— *coursii* (Humb.) C. Jeffrey †83
—— *leucopappa* (Boj. ex DC.) C. Jeffrey †83
—— *neoalleizettii* (Humb.) C. Jeffrey †83
—— *pyrifolia* (DC.) C. Jeffrey †83
—— *racemosa* (DC.) C. Jeffrey †83
—— *tomentosa* (Lam.) C. Jeffrey †83
—— *voluta* (Bak.) C. Jeffrey †83
Humiria balsamifera 6, 9
—— —— var. *coriacea* 19
Humiriaceae 19
Hydnotrya: A new species of Hydnotrya (Helvellaceae) from the British Isles, B.M. Spooner 502
Hydnotrya Berk. & Br. 502
—— *confusa* Spooner †502
Hymenocardia ulmoides 763
Hymenophyllopsidaceae 7
Hymenophyllopsis 9
—— *hymenophylloides* Gómez 7, 12
Hypenia 567
—— *macrantha* (St.-Hil. ex Benth.) Harley 565
Hyperaspis Briq. 409
—— *kelleri* Briq. 420-1
—— *nummularia* S. Moore 421
Hypoxidaceae 630
Hyptis 560-1

Hyptis

Hyptis sect. *Hypenia* 571
—— sect. *Pachyphyllae* 560
—— sect. *Polydesmia* 572
—— subsect. *Oocephalus* 572
—— *argyrophylla* Harley 572
—— *cordifolia* Glaziou 577
—— *crassifolia* Mart. ex Benth. †573, 575
—— *halimifolia* 572
—— *lacunosa* non Pohl ex Benth. 578
—— —— Pohl ex Benth. 572, *574, †577, 578-9
—— *nubicola* Harley 572, *574, †578-9
—— *piranii* Harley 572, †575, *576
—— *reticulata* Mart. ex Benth. 565, 567

Icacinaceae 19, 763
Ichnanthus ephemeroblepharis Black & Fróes ex Black & Pires 5, 23
Ichnocarpus 464
—— *afzelii* Schultes 464
The identity of Polypodium pustulatum Forst.f. (Polypodiaceae), M.F. Large, J.E. Braggins & P.S. Green 121
The identity of Strigina Engl. (Scrophulariaceae), Sally Bidgood 775
Ilex auricula S. Andrews 575
—— *costata* Edwin 6, 18
—— *retusa* Klotzsch ex Reiss. 18
India (South): A new species of Lepidagathis (Acanthaceae) from South India, P.V. Madhusoodanan & N.P. Singh 301
India: Two new species of Ixora (Rubiaceae subfam. Ixoroideae) from India and Burma, D.B. Deb & R.C. Rout 295
Indochina: A revision of Mucuna (Leguminosae: Phaseoleae) in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 203
Iocenes B. Nord. †76
—— *acanthifolius* (Hombr. & Jacquin.) B. Nord. 76
Iranecio B. Nord. †102
—— *cariensis* Boiss. 102
—— *davisii* (Matthews) C. Jeffrey †102
—— *eriospermus* (DC.) C. Jeffrey †102
—— —— var. *crambefolius* (Boiss.) C. Jeffrey †102
—— *farfarifolius* (Boiss. & Kotschy) C. Jeffrey †102
—— *hypochionaeus* (Boiss.) C. Jeffrey †102-3
—— *jurineifolius* (Boiss. & Bal.) C. Jeffrey †102
—— *kubensis* (Grossh.) C. Jeffrey †102
—— *lazicus* (Boiss. & Bal.) C. Jeffrey †103
—— *lipskyi* (Lomak.) C. Jeffrey †103
—— *lorentii* (Hochst.) C. Jeffrey †103
—— *massagetovii* (Schischk.) C. Jeffrey †103
—— *pandurifolius* (C. Koch) C. Jeffrey †103
—— *paucilobus* (DC.) B. Nord. 102
—— *taraxacifolius* (M.-Bieb.) C. Jeffrey †103
Irlbachia purpurascens (Aubl.) Maas 20
Ischnea F. Muell. 104
Ixora: Two new species of Ixora (Rubiaceae subfam. Ixoroideae) from India and Burma, D.B. Deb & R.C. Rout 295
Ixora L. 295
—— *acuminata* Roxb. 296
—— *kachinensis* Deb & Rout †295, *297

Ixora

Ixora kingdon-ward Brem. 295
—— *pseudoacuminata* Deb & Rout †296, *299

Jacmaia B. Nord. †63
—— *cooperi* (Greenm.) C. Jeffrey †63
—— *incana* (Sw.) B. Nord. 63
—— *laciniata* (Sw.) C. Jeffrey 63
—— *megaphylla* (Greenm.) C. Jeffrey †63
—— *multivenia* (Benth. ex Oerst.) C. Jeffrey †63
—— sp. aff. —— 63
Jacquiniella globosa (Jacq.) Schultes 24
Jalas, Jaakko & Suominen, Juha (Eds.): Atlas Florae Europaeae. Distribution of vascular plants in Europe. Paeoniaceae to Capparaceae (Rev.) 788
Janusia A. Jussieu 493, 498
Jasminum: Jasminum oblongum belongs in Gymnanthera (Asclepiadaceae). Studies in the genus Jasminum (Oleaceae): XIII, P.S. Green 333
Jasminum 333
—— *oblongum* Burm.f. 333
Jatropha 678
Jeffrey, C.: The genus Apodanthera (Cucurbitaceae) in Bahia State, Brazil 517
Jeffrey, C.: Names of the indigenous neotropical species of Luffa Mill. (Cucurbitaceae) 741
Jeffrey, C.: The tribe Senecioneae (Compositae) - Corrections 292
Jeffrey, C.: The tribe Senecioneae (Compositae) in the Mascarene Islands with an annotated world check-list of the genera of the tribe. Notes on Compositae: VI 49
Jellito, Leo & Schacht, Wilhelm, revised by Schacht, Wilhelm & Fessler, Alfred: Hardy Herbaceous Perennials, Vol. 1 A-K & Vol.II L-Z (Rev.) 155
Johns, R.J.: Pteridophytes of Tropical East Africa. A Preliminary Check-list of the Species (Rev.) 788
Johnson, David M. & Prance, Ghillean T.: Plant collections from the plateau of Serra do Aracá (Amazonas, Brazil) and their phytogeographic affinities 1
Juncus 281
Juniperus communis 30
—— *rigida* 30

Keetia E.P. Phillips 353, 355, 361, †364
Keng, Hsuan: Concise Flora of Singapore. Gymnosperms and Dicotyledons (Rev.) 156
Kenya: A new species of Portulaca from Kenya and Somalia, M.G. Gilbert 693
Keteleeria evelyiana 28
Kielmeyera 6
Kite, Geoffrey *Reviewer*: Survey of Foliar Flavonoids in the Aceraceae. Memoirs of the New York Botanical Garden, Vol. 54, by Thomas J. Delendick 153
Klackenberg, Jens: Taxonomy of Secamone (Asclepiadaceae) in Asia and Australia 595
Kleinia †98
—— *abyssinica* 99
—— *descoingsii* (Humb.) C. Jeffrey †98
—— *grandiflora* 99
—— *longiflora* 99

Kleinia

Kleinia madagascariensis 99
—— *neriifolia* Haw. 98, 99
—— *pendula* 99
—— *scottii* 99
Knapp, Sandra *Reviewer*: Solanaceae III: Taxonomy, Chemistry, Evolution, by J.G. Hawkes, R.N. Lester, M. Nee & N. Estrada-Ramos (Eds.) 785
Knox, E. & Pócs, T.: Lobelia morogoroensis: another Tanzanian giant 503
Kralikia myriocephala Sch. Bip. ex Schweinf. 132
—— *schultzii* (Buchinger) Sch. Bip. ex Schweinf. 132
Kramadibrata, Padmi & Dransfield, John: Calamus inops (Palmae: Calamoideae) and its relatives 581
Kurmann, Marie H. *Reviewer*: Morphology, Development and Systematic Relevance of Pollen and Spores. Plant Systematics and Evolution, Supplement 5, by M. Hesse & F. Ehrendorfer (Eds.) 153
Kurmann, Marie H.: Exine stratification in extant gymnosperms: a review of published transmission electron micrographs 25
Kyllingia odorata Vahl 750

Labiatae: The genus Scutellaria L. (Labiatae) in tropical Africa, Alan Paton 41
Labiatae: New taxa of Labiatae from the Pico das Almas and the Chapada Diamantina, R.M. Harley 553
Labiatae: A synopsis of Ocimum L. (Labiatae) in Africa, Alan Paton 403
Labiatae 412
Lachanodes DC. †63
—— *arborea* (Roxb.) B. Nord. 63
Læssoe, T. *Reviewer*: Mushrooms and truffles of the Southwest, by Jack S. States 162
Lagenocarpus rigidus Nees 5, 6, 22
Lamprocephalus B. Nord. †100
—— *montanus* B. Nord. 100
Landolphia parvifolia 764
Langenocarpus stellatus Boeck. 23
Lannea antiscorbutica 762
Laplacea fruticosa (Schrad.) Kobuski 14
Large, M.F., Braggins, J.E. & Green, P.S.: The identity of Polypodium pustulatum Forst.f. (Polypodiaceae) 121
Larix 28
—— *decidua* 28
—— *kaempferi* 28
—— *leptolepis* 28
Lasiocephalus Schlechtend. †76
—— *hypoleucus* (Turcz.) C. Jeffrey †76
—— *ledifolius* (Kunth) C. Jeffrey †76
—— *loesneri* 77
—— *ovatus* Schlechtend. 76
Lauraceae 7, 13
Lawrence, T.J., Bačić, Tomislav & Cutler, D.F.: Leaf anatomy of an Arbutus taxon from Yugoslavia 535
Leach, Greg & Cheek, Martin: A new species of Corchorus (Tiliaceae) from the Northern Territory of Australia 513
Leaf anatomy of an Arbutus taxon from Yugoslavia, Tomislav Bačić, T.J. Lawrence & D.F. Cutler 535
Leandra cf. *sanguinea* Gleason 18

Ledothamnus

Ledothamnus 9
Leeuwenberg, A.J.M.: revision of Tabernaemontana. The Old World Species (Rev.) 547
Leguminosae 744, 762, 763-4
Leguminosae: Caesalpinioideae: A new species of Caesalpinia (Leguminosae: Caesalpinioideae) from Mexico, J.L. Contreras & G.P. Lewis 309
Leguminosae: Mimosoideae: Notes on Albizia niopoides (Spruce ex Benth.) Burkart (Leguminosae: Mimosoideae), Maria de L. Rico Arce 699
Leguminosae: Papilionoideae: Chromosome counts in Psophocarpus (Leguminosae: Papilionoideae), Daniel K. Harder 529
Leguminosae: Papilionoideae: A new species of Baphia (Leguminosae: Papilionoideae) from Madagascar, Charles H. Stirton & David J. Du Puy 289
Leguminosae: Papilionoideae: A new species of Canavalia (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 305
Leguminosae: Papilionoideae: Two new species of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 141
Leguminosae: Phaseoleae: A revision of Mucuna (Leguminosae: Phaseoleae) in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 203
Leguminosae: Vicieae: New combinations and names in the genus Vicia (Leguminosae: Vicieae), Nigel Maxted 129
Lentibulariaceae 7, 20
Lepanthes pariaensis Foldats 24
Lepidagathis: A new species of Lepidagathis (Acanthaceae) from South India, P.V. Madhusoodanan & N.P. Singh 301
Lepidagathis keralensis P.V. Madhusoodanan & N.P. Singh 301, *302
—— *prostrata* Dalz. 301, 303
Lepidospartum A. Gray †57
—— *squamatum* 57
Lepidozamia peroffskyana 26
Leptactina papyrophloea 763
Leptadenia ? elliptica 609
Leptaulus holstii 763
Leptobalanus 637
—— *cuatrecasasii* Prance 637
—— *morii* Prance 637
—— *sparsipilis* Blake 637
Leptophylli Harv. 93
Lepturus 655, 663
—— *calcareus* Cope †655
—— *pulchellus* (Balf.f.) W.D. Clayton 655
—— *repens* 655
—— *tenuis* Balf.f. 655
Lettowianthus stellatus 762
Leucaena 699
Lewis, B.A.: Additions to the orchid flora of Vanuatu in the south-west Pacific 685
Lewis, G.P. & Contreras, J.L.: A new species of Caesalpinia (Leguminosae: Caesalpinioideae) from Mexico 309
Lewis, G.P.: A new species of Canavalia (Leguminosae: Papilionoideae) from Brazil 305

Lewis, G.P.
Lewis, G.P.: Two new species of Aeschynomene (Leguminosae: Papilionoideae) from Brazil 141
Libocedrus bidwillii 30
—— *plumosa* 30
Licania 251, 254, 638
—— sect. *Leptobalanus* 638
—— sect. *Licania* 247, 249, 640
—— sect. *Moquilea* 249, 251, 635
—— subgen. *Licania* 640
—— subgen. *Moquilea* 635, 638
—— *affinis* Fritsch 633
—— *aracaensis* Prance 1, 6, 9, 16
—— *bellingtonii* Prance †644
—— *cabrerae* 254
—— *cardiophylla* Prance *634, †637
—— *celiae* 254
—— *cidii* Prance †247, *248
—— *costaricensis* Standl. & Steyerm. †644
—— *egleri* 635
—— *espinae* Prance †633, *634
—— *filomenoi* 251, 254
—— *fritschii* 249, †642
—— *glabriflora* Prance 633
—— *imbaimadaiensis* Prance 635, *639
—— *incana* Aubl. 16, 249, 251
—— *jaramilloi* Prance †249, *250
—— *leptostachya* 249
—— *longipedicellata* Ducke 633, 635
—— *longistyla* 637-8
—— *macrocarpa* 254
—— *maxima* Prance 249, †644
—— *mollis* Benth. 638, 640
—— *nelsonii* Prance 7
—— *nitida* 9
—— *pallida* Spruce ex Sagot †644
—— *pittieri* Prance †249, *252
—— *rodriguesii* Prance 247, 249
—— *sclerophylla* (Mart. ex Hook.f.) Fritsch 638
—— *sparsipilis* 637
—— *stevensii* Prance *636, †637
—— *tambopatensis* Prance †644
—— *triandra* 249
—— *urceolaris* Hook.f. †644
—— *vasquezii* Prance †251, *253, 254
—— *velutina* Prance 638, *639
Liede, Sigrid & Nicholas, Ashley: A revision of the genus Pentarrhinum E. Meyer (Asclepiadaceae) 475
Ligularia Cass. †57
—— *przewalskii* 57
—— *sibirica* (L.) Cass. 57
Liliaceae 7, 23
Liliales 627
Liliidae 23
Liliiflorae 630
Liliopsida 22
Linaceae 764
Lindernia All. †775
—— *acicularis* E. Fischer †775
—— *pusilla* (Willd.) Boldingh 775
Lindsaea pendula Klotzsch 12
—— *stricta* (Sw.) Dry. var. *parvula* (Fée) Kramer 12
Linosyris squamata A. Gray 57
Liparis orbiculata L.O. Williams †690
—— *pullei* sensu Lewis & Cribb 690
Lobelia morogoroensis: another Tanzanian giant, E. Knox & T. Pócs 503
Lobelia
Lobelia 503, 505
—— sect. *Rhynchopetalum* (Fresen.) Benth. & Hook. 504
—— ser. *Giberroae* E.A. Bruce 505
—— ser. *Longisepalae* E.A. Bruce 504-5
—— subsect. *Haynaldianae* E. Wimmer 505
—— subsect. *Nicotianifoliae* Mabberley 504-5
—— subsect. *Rueppellianae* Mabberley 505
—— *giberroa* Hemsley 503, 505, 507
—— *longisepala* Engler 503, 505
—— *morogoroensis* Knox & Pócs 503, †505, 507
—— *petiolata* Hauman 505
—— *rhynchopetalum* Aschers 505
—— *stricklandiae* Gilliland 505
Lock, J.M. *Reviewer*: British Plant Communities Vol.1. Woodlands and scrub, by J.S. Rodwell 347
Loganiaceae: Spigelia flava Zappi & Harley (Loganiaceae) - a new species from the Pico das Almas, Bahia, Brazil, D.C. Zappi & R.M. Harley 329
Loganiaceae 763
Lomaria tenuifolia Desv. 128
Lonicera sp. 329
Lopholaena DC. †100
—— *dregeana* DC. 100
Loranthaceae 18
Lord Howe Island: The genus Senecio (Compositae) on Lord Howe and Norfolk Islands, R. O. Belcher 765
Lordhowea B. Nord. †74
—— *insularis* (Benth.) B. Nord. 74
Lowrie, Allen & Marchant, Neville: New names and new combinations in 34 taxa of Western Australian tuberous and pygmy Drosera 315
Luer, Carlyle A.: Systematics of Platystele (Orchidaceae). Icones Pleurothallidinarum VII (Rev.) 343
Luffa: Names of the indigenous neotropical species of Luffa Mill. (Cucurbitaceae), C. Jeffrey 741
Luffa Mill. 741-2
—— *astorii* Svent. 742
—— *operculata* sensu auct. plur. 742
—— —— sensu Heiser 742
—— —— (L.) Cogn. 741, †742
—— —— sens. lat. 742
—— *quinquefida* (Hook. & Arn.) Seem. 741-2
—— *sepium* (G.F.W. Mey.) C. Jeffrey †742
Luina Benth. †56
—— *hypoleuca* Benth. 56
Lundin, Roger, Anderberg, Arne A. & Axelius, Barbro: Onosma orientale (L.) L. (Boraginaceae) collected in Cyprus 777
Lycioserissa Roem. & Schultes 387
—— *capensis* (Thunb.) Roem. & Schultes 387, 392
Lycium barbatum Murray 392
—— —— Thunb. 392
—— *inerme* Linn.f. 387, 392
Lycopodiaceae 12
Lycopodiopsida 12
Lycopodium contextum Mart. 12
Lythraceae 17

Mabberley, D.J.

Mabberley, D.J. *Reviewer*: Luigi Balugani's drawings of African Plants from the collection made by James Bruce of Kinnaird on his travels to discover the source of the Nile 1767-1773, by Paul Hulton, F. Nigel Hepper & Ib Friis 341

Mabry, T.J., Wagenitz, G. (Eds.): Research Advances in the Compositae. Plant Systematics and Evolution Supplementum 4 (Rev.) 344

Macairea pachyphylla Benth. 18

—— *thyrsiflora* DC. 18

Mackaya Harv. 669, 672, 673

— *indica* (Nees) Ensermu †673

Macrocentrum neblinae Wurdack 18

Macrolobium discolor 17

— *gracile* var. *confertum* (Gleason) Cowan 17

Macrozamia lucida 26

Madagascar: A new species of Baphia (Leguminosae: Papilionoideae) from Madagascar, Charles H. Stirton & David J. Du Puy 289

Madagascar: A new species of Cyperus and a reassessment of Cyperus rufostriatus (Cyperaceae) from Madagascar. Notes on Madagascar Cyperaceae I, D.A. Simpson 745

Madhusoodanan, P.V. & Singh, N.P.: A new species of Lepidagathis (Acanthaceae) from South India 301

Magnoliidae 13

Magnoliopsida 13

Malanea auyantepuiensis Steyerm. 21

Malay Peninsula: A revision of Mucuna (Leguminosae: Phaseoleae) in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 203

Malpighiaceae: A cladistic analysis of the genus Camarea (Malpighiaceae), Maria Candida Henrique Mamede & Simon J. Mayo 491

Malpighiaceae: A new species of Byrsonima (Malpighiaceae) from eastern Brazil, William R. Anderson 725

Malpighiaceae 7, 19, 491, 500, 725

—— tribe *Banisterieae* 493

—— tribe *Gaudichaudieae* 491, 493, 495, 499

Mamede, Maria Candida Henrique & Mayo, Simon J.: A cladistic analysis of the genus Camarea (Malpighiaceae) 491

Mandaville, James P.: Flora of Eastern Saudi Arabia (Rev.) 158

Manilkara discolor 762

—— *sulcata* 762

Mapania 750

Maranthes panamensis (Standl.) Prance & White 633

Marcanthus cochinchinensis Lour. 239

Marcgravia crenata Poepp. ex Wittm. 14

Marcgraviaceae 14

Marchant, Neville & Lowrie, Allen: New names and new combinations in 34 taxa of Western Australian tuberous and pygmy Drosera 315

Margaritaria discoidea 763

Marginaria diversifolium (Willd.) Presl 126

Marlierea summa McVaugh var. *summa* 17

—— sp. aff. *inaequiloba* (DC.) Legrand 17

—— sp. aff. *summa* McVaugh 17

Mascarene Islands

Mascarene Islands: The tribe Senecioneae (Compositae) in the Mascarene Islands with an annotated world check-list of the genera of the tribe. Notes on Compositae: VI, C. Jeffrey 49

Mathew, Brian *Reviewer*: Atlas Florae Europaeae. Distribution of vascular plants in Europe. Paeoniaceae to Capparaceae, by Jaakko Jalas & Juha Suominen, (Eds.) 783

Mattfeldia Urb. †64

—— *triplinervis* Urb. 64

Maxted, Nigel: New combinations and names in the genus Vicia (Leguminosae: Vicieae) 129

Mayo, Simon J. & Mamede, Maria Candida Henrique: A cladistic analysis of the genus Camarea (Malpighiaceae) 491

McGough, Noel *Reviewer*: Threatened Plants of New Zealand, by Catherine M. Wilson & David R. Given 348

Mediocalcar sp. 689

Megalochlamys Lindau 613, 616-9, 623

Megastylis gigas (Reichb.f.) Schltr. 689

Melastomataceae 7, 8, 17

Meliaceae: The wood anatomy of Pseudobersama mossambicensis and Trichilia capitata (Meliaceae) compared, Peter Gasson & Martin Cheek 753

Meliaceae 753, 763

Melianthaceae 763

Melothria L. 517

—— *congestiflora* (Cogn.) Mart. 525

—— *trifoliata* (Cogn.) Mart. 528

Mena V, Patricio: Revision of the Genus Arcytophyllum (Rubiaceae: Hedyotoideae) (Notice) 165

Menabea Baillon 437

Menispermaceae 764

Meriania aracaensis Wurdack 18

—— *ornata* 8

Mesadenia Raf. 56

Mesfin Tadesse: A new species of Centaurea L. (Compositae: Cardueae) from Ethiopia 737

Mesfin Tadesse: A new species of Chiliocephalum Benth. (Compositae: Inuleae) from Ethiopia 131

Mesosphaerum crassifolium (Mart. ex Benth.) Kuntze 573

—— *lacunosum* (Pohl ex Benth.) Kuntze 577

Metasequoia glyptostroboides 30

Meyna 359, 362

—— *laxiflora* Robyns 359

—— *tetraphylla* subsp. *comorensis* *357, *358

Miconia centrodesma Naud. 18

—— *dodecandra* (Desv.) Cogn. 18

Microbiota 30

Microcachrys 31

Microcalamus Gamble 710

—— *prainii* Gamble 710

Microchaete Benth. 69

—— *abietina* 74

—— *corymbosa* Benth. 69, 70

—— *ledifolia* 74

—— *peruviana* 74

—— *trichopus* Benth. 73

—— *vaccinioides* 74

Microcycas calocoma 26

Microsorium 122

Microsorum 122

Microsorum
Microsorum diversifolium (Willd.) Copel. 122, 124-6
—— *novae-zealandiae* 122, 124-5
—— *pustulatum* (Forst.f.) Copel. †126
—— *scandens* (Forst.f.) Tindale 122, 125
Microstrobus 31
Mikania lucida S.F. Blake 212
—— *myricifolia* Boj. ex DC. 81
—— *pyrifolia* DC. 83
Mikaniopsis Milne-Redh. †82
—— *vitalba* (S. Moore) Milne-Redh. 82
Milicia excelsa 762
Millettia eetveldeana 762
Mimosa busseana 764
Mimosaceae 7, 17
Mimusops acutifolia 764
Miricacalia Kitam. †58
—— *makieana* (Yatabe) Kitam. 58
Mkilua fragrans 763
Momordica operculata L. 741
—— *quinquefida* Hook. & Arn. 742
Monanthotaxis buchananii 764
—— *trichantha* 764
—— *trichocarpa* 764
Monodora grandidieri 763
—— *junodii* 763
—— *minor* 763
Monticalia C. Jeffrey †69
—— *abietina* (Willd. ex Wedd.) C. Jeffrey †69
—— *albiramea* (Cuatrec.) C. Jeffrey †69
—— *alcidiphylla* (Cuatrec.) C. Jeffrey †69
—— *andicola* (Turcz.) C. Jeffrey †69
—— *apiculata* (Sch. Bip. ex Wedd.) C. Jeffrey †70
—— *arbutifolia* (Kunth) C. Jeffrey †70
—— *batallonensis* (Cuatrec.) C. Jeffrey †70
—— *cachacoensis* (Cuatrec.) C. Jeffrey †70
—— *carrikeri* (Cuatrec.) C. Jeffrey †70
—— *cleefii* (Cuatrec.) C. Jeffrey †70
—— *corymbosa* (Benth.) C. Jeffrey †70
—— *empetroides* (Cuatrec.) C. Jeffrey †70
—— *firmipes* (Greenm.) C. Jeffrey †70
—— *flocculidens* (Sch. Bip. ex Wedd.) C. Jeffrey †70
—— *flosfragrans* (Cuatrec.) C. Jeffrey †70
—— —— var. *frigidophila* (Cuatrec.) C. Jeffrey †70
—— *gelida* (Wedd.) C. Jeffrey †70
—— *greenmaniana* (Hieron.) C. Jeffrey †70
—— *guadalupe* (Cuatrec.) C. Jeffrey †71
—— *guicanensis* (Cuatrec.) C. Jeffrey †71
—— *imbricatifolia* (Sch. Bip. ex Wedd.) C. Jeffrey †71
—— *ledifolia* (Kunth) C. Jeffrey †71
—— —— var. *lehmannii* (Hieron.) C. Jeffrey †71
—— —— var. *schlimii* (Wedd.) C. Jeffrey †71
—— *leioclada* (Cuatrec.) C. Jeffrey †71
—— *libertatis* (Cuatrec.) C. Jeffrey †71
—— *lindenii* (Sch. Bip. ex Wedd.) C. Jeffrey †71
—— *magnicalyculata* (Badillo) C. Jeffrey †71
—— *mamancanacana* (Cuatrec.) C. Jeffrey †71
—— *masonhalei* (Rúiz-Terán & López-Figueiras) C. Jeffrey †71
—— *micropachyphylla* (Cuatrec.) C. Jeffrey †71
—— *mutisii* (Cuatrec.) C. Jeffrey †72
—— *myrsinites* (Turcz.) C. Jeffrey †72
—— *nigrostagnosa* (Cuatrec.) C. Jeffrey †72

Monticalia
Monticalia nitida (Kunth) C. Jeffrey †72
—— *novolanata* (Cuatrec.) C. Jeffrey †72
—— *pachypus* (Greenm.) C. Jeffrey †72
—— *perijaensis* (Cuatrec.) C. Jeffrey †72
—— *peruviana* (Pers.) C. Jeffrey †72
—— *polymera* (Klatt) C. Jeffrey †72
—— *prunifolia* (Wedd.) C. Jeffrey †72
—— *pulchella* (Kunth) C. Jeffrey †72
—— —— subsp. *guantivana* (Cuatrec.) C. Jeffrey †72
—— —— var. *pungens* (Kunth) C. Jeffrey †72
—— *quiroana* (Cuatrec.) C. Jeffrey †72
—— *ramentosa* (Cuatrec.) C. Jeffrey †73
—— *reissiana* (Hieron.) C. Jeffrey †73
—— *rex* (Sandw.) C. Jeffrey †73
—— *rigidifolia* (Badillo) C. Jeffrey †73
—— *rosmarinifolia* (Benth.) C. Jeffrey †73
—— *ruiteranii* (Cuatrec.) C. Jeffrey †73
—— *sclerosa* (Cuatrec.) C. Jeffrey †73
—— *stuebelii* (Hieron.) C. Jeffrey †73
—— *subarachnoidea* (Wedd.) C. Jeffrey †73
—— *tolimensis* (Sch. Bip. ex Wedd.) C. Jeffrey †73
—— *trichopus* (Benth.) C. Jeffrey †73
—— *tunamensis* (Cuatrec.) C. Jeffrey †73
—— *vaccinioides* (Kunth) C. Jeffrey †73
—— *venezuelensis* (Sandw.) C. Jeffrey †73
—— *vernicifolia* (Cuatrec.) C. Jeffrey †74
—— *vernicosa* (Sch. Bip. ex Wedd.) C. Jeffrey †74
—— *verticillata* (Klatt) C. Jeffrey †74
—— *viridialba* (Cuatrec.) C. Jeffrey †74
Monticola flosfragrans var. *frigidophila* (Cuatrec.) C. Jeffrey 70
Moquilea 254, 633
—— sect. *Leptobalanus* 637
—— sect. *Moquilea* 635
Moraceae 13, 762-3
Morley, Stephen & Rudall, Paula: Embryo sac and early post-fertilisation development in Thismia (Burmanniaceae) 625
Mostuea brunonis 763
Moultonianthus 112
Mucuna: A revision of Mucuna (Leguminosae: Phaseoleae) in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 203
Mucuna Adans. †203
—— subgen. *Mucuna* †207, 243
—— subgen. *Stizolobium* (P. Br.) Prain 233
—— *acuminata* Grah. 214
—— —— Grah. ex J.G. Baker 204, 206, †214, *215
—— *bennettii* sensu Polunin 243
—— *biplicata* Teijsm. & Binnend. ex Kurz 205-6, †228, 230, *231
—— —— sensu Van Thuan 224
—— *birdwoodiana* Tutcher 211, 213
—— *bracteata* DC. ex Kurz 203, 205, 207, 233, †240, *241, 243
—— *brevipes* Craib 203, 240, 242
—— *capitata* 239
—— *cochinchinensis* 239
—— *collettii* Lace 207
—— *elegans* Merr. & Perry 243
—— *elmeri* Merrill 218
—— *gigantea* (Willd.) DC. 203-4, 206, †213, 214, 217
—— —— subsp. *gigantea* †213
—— *gracilipes* Craib 203, 205, †233, *234

Mucuna

Mucuna hainanensis Hayata 205-6, 218, †220, 222, 244
—— —— subsp. *hainanensis* †221, *229
—— —— subsp. *multilamellata* Wilmot-Dear 221, 228
—— *hirsuta* Wight & Arn. 237
—— *imbricata* DC. ex Bak. 222, 228
—— —— var. *bispicata* Gagnep. 222
—— *interrupta* Gagnep. 203, 205, 207, 218, 221-2, *226-8, *229, 233, 244
—— —— sensu stricto 228
—— *lucidula* Burck 214
—— *macrocarpa* Wall. 203-4, 206, †207, *208, 211, *229, 243-4
—— *monosperma* DC. ex Wight 204, 206, †217, 230
—— *nigricans* sensu auct. 221
—— —— sensu Van Thuan 224
—— —— (Lour.) Steud. †244
—— —— auctt. non (Lour.) Steud. 228
—— —— (Lour.) Steud. var. *cordata* Craib 227
—— —— sensu auctt. non Lour. Steud. var. *hainanensis* (Hayata) Wilmot-Dear 221
—— —— sensu auctt. var. *hongkongensis* Wilmot-Dear 221
—— *novoguineensis* Scheff. 243
—— *platyplekta* Quisumb. & Merr. 233
—— *pruriens* (L.) DC. 233, †235, 237, 240, 242
—— —— var. *hirsuta* (Wight & Arn.) Wilmot-Dear 205, 207, *234, †237
—— —— var. *pruriens* 203, 205, 207, †235, *236-7, 239, 240, 242
—— —— var. *utilis* (Wall. ex Wight) Bak. ex Burck 205, 207, †239, 243
—— —— sens. lat. †240
—— *revoluta* Wilmot-Dear 203, 205, 207, 218, †222, *225, *226-8, 230, 233, 244
—— *sempervirens* Hemsley 211
—— *stenoplaci* 222
—— *stenoplax* Wilmot-Dear 203, 205-6, †218, *219, 230, 244
—— *suberosa* Gagnep. 221-2
—— *thailandica* Niyomdham & Wilmot-Dear 203-5, †211, *212-3
—— *utilis* 239
—— *warburgii* Lauterb. & K. Schum. 203-4, 206, 243
? *Mucuna* sp. 221
Multidentia Gilli 353, 361, †364, 379
—— *crassa* (Hiern) Bridson & Verdc. 363
—— *crassum* (Hiern) Bridson 375
—— *exserta* Bridson 363
—— *pobeguinii* (Hutch. & Dalz.) Bridson 364
Mussaenda monticola 764
Myrcia 7
—— *albidotomentosa* (Amshoff) McVaugh 17
—— *clusiifolia* (H.B.K.) DC. 6, 9, 17
—— *guianensis* (Aubl.) DC. 17
—— *intonsa* (McVaugh) Holst 17
Myriocladus grandifolius Swallen 23
Myristicaceae 13
Myrsinaceae 7, 16
Myrsine cf. *guianensis* (Aubl.) Kuntze 16
Myrtaceae: Notes on Thai Myrtaceae, J. Parnell & E. Nic Lughadha 703
Myrtaceae 7, 17, 703
Myrtus dumetorum Poiret 704
—— *trinervia* Lour. 704

Names

Names of the indigenous neotropical species of Luffa Mill. (Cucurbitaceae), C. Jeffrey 741
Nardosmia Cass. 59
Navia sp. 23
Nayar, T.S.: Pollen Flora of Maharashtra State, India (Notice) 348
Nelsonianthus H. Robins. & Brettell †53
—— *epiphyticus* H. Robins. & Brettell 53, 54
—— *tapianus* (B. Turner) C. Jeffrey †53
Nemosenecio (Kitam.) B. Nord. †60
—— *nikoensis* 60
Neocallitropsis 30
Neocouma parviflora (Mgf.) Zarucchi 20
Neomicrocalamus Keng f. 710
—— *prainii* (Gamble) Keng f. †710
Nervilia 723
—— *bicarinata* (Bl.) Schltr. †723-4
—— *crociformis* (Zoll. & Mor.) Seidenf. †721, 723-4
Neurolepis sp. aff. *virgata* (Griseb.) Pilger 23
New combinations and names in the genus Vicia (Leguminosae: Vicieae), Nigel Maxted 129
New names and new combinations in 34 taxa of Western Australian tuberous and pygmy Drosera, Neville Marchant & Allen Lowrie 315
A new Polystachya (Orchidaceae) from Tanzania, P.J. Cribb 257
New species and new records of neotropical Chrysobalanaceae, G.T. Prance 633
A new species of Aloe from the Ethiopian Rift Valley, Sebsebe Demissew & P.E. Brandham 509
A new species of Baphia (Leguminosae: Papilionoideae) from Madagascar, Charles H. Stirton & David J. Du Puy 289
A new species of Byrsonima (Malpighiaceae) from eastern Brazil, William R. Anderson 725
A new species of Caesalpinia (Leguminosae: Caesalpinioideae) from Mexico, J.L. Contreras & G.P. Lewis 309
A new species of Canavalia (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 305
A new species of Centaurea L. (Compositae: Cardueae) from Ethiopia, Mesfin Tadesse 737
A new species of Chiliocephalum Benth. (Compositae: Inuleae) from Ethiopia, Mesfin Tadesse 131
A new species of Corchorus (Tiliaceae) from the Northern Territory of Australia, Martin Cheek & Greg Leach 513
A new species of Cyperus and a reassessment of Cyperus rufostriatus (Cyperaceae) from Madagascar. Notes on Madagascar Cyperaceae I, D.A. Simpson 745
A new species of Hydnotrya (Helvellaceae) from the British Isles, B.M. Spooner 502
A new species of Lepidagathis (Acanthaceae) from South India, P.V. Madhusoodanan & N.P. Singh 301
A new species of Portulaca from Kenya and Somalia, M.G. Gilbert 693
A new species of Racemobambos (Gramineae: Bambusoideae) from Sulawesi with

A new species
notes on generic delimitation, Soejatmi Dransfield 707
A new species of Stephanopodium (Dichapetalaceae) from Colombia, G.T. Prance 545
A new species of Striga (Scrophulariaceae) from Ethiopia, Getachew Aweke 293
New taxa of Labiatae from the Pico das Almas and the Chapada Diamantina, R.M. Harley 553
Newtonia buchananii 762
Nic Lughadha, E. & Parnell, J.: Notes on Thai Myrtaceae 703
Nic Lughadha, E. *Reviewer*: Scientia Guianae No. 1. The Amazonas Federal Territory, Venezuela: a bibliography, by Franz H. Weibezahn & Barbara E. Janssen-Weibezahn, 164
Nicholas, Ashley & Liede, Sigrid: A revision of the genus Pentarrhinum E. Meyer (Asclepiadaceae) 475
Nietneria paniculata Steyerm. 7, 23
Norfolk Island: The genus Senecio (Compositae) on Lord Howe and Norfolk Islands, R. O. Belcher 765
A note on Stenochlaena (Pteridophyta: Blechnaceae) in Africa, B. Verdcourt 128
A note on the pollen of Trichaulax mwasumbii (Acanthaceae: Justicieae), Carol A. Furness 619
Notes on African Euphorbiaceae XXVIII, A. Radcliffe-Smith 677
Notes on African Euphorbiaceae: XXVII. Clutia, A. Radcliffe-Smith 111
Notes on Agathophora (Fenzl) Bunge and Cornulaca Del. Studies in the Chenopodiaceae of Arabia 5, Loutfy Boulos 283
Notes on Albizia niopoides (Spruce ex Benth.) Burkart (Leguminosae: Mimosoideae), Maria de L. Rico Arce 699
Notes on Brazilian Orchidaceae I, Toscano de Brito 774
Notes on South American Bromeliaceae, D. Philcox 261
Notes on South American Bromeliaceae- corrections, D. Philcox 544
Notes on Thai Myrtaceae, J. Parnell & E. Nic Lughadha 703
Notes on the genus Aloe in Ethiopia: misinterpreted taxa, M.G. Gilbert & Sebsebe Demissew 647
Notonia DC. 98
—— *descoignsii* Humb. 98
—— *walkeri* 94
Notoniopsis B. Nord. 98

Ochnaceae 7, 13
Ocimum: A synopsis of Ocimum L. (Labiatae) in Africa, Alan Paton 403
Ocimum L. 403-4, 406, 408, †409, 420, 429, 433
—— subtribe *Ociminae* 404
—— tribe *Ocimeae* Benth. 404
—— sect. *Gratissima* 408
—— sect. *Gymnocymum* Benth. 403, 408, 433
—— sect. *Hemizygia* Benth. 403
—— sect. *Hierocymum* Benth. 403-4, 406, 408, †430, 433
—— sect. *Ocimum [Ocymodon]* Benth. 403
—— sect. *Ocimum* 404, 406, †411
—— sect. —— subsect. *Gratissima* 404, †411

Ocimum
Ocimum sect. *Ocimum* subsect. *Ocimum* 421
—— sect. *Ocymodon* Benth. 411
—— subgen. *Nautochilus* 406
—— subgen. *Ocimum* †409
—— subsect. *Basilica* Briq. 421
—— subsect. *Gratissima* 403-4, 406, 408, 430
—— subsect. *Hiantia* Benth. 403
—— subsect. *Ocimum* 406, 409, 430
—— *africanum* Lour. 427
—— *americanum* L. 411, 424-5, 428-9
—— —— var. *americanum* 413, †425-6
—— —— var. *pilosum* (Willd.) Paton 413, 422-3, 425, †426
—— *basilicum* L. 409, 411, 413, 417, †423-4, 426
—— —— var. *crispum* (Thunberg) E.G. Camus 424
—— —— var. *difforme* Benth. 424
—— —— var. *pilosum* (Willd.) Benth. 426
—— —— var. *purpurascens* Benth. 424
—— —— var. *thyrsiflorum* (L.) Benth. 424
—— *canum* Sims 425-6
—— —— var. *integrifolium* Engler 426
—— *caryophyllatum* Rox. 417
—— *chevalieri* Briq. 424
—— *circinatum* Paton 403-4, 406-410, †429, 430
—— *citriodorum* Vis. 424
—— *cufodontii* (Lanza) Paton 404, 410, 419, †420-1, 429
—— *dalabaense* A. Chev. 416
—— *dichotomum* Hochst. ex Benth. 426
—— *dinteri* Briq. 426
—— *falcatum* Gandoger 427
—— *fischeri* Gürke 410, †428
—— *forskolei* Benth. 411, 413, 420, 426, †427-8
—— *fruticulosum* Burch. 425-6
—— *gratissimum* L. 410, †411-2, 414, 418
—— —— subsp. *gratissimum* †414, 417
—— —— subsp. *iringense* Ayobangira ex Paxton 412, *415, †417
—— —— var. *gratissimum* †414
—— —— Briq. var. *hildebrandtii* Briq. 416
—— —— var. *iringense* 414
—— —— var. *macrophyllum* 412, †417
—— —— var. *mascarenarum* Briq. 416
—— —— var. *suave* (Willd.) Hook.f. 416
—— *graveolens* A. Br. 427
—— *guineense* Schum. & Thonn. 416
—— *Gymnocymum* 408
—— *hadiense* sensu E.A. Bruce 427
—— —— Forssk. 427
—— *hararense* Gürke 431
—— *hispidulum* Schumach. & Thonn. 426
—— *iringense* Ayobangira 417
—— *jamesii* Sebald 410, †419, 420
—— *johnstonii* Baker 422
—— *kelleri* Briq. 420, 427
—— *kenyense* Ayobangira ex Paton 411, 413, *415, †422-3
—— —— Ayobangira nom. nud. 422
—— *kilimandscharicum* Baker & Gürke 411, 413, †422-3
—— *kunenense* Ayobangira 412
—— *lamiifolium* Hochst. ex Benth. 408, 410, †430-3
—— —— var. *masaiense* Ayobangira 431
—— *lanceolatum* Schumach. & Thonn. 423

Ocimum

Ocimum macrophyllum var. *macrophyllum* 414
—— *masaiense* Ayobangira ex Paton 408, 410, †431, 433
—— *menthiifolium* Hochst. ex Benth. 427
—— *nakuruense* Gürke 431
—— *natalense* Ayobangira ex Paxton 410, †417-8
—— —— Ayobangira *nom. nud.* 417
—— *nummularia* (S. Moore) Paton 404, 410, 420, †421
—— *petitianum* A. Rich 426
—— *piliferum* Briq. 427
—— *pilosum* Willd. 426
—— *pseudokilimandscharicum* Ayobangira 416
—— *rothii* Baker 430
—— *sanctum* L. 432
—— *serpyllifolium* Forssk. 426
—— —— var. *glabrior* Benth. pro parte 426
—— *simile* N.E. Br. 423
—— *simulans* Chiov. 427
—— *spicatum* Deflers 410, †418-9
—— *stamineum* Sims 425
—— *staminosum* Baker 427
—— *stirbeyi* Schwein. & Volk. 427-8
—— *suave* Willd. 416
—— —— var. *distantidens* Briq. 416
—— *superbum* Busc. & Muschl. 416
—— *tenellum* 433
—— *tenuiflorum* L. 410, †432-3
—— *thymoides* Baker 426
—— *tomentosum* sensu Agnew 416
—— —— Lam. 419
—— —— Oliv. 416, 419
—— *tortuosum* Baker 422
—— *transamazonicum* 430
—— *trichodon* Gürke 414, 416
—— *urticifolium* Roth 414, 416
—— —— subsp. *caryophyllatum* Codd 417
—— —— subsp. *urticifolium* 416
—— *viride* Willd. 416
—— *viridiflorum* Roth 416
—— sp. *A* sensu Agnew 422
—— sp. *B* sensu Agnew 431
—— sp. *C* sensu Agnew 416
Ocotea aciphylla (Nees) Mez 13
—— *gabonensis* Fouilloy 478
—— *wurdackiana* C.K. Allen 13
Odontadenia cf. *neglecta* Woodson 20
Odontocline B. Nord. †63
—— *glabra* (Sw.) B. Nord. 63
—— *laciniata* (Sw.) B. Nord. 63
Odontonemella Lindau 669, 672-3
—— *indica* (Nees) Lindau 673
Odontotrichum Zucc. 55
Oedematopus duidae Gleason 14
Olacaceae 763
Olax obtusifolia 763
The Old World species of Stenandrium (Acanthaceae: Acantheae), Kaj Vollesen 169
Oleaceae: Jasminum oblongum belongs in Gymnanthera (Asclepiadaceae). Studies in the genus Jasminum (Oleaceae): XIII, P.S. Green 333
Oleaceae 763
Oligothrix DC. †100
—— *gracilis* DC. 100
Olinia 361
—— *ventosa* (L.) Cufod. 361, 392

Oliver, E.G.H.

Oliver, E.G.H.: Studies in the Ericoideae (Ericaceae).VIII. New combinations for Philippia are made in Erica for the Flora Zambesiaca region 665
Oncinema Wight 475
Onosma orientale (L.) L. (Boraginaceae) collected in Cyprus, Arne A. Anderberg, Barbro Axelius, Roger Lundin, Anders Tehler, Hans-Erik Wanntorp & Annette Wiklund 777
Onosma 777
—— *fruticosum* 777
—— *orientale* (L.) L. 777
Orchid flora: Additions to the orchid flora of Vanuatu in the south-west Pacific, B.A. Lewis 685
Orchidaceae: Additional records of Orchidaceae for the flora of Arabia, S. Robbins 721
Orchidaceae: Additions to the taxonomic revision of the continental African Bulbophyllinae (Orchidaceae), J.J. Vermeulen 137
Orchidaceae: A new Polystachya (Orchidaceae) from Tanzania, P.J. Cribb 257
Orchidaceae: Notes on Brazilian Orchidaceae I, Toscano de Brito 774
Orchidaceae: Two new species of Habenaria (Orchidaceae) from Bahia, Brazil, Toscano de Brito 731
Orchidaceae 7, 23, 257, 630
—— subtribe *Bulbophyllinae* 137
Orchidales 627, 630
Orchis laxiflora subsp. *palustris* 724
Orectanthe 9
Orobanchaceae 630
Oropetium 663
Orthosiphon Benth. 404, 406, 433
—— subgen. *Nautochilus* (Brem.) Codd 404, 406, 408, 431
—— subgen. *Orthosiphon* 406, 408
Orton, P.D. *Reviewer*: Cortinarius. Flora Photographica, by Tor Erik Brandrud, Håkan Lindström, Hans Marklund, Jacques Melot, & Siw Muskos 149
Oryzopsis 656
—— *holciformis* (M. Bieb.) Hackel subsp. *abyssinica* (Freitag) Cope †655
Othonna L. †99
—— *amplexicaulis* 99
—— *amplexifolia* 99
—— *angustifolia* 99
—— *coronopifolia* L. 99
—— *gregorii* 99
—— *maroccana* (Batt.) C. Jeffrey †99
—— *media* C. Jeffrey †99
—— *pavonia* 99
Othonnopsis intermedia Boiss. 99
—— *maroccana* Batt. 99
Ouratea roraimae Engler 7, 13
Owens, S.J. *Reviewer*: Reproductive Biology and Evolution of Tropical Woody Angiosperms, by Gerhard Gottsberger & Ghillean T. Prance (Eds.) 784
Owens, Simon J. *Reviewer*: Microspores. Evolution and Ontogeny, by S. Blackmore & R.B. Knox (Eds.) 336
Oxyanthus pyriformis 763
Oxystelma esculentum (L.F.) Schultes 454
—— *secamone* (L.) Karst. 454

Pachycarpus
Pachycarpus E. Meyer 475
Pachyloma huberioides (Naud.) Triana 18
Packera A. Löve & D. Löve 84, †101
—— *aurea* (L.) A. Löve & D. Löve 101-2
—— *bellidifolia* 102
—— *coahuilensis* (Greenm.) C. Jeffrey †101
—— *cymbalaria* 102
—— *eurycephala* 102
—— *glabella* (Poir.) C. Jeffrey †101
—— *hintoniorum* (B.L. Turner) C. Jeffrey †101
—— *hyperborea* 102
—— *montereyana* (S. Wats.) C. Jeffrey †101
—— *moranii* (T.M. Barkley) C. Jeffrey †101
—— *neomexicana* 102
—— *porteri* (Greene) C. Jeffrey †101
—— *quercetorum* (Greene) C. Jeffrey †101
—— *sanguisorbae* (DC.) C. Jeffrey †101
—— *scalaris* (Greene) C. Jeffrey †101
—— *spellenbergii* (T.M. Barkley) C. Jeffrey †101
—— *tampicana* (DC.) C. Jeffrey †101
—— *tomentosa* (Michaux) C. Jeffrey †101-2
Paepalanthus capillaceus Klotzsch ex Körn. 22
—— *gleasonii* 22
—— *saxicola* var. *conicus* Mold. 7, 22
Pagamea aracaensis Boom 7, 21
—— *montana* Gleason & Standl. 7, 21
Palawan: Dinochloa robusta, a new species of bamboo (Gramineae: Bambusoideae) from Sabah and Palawan, Soejatmi Dransfield 402
Palmae: Calamoideae: Calamus inops (Palmae: Calamoideae) and its relatives, Padmi Kramadibrata & John Dransfield 581
Pandaceae 112
Panicum chnoodes Trin. 23
—— *cyanescens* Nees 5, 23
Pankhurst, R.J. & Mullin, J.M.: Flora of the Outer Hebrides (Rev.) 346
Papuacedrus 30
Paracalia Cuatrec. †61
—— *pentamera* (Cuatrec.) Cuatrec. 61
Parafaujasia C. Jeffrey 78, †79
—— *fontinalis* (Cordem.) C. Jeffrey †79
—— *mauritiana* C. Jeffrey †79
Paragynoxys (Cuatrec.) Cuatrec. †61
—— *meridana* 61
—— *neodendroides* (Cuatrec.) Cuatrec. 61
Parasenecio W.W. Smith & Small †58
—— *forrestii* W.W. Smith & Small 58
Parechites bowringii Hance 333
Parinari 633, 645
—— *excelsa* 762
—— *parvifolia* Sandw. †645
Parnell, J. & Nic Lughadha, E.: Notes on Thai Myrtaceae 703
Paropsia braunii 763
Paspalum setiglume Chase 23
Passifloraceae 763
Paton, Alan: The genus Scutellaria L. (Labiatae) in tropical Africa 41
Paton, Alan: A synopsis of Ocimum L. (Labiatae) in Africa 403
Peixotoa A. Jussieu 493-4
Peltapteris peltata (Sw.) C. Morton 7, 12
Pennington, T.D.: The Genera of Sapotaceae (Rev.) 789
Pentacalia Cass. †64, 69, 74

Pentacalia
Pentacalia subgen. *Microchaete* (Benth.) Cuatrec. 69, 74
—— *arborea* (Kunth) H. Robins. & Cuatrec. 64
—— *desiderabilis* 64, 65
—— *floribunda* Cuatrec. 66
—— *guerrerensis* (T.M. Barkley) C. Jeffrey †64
—— *parasitica* 64
—— *tropicalis* (Cabrera) C. Jeffrey †64
—— *venturae* (T.M. Barkley) C. Jeffrey †64
Pentarrhinum: A revision of the genus Pentarrhinum E. Meyer (Asclepiadaceae), Sigrid Liede & Ashley Nicholas 475
Pentarrhinum E. Meyer 475-7, 480, 488
—— subtribe *Cynanchinae* 488
—— *abyssinicum* Decne. 476, 478-80, †481-2
—— —— subsp. *abyssinicum* 479, †481
—— —— subsp. *angolense* (N.E. Br.) Liede & Nicholas 478-9, 481, †482, *483
—— —— var. —— N.E. Br. 482
—— *coriaceum* Schlechter 487
—— *fasciculatum* K. Schumann 488
—— *insipidum* E. Meyer 475-6, 478-80, †484, *485
—— —— sensu Bullock 482
—— —— sensu Hiern 482
—— *iringense* Markgraf 488
—— *tylophoroides* K. Schumann 488
Pentatropis R. Br. 475
—— *nivalis* (J.F. Gmelin) D.V. Field 488
Peperomia hernandiifolia (Vahl) A. Dietrich 13
—— *tenella* (Sw.) A. Dietrich 13
—— *urocarpa* F. & M. 13
Perakanthus pauciflorus (King & Gamble) Robyns 356
Perama dichotoma Poepp. & Endl. var. *scaposa* (Gleason & Standl.) Steyerm. 21
—— *galioides* (H.B.K.) Poir. 21
Peregrina W. Anderson 491, 493, 498, 499
Pericalia Cass. 54
Pericallis D. Don †97
—— *lanata* 97
—— *malvifolia* 97
—— *tussilaginis* (L'Hérit.) D. Don 97
Periploca 438
—— *emetica* Retz. 438, 597-8
—— *secamone* L. 438, 452, 454
Periploceae 438
Periplocoideae 437-9
Perissocarpa steyermarkii (Maguire) Steyerm. & Maguire 13
—— *umbellifera* Steyerm. & Maguire 13
Persea jenmanii Mez 13
Pervillaea Decne. 437
Petalodiscus †679
—— *fadenii* (A. R.-Sm.) A. R.-Sm. †679
Petasites Mill. †59
—— *hybridus* (L.) Gaertn. 59
Phaius 689
—— *amboinensis* Blume var. *papuanus* (Schltr.) Schltr. 689
—— *daenikeri* Kraenzl. †687, 689
—— *flavus* Lindley 689
—— *robertsii* F. Muell. 689
Phaneroglossa B. Nord. †100
—— *bolusii* (Oliv.) B. Nord. 100
Philacra 9
—— *auriculata* Dwyer 13

Philacra

Philacra longifolia (Gleason) Dwyer vel sp. aff. 13
Philcox, D.: Notes on South American Bromeliaceae 261
Philcox, D.: Notes on South American Bromeliaceae- corrections 544
Philippia: Studies in the Ericoideae (Ericaceae).VIII. New combinations for Philippia are made in Erica for the Flora Zambesiaca region, E.G.H. Oliver 665
Philippia Klotzsch 665-6
—— *abietina* 665-6
—— *abyssinica* 665
—— *benguelensis* (Welw. ex Engl.) Britten 666
—— —— var. *albescens* R. Ross 666
—— *elgonensis* 665
—— *evansii* N.E. Br. 666
—— *friesii* Weimarck 667
—— *hexandra* S. Moore 666
—— *keniensis* subsp. *elgonensis* (Mildbraed) R. Ross 665
—— *mannii* Hook.f. 667
—— —— subsp. *pallidiflora* (Engl.) R. Ross 667
—— —— subsp. *usambarensis* (Alm & Fries) R. Ross 667
—— *milanjiensis* Britten 666
—— *nyassana* Alm & Fries 667
—— *pallidiflora* Alm & Fries 667
—— —— Engl. 667
—— —— subsp. *pallidiflora* (Alm & Fries) R. Ross 667
—— *simii* S. Moore 667
—— *thomensis* 665
—— *usambarensis* Alm & Fries 667
Philydraceae 630
Phoradendron crassifolium (DC.) Eichl. 18
Phreatia micrantha (A. Rich.) Schltr. 689
Phthirusa sp. 18
Phyllanthus †679
—— *angolensis* Muell. Arg. †679
—— *austroparensis* A. R.-Sm. †679
—— × *collium-misuku* A. R.- Sm. †680
—— *dictyophlebs* A. R.-Sm. †680
—— *fluminis-athi* A.R.-Sm. 680
—— *maderaspatensis* L. †681
—— —— var. *exasperatus* A. Radcl.-Sm. †681
—— *neblinae* Jabl. 7, 19
—— *ovalifolius* Forssk. 680
—— *pseudoniruri* Muell. Arg. 679
—— *reticulatus* Poir. 680
—— —— var. *glabrus* (Thw.) Muell. Arg. 680
—— *tankervilleae* (Banks ex L'Hér.) Blume 689
Phyllocladus alpinus 30
—— *glaucus* 30
—— *trichomanioides* 30
Phymatodes (R. Br.) Presl 126
—— *diversifolia* (Willd.) Pichi-Serm. 126
—— *pustulata* (Forst.f.) Presl 126
Phymatosorus 122
—— *diversifolius* (Willd.) Pichi-Serm. 126
—— *novae-zealandiae* 121
Picea asperata 28
—— *jezoensis* 28
—— *koraiensis* 28
—— *sitchensis* 28

Pico das Almas

Pico das Almas: New taxa of Labiatae from the Pico das Almas and the Chapada Diamantina, R.M. Harley 553
Pico das Almas: Spigelia flava Zappi & Harley (Loganiaceae) - a new species from the Pico das Almas, Bahia, Brazil, D.C. Zappi & R.M. Harley 329
Pilgerodendron 30
Pinaceae 28, 31
Pinopsida 13
Pinus balfouriana 28
—— *banksiana* 28
—— *bungeana* 28
—— *contorta* 28
—— *echinata* 28
—— *japonica* 28
—— *mugo* 28
—— *nigra* 28
—— *sibirica* 28
—— *strobus* 28
—— *sylvestris* 28
—— *thunbergiana* 28
—— *yunnanensis* 28
Piperaceae 13
Pippenalia McVaugh †56
—— *delphiniifolia* (Rydb.) McVaugh 56
Piptadenia peregrina (L.) Bentham 743
Piptatherum 656
—— *holciforme* (M. Bieb.) Roemer & Schultes subsp. *abyssinicum* Freitag 656
Pitcairnia patentiflora L.B. Smith 23
Pithecellobium caribaeum Urban 700
—— *hassleri* Chodat 700-1
—— *niopoides* Spruce ex Benth. 700-1
—— *prancei* Barneby 7
Pithosillum Cass. 97
—— *lyratum* Cass. 97
Pittocaulon H. Robins. & Brettell †54
—— *praecox* 54
Pladaroxylon Hook.f. †62
—— *leucadendron* (Forst.f.) Hook.f. 62
Plant collections from the plateau of Serra do Aracá (Amazonas, Brazil) and their phytogeographic affinities, Ghillean T. Prance & David M. Johnson 1
Platycladus 30
—— *orientalis* 30
Plectranthus ovatifolius Oliver 430
Plectrionella 359
Plectronia sensu Sonder 387
—— L. 361, 364
—— *gilfillanii* N.E. Br. 374
—— *glauca* (Hiern) K. Schum. 365
—— *lactescens* (Hiern) K. Schum. 379
—— *microterantha* K. Schum. & K. Krause 370
—— *mundiana* (Cham. & Schlecht.) Pappe 373
—— *mundii* Sims 374
—— *mundtianum* 374
—— *pauciflora* Klotzsch ex Ecklon & Zeyher 393
—— *psychotrioides* K. Schum. ex De Wild. 379
—— *randii* (S. Moore) Eyles 379
—— *siebenlistii* K. Krause 374
—— *sordida* K. Schum. 393
—— *swynnertonii* (S. Moore) Eyles 392
—— *umbrosa* (Hiern) K. Schum. 379
—— *ventosa* sensu Sonder 392
—— —— L. 392

Plectroniella
Plectroniella 360
Pleopeltis billardieri (R. Br.) T. Moore 126
—— *diversifolia* (Willd.) Melvaine 126
—— *pustulatum* (Forst.f.) T. Moore 126
Pleurothallis Luer 774
—— *miragliae* J. Leite 774
—— sp. 24
—— sp. aff. *uncinata* Fawcett & Rendle 24
Pócs, T. & Knox, E.: Lobelia morogoroensis: another Tanzanian giant 503
Poaceae 23
Pochota amazonica (Robyns) Steyerm. & W.D. Stevens 7, 14
Podocarpaceae 13, 30
Podocarpus 30
—— *acutifolius* 30
—— *ferrugineus* 30
—— *hallii* 30
—— *latifolius* (Thunb.) R. Br. 478
—— *macrophyllus* 30
—— *nivalis* 30
—— *spicatus* 30
—— *totara* 30
—— sp. 6
—— sp. nov. 13
Poecilandra 9
sp. aff. *Poecilandra retusa* 13
—— *retusa* Tul. 13
Pogonia ghindana Fiori 723
Pojarkovia Askerova †103
—— *stenocephala* 103
Pollen: A note on the pollen of Trichaulax mwasumbii (Acanthaceae: Justicieae), Carol A. Furness 619
Polyblepharon 686
Polygala appressa var. *gracillima* 19
Polygalaceae 19
Polypodiaceae: The identity of Polypodium pustulatum Forst.f. (Polypodiaceae), M.F. Large, J.E. Braggins & P.S. Green 121
Polypodiaceae 12
Polypodiopsida 12
Polypodium pustulatum: The identity of Polypodium pustulatum Forst.f. (Polypodiaceae), M.F. Large, J.E. Braggins & P.S. Green 121
Polypodium billardieri R. Br. 126
—— *diversifolium* Willd. 121, 126
—— *phymatodes* auct. non L. 126
—— *pustulatum* Forst.f. 121-2, 124-6
—— *scandens* sensu Labill. 126
—— —— Forst.f. 121, 125
—— —— var. *billardieri* (R. Br.) F. Muell. 126
—— *triseriale* Sw. 12
Polysphaeria multiflora 763
Polystachya: A new Polystachya (Orchidaceae) from Tanzania, P.J. Cribb 257
Polystachya sect. *Caulescentes* 257
—— *albescens* Ridl. 259
—— *pocsii* Cribb †257, *258-9
—— *transvaalensis* Schltr. 257, 259
Portea alatisepala Philcox *273, †274
—— *grandiflora* Philcox *275, †276
—— *kermesiana* Brongn. ex K. Koch 276
—— *petropolitana* (Wawra) Mez 274
Portulaca: A new species of Portulaca from Kenya and Somalia, M.G. Gilbert 693
Portulaca 693
—— *centrali-africanae* R. Fries 696
Portulaca
Portulaca decorticans M.G. Gilbert 693-*694, 695-6
—— *foliosa* Ker-Gawl. 693
—— *grandis* Peter 695-6
—— *kermesina* N.E. Br. 696
—— *ramosa* Poelln. 696
Post-fertilisation: Embryo sac and early post-fertilisation development in Thismia (Burmanniaceae), Paula Rudall & Stephen Morley 625
Pouteria cuspidata (DC.) Baehni subsp. *dura* (Eyma) Penn. 16
—— *rigida* (Mart. & Eichl.) Radlk. subsp. *rigida* 16
Pradosia schomburgkiana (DC.) Cronq. subsp. *sericea* Penn. 6, 7, 15
Prance, G.T.: Five new species of neotropical Chrysobalanaceae 247
Prance, G.T.: New species and new records of neotropical Chrysobalanaceae 633
Prance, G.T.: A new species of Stephanopodium (Dichapetalaceae) from Colombia 545
Prance, Ghillean T. & Johnson, David M.: Plant collections from the plateau of Serra do Aracá (Amazonas, Brazil) and their phytogeographic affinities 1
Premna hans-joachimii 764
Prenanthes stricta Greene 56
Protium: Two new taxa of Protium from eastern Brazil. Studies in neotropical Burseraceae V, Douglas C. Daly 713
Protium 713, 716-7
—— *bahianum* Daly 713, *715-7
—— *brasiliense* (Spreng) Engl. 713-4, 716
—— *heptaphyllum* 717
—— *icicariba* (DC.) Marchand 713, 716-7, 719
—— —— var. *icicariba* 718
—— —— var. *talmonii* Daly †717-8
—— *occultum* Daly 717
—— *tovarense* Pittier 719
—— *unifoliolatum* Engl. 716
Psacaliopsis H. Robins. & Brettell †55
—— *macdonaldii* (B. Turner) C. Jeffrey †55
—— *paneroi* (B. Turner) C. Jeffrey †55
Psacalium Cass. †55
—— *peltigerum* (Kunth) Rydb. 55
Pseudactis S. Moore 97
Pseuderanthemum indicum (Nees) A.M. Cowan & J.M. Cowan 673
Pseudobersama mossambicensis: The wood anatomy of Pseudobersama mossambicensis and Trichilia capitata (Meliaceae) compared, Peter Gasson & Martin Cheek 753
Pseudobersama Verdc. 753, 757
—— *mossambicensis* 754, 757, 763
Pseudogynoxys (Greenm.) Cabrera †96
—— *boquetensis* (Standl.) B. Turner †96
—— *chenopodiifolia* 96, 97
—— *cordifolia* (Cass.) Cabrera 96
Pseudolarix 28
Pseudoprosopis euryphylla 764
Pseudotaxus chienii 31
Pseudotsuga 28
—— *menziesii* 28
Psilostoma Kłotzsch ex Ecklon & Zeyher 359

Psophocarpus

Psophocarpus: Chromosome counts in Psophocarpus (Leguminosae: Papilionoideae), Daniel K. Harder 529
Psophocarpus DC. 529, 530, 532
grandiflorus Wilczek 530
—— *lancifolius* Harms 530
—— *lecomtei* 530
—— *lukafuensis* (De Wild.) Wilczek 532
—— *monophyllus* Harms 532
—— *obovalis* Tisserant 532
—— *palustris* Desv. 530
—— *scandens* (Endl.) Verdc. 529, 530, 532
—— *tetragonolobus* (L.) DC. 529, 530, 532
Psychotria 7
adenophora Steyerm. 7, 21
—— *campylopoda* Standl. 21
—— *crassa* Benth. 21
—— *duricoria* Standl. & Steyerm. 21
—— *glandulicalyx* Steyerm. 21
—— *kirkii* Hiern var. *volkensii* (K. Schum.) Verdc. 393
—— *linearisepala* 763
—— *schomburgkii* Benth. 7, 21
—— *tapajozensis* Standl. 21
Psydrax Gaertn. 353, 355, 361, †363
—— *faulknerae* Bridson 373, 763
—— *subcordata* (DC.) Bridson 379
Pteleopsis apetala 762
—— *myrtifolia* 762
Pteridophyta: Blechnaceae: A note on Stenochlaena (Pteridophyta: Blechnaceae) in Africa, B. Verdcourt 128
Pterocarpus tinctorius 762
Pterozonium 9
—— *scopulinum* Lell. 7, 12
Pycnostelma Bunge ex Decne. 475
Pyrolaceae 630
Pyrostria Commers. ex Juss. 353, 361, †363
—— group *B* 355

Racemobambos: A new species of Racemobambos (Gramineae: Bambusoideae) from Sulawesi with notes on generic delimitation, Soejatmi Dransfield 707
Racemobambos Holttum 707, 709, 710
—— *celebica* S. Dransfield †707, *708
—— *ciliata* (A. Camus) Chao & Renv. 709, 710
—— *congesta* (Pilger) Holttum 707
—— *gibbsiae* (Stapf) Holttum 707
—— *hepburnii* 707
—— *hirsuta* 707
—— *pairinii* K.M. Wong 709
—— *prainii* (Gamble) Keng f. & Wen 709, 710
—— *rigidifolia* 707
Radcliffe-Smith, A.: Notes on African Euphorbiaceae XXVIII 677
Radcliffe-Smith, A.: Notes on African Euphorbiaceae: XXVII. Clutia 111
Radermachera kerrii Barnett & Sandwith 436
—— *pagetii* Craib 436
Raffauf, Robert F. & Richard Evans Schultes: A rare report of an intoxicating snuff from the Amazon 743
Rafflesiaceae 627
Rainiera Greene †56
Rapateaceae 7, 9, 22

Raphael, Sandra

Raphael, Sandra: Oak Spring Pomona. A selection of the rare books on fruit in the Oak Spring Garden Library (Rev.) 159
Raphistemma Wallich 475
A rare report of an intoxicating snuff from the Amazon, Richard Evans Schultes & Robert F. Raffauf 743
Rauvolfia mannii 763
Raveniopsis araeaensis Kallunki & Steyerm. 20
A reconsideration of Asystasiella Lindau (Acanthaceae), K. Ensermu, R.K. Brummitt & C.A. Furness 669
Remijia maguirei Steyerm. 7, 21
Retiniphyllum laxiflorum (Benth.) N.E. Brown var. *laxiflorum* 21
—— *scabrum* Benth. 21
A revision of Mucuna (Leguminosae: Phaseoleae) in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 203
A revision of the genus Pentarrhinum E. Meyer (Asclepiadaceae), Sigrid Liede & Ashley Nicholas 475
Reynolds, T. *Reviewer*: Bioactive compounds from plants, by Derek J. Chadwick & Joan March (Eds.) 150
Rhetinodendron Meisn. 74
Rhodamnia 703-5
—— *dumetorum* (DC.) Merr. & Perry 703, †704
—— *kerrii* J. Parnell & NicLughadha †705
—— *parvifolia* Ridley 705
—— *trinervia* Blume 704
Rhodomyrtus 705
—— *parvifolia* Craib 704, 705
Rhynchospora eburnea Kral & Thomas 23
—— *pilosa* subsp. *arenicola* (Uitt.) Koyama 23
—— *tenuis* Link 23
—— sp. aff. *nardifolia* (Kunth) Boeck. 23
Rhynchostigma Benth. 437
Ricinodendron heudelotii 762
Rico Arce, Maria de L.: Notes on Albizia niopoides (Spruce ex Benth.) Burkart (Leguminosae: Mimosoideae) 699
Rinorea ferruginea 764
Robbins, S.: Additional records of Orchidaceae for the flora of Arabia 721
Robinsonia DC. †74
—— *gayana* Decne 74
Rodwell, J.S.: British Plant Communities Vol.1. Woodlands and scrub (Rev.) 347
Roldana La Llave †54
—— *barba-johannis* 55
—— *carlomasonii* (B. Turner & T. Barkley) C. Jeffrey †54
—— *gesneriifolia* C. Jeffrey †54
—— *grimesii* (B.L. Turner) C. Jeffrey †55
—— *hartwegii* 55
—— *lobata* La Llave 54
—— *marquesii* (B.L. Turner) C. Jeffrey †55
—— *metepecus* (B. Turner) C. Jeffrey †55
—— *nesomiorum* (B. Turner) C. Jeffrey †55
—— *petasitis* 55
Rondo Plateau: Bauhinia loeseneriana reinstated, with notes on the forests of the Rondo Plateau, SE Tanzania, Sally Bidgood & Kaj Vollesen 759
Rosidae 16
Roubik, David W., Moreno P., Jorge Enrique: Pollen and Spores of Barro Colorado Island (Notice) 791

Rourea
Rourea coccinea 763
Rout, R.C. & Deb, D.B.: Two new species of Ixora (Rubiaceae subfam. Ixoroideae) from India and Burma 295
Rubiaceae, subfam. Ixoroideae: Two new species of Ixora (Rubiaceae subfam. Ixoroideae) from India and Burma, D.B. Deb & R.C. Rout 295
Rubiaceae 7, 21, 763, 764
—— tribe *Vanguerieae* 355
Rubiaceae-Vanguerieae: The genus Canthium (Rubiaceae-Vanguerieae) in tropical Africa, Diane M. Bridson 353
Rudall, Paula & Morley, Stephen: Embryo sac and early post-fertilisation development in Thismia (Burmanniaceae) 625
Rugelia Shuttlew. ex Chapm. †56
Ruizterania ferruginea (Steyerm.) Marcano Berti 19
Rutaceae 20, 762-3
Rutidea fuscescens 764
Rytigynia 359, 361-2
—— subgen. *Rytigynia* 359, 362
—— *bugoyensis* (K. Krause) Verdc. 360
—— *friesiorum* Robyns 391
—— *mrimaensis* Verdc. 359
—— *pergracilis* 763
—— subsp. *Rytigynia* 359
—— sp. 392

Saba comorensis 764
Sabah: Dinochloa robusta, a new species of bamboo (Gramineae: Bambusoideae) from Sabah and Palawan, Soejatmi Dransfield 402
Salacia elegans 764
—— *erecta* 764
—— *leptoclada* 764
—— *madagascariensis* 764
—— *stuhlmanniana* 764
Salaxis benguelensis Welw. ex Engl. 666
Salpinctium T.J. Edwards 669, 672
Salpinga glandulosa (Gleason) Wurdack 18
Salsola alopecuroides Del. 284
—— *postii* Eig 284
Santisukia Brummitt †436
Santisukia, a new generic name in Bignoniaceae, R.K. Brummitt 436
—— *kerrii* (Barnett & Sandwith) Brummitt 436
—— *pagetii* (Craib) Brummitt 436
Sapium triloculare 763
—— *yutajense* Jabl. 19
Sapotaceae 6, 7, 15, 762, 764
Sarcopera coccinea de Roon & Bedell 14
Sarcostemma R. Br. sensu Holm 476
—— *secamone* (L.) Bennet 454
Sarraceniaceae 9
Satyrium brachypetalum 724
Sauvagesia fruticosa Mart. 14
Savia 679
—— *fadenii* A. R.-Sm. 679
Saxegothaea 30, 31
—— *conspicua* 30
Saxofridericia 9
—— *spongiosa* Maguire 1, 5, 6, 22
Schefflera coriacea (E. March.) Harms 20
—— *duidae* Steyerm. 7, 20

Schizaea
Schizaea elegans (Vahl) Sw. 12
—— *pennula* Sw. 9, 12
Schizaeaceae 12
Schizoglossum E. Meyer 475
Schrebera trichoclada 763
Schultes, Richard Evans & Raffauf, Robert F.: A rare report of an intoxicating snuff from the Amazon 743
Schwannia Endlicher 493, 495, 499
Sciadopitys verticillata 30
Scleria 750
—— cf. *cyperinoides* C.B. Clarke 23
Sclerochiton tanzaniensis 763
Scrobicaria Cass. †63
—— *ilicifolia* (Linn.f.) B. Nord. 63
Scrophulariaceae: Another new species of Harveya (Scrophulariaceae) from East Africa, F.N. Hepper 729
Scrophulariaceae: The identity of Strigina Engl. (Scrophulariaceae), Sally Bidgood 775
Scrophulariaceae: A new species of Striga (Scrophulariaceae) from Ethiopia, Getachew Aweke 293
Scrophulariaceae 775
—— tribe *Gerardieae* 775
—— tribe *Gratioleae* 775
Scutellaria: The genus Scutellaria L. (Labiatae) in tropical Africa, Alan Paton 41
Scutellaria L. 41
—— *africana* Hochst. 47
—— *albida* group 41
—— *arabica* Jaub. & Spach 41, 42, †47
—— *briquetii* A. Chev. 44
—— *bussei* Gürke 43
—— *columnae* All. 41
—— *debeerstii* Briq. 41, 43
—— *katangensis* Robyns & Lebrun 44
—— *livingstonei* Baker 41, 43
—— *orientalis* L. 41
—— *paucifolia* Baker 41, 43
—— *peregrina* 47
—— *pobeguinii* Hua 44
—— *polyadena* Briq. 41, 42, †45
—— *pusilla* Gürke 43
—— *racemosa* Pers. 41
—— *ringoetii* De Wild. 44
—— *rubicunda* Hornem. sens. lat. 41
—— *schweinfurthii* Briq. 41, †42
—— —— subsp. *paucifolia* (Baker) Paton †43
—— —— subsp. *schweinfurthii* 41, †43
—— *violascens* Gürke 41, 42, †45
—— —— group 41
—— sp. nov. 47
Sebsebe Demissew & Brandham, P.E.: A new species of Aloe from the Ethiopian Rift Valley 509
Sebsebe Demissew & Gilbert, M.G.: Notes on the genus Aloe in Ethiopia: misinterpreted taxa 647
Secamone (Asclepiadaceae subfam. Secamonoideae) in Africa, D.J. Goyder 437
Secamone: Secamone (Asclepiadaceae subfam. Secamonoideae) in Africa, D.J. Goyder 437
Secamone: Taxonomy of Secamone (Asclepiadaceae) in Asia and Australia, Jens Klackenberg 595
Secamone 437-40, 468, 471, 473, 595-7, 603, 605, 609, 610

Secamone

Secamone R. Br. †439, 595, 598
—— s. str. 595, †597, 609-11
—— *africana* (Oliv.) Bullock 438, 440-1, †467
—— *afzelii* 438, 441, †464, 467, 468, 470
—— *alpini* Schultes 438-40, †452
—— *amygdalina* Turcz. 609
—— *attenuata* Decne. 601, 608
—— *attenuifolia* 442, †446, 448, *449
—— *auriculata* Blume 609
—— *blumei* Decne. 609
—— *bonii* Constantin 602-3
—— *canescens* Smith 609
—— *caudata* Pierre 602
—— *conostyla* S. Moore 473
—— *crassifolia* (Wight) Schumann 609
—— *delagoensis* 441, †457, 458
—— *dewevrei* 441, †461, 462
—— —— subsp. *dewevrei* †462, 464
—— —— subsp. *elliptica* Goyder †462, *463, 464
—— *elliptica* R. Br. 595, 598, †600, 602-3, 605, 607-8
—— —— subsp. elliptica 600, *604, †*605, 607
—— —— subsp. *minutiflora* 596, 603, 605, *606, †609
—— —— subsp. *siamica* 596, 605, *606, †608
—— *emetica* sensu F. von Muell. 602
—— —— (Retz.) R. Br. 595
—— —— (Retz.) Schultes 438, 440, 597, †598, *599, 600, 605
—— —— var. *glabra* K. Schum. 451, 610
—— *erythradenia* K. Schum. 438, 440, †461
—— *esquirolii* Schltr. ex A. Léveillé 602
—— *ferruginea* Pierre 602, 607
—— *filiformis* 442
—— —— (L.f.) J.H. Ross 438, †455, 457, 458, 603
—— *finlaysoni* Wight 600
—— *flavida* Schltr. 602, 608
—— *floribunda* N.E. Br. 458
—— *frutescens* (E. Mey.) Decne 455, 464
—— *fulva* (Blume) Decne. 610
—— —— (Blume) Koorders 610
—— *gerrardii* Benth. 603
—— —— Harv. 440, †470
—— *gracilis* 441, †442
—— *inflorida* 610
—— *insularis* Schltr. 602, 607, 610
—— —— var. *angusta* Schltr. 602
—— *kirkii* N.E. Br. 450
—— *kleinii* (Wight & Arn.) Schumann 610
—— *lanceolata* Blume 600, 608
—— *leonensis* 441, 467, †468, *469
—— *likiangensis* Tsiang 602, 607
—— *lineata* Blume 610
—— *macrophylla* Blume 610
—— —— var. *fulva* Blume 610
—— *macrostachya* Turcz. 610
—— *maritima* Blume 610
—— *mauritiana* G. Don ex Sweet 610
—— *micrandra* K. Schum. 444
—— *micrantha* (Decne.) Decne. 601-2, 608
—— *minutiflora* Tsiang 609
—— *mombasica* N.E. Br. 451
—— *multiflora* Decne. 601, 608
—— *myrtifolia* Benth. 464
—— *neo-caledonica* Bullock 602
—— —— Schltr. 602
—— *ovata* R. Br. 600

Secamone

Secamone pachystigma Perrier & Jumelle 605
—— *papuana* Warb. 602
—— *parvifolia* (Oliv.) Bullock 438, 441, 446, †448, 452, 610
—— *phillyreiodes* S. Moore 458
—— *platystigma* K. Schum. 467
—— *punctulata* 438, 441, †444, 446, 448, 452
—— —— var. *stenophylla* (K. Schum.) N.E. Br. 444
—— *rariflora* S. Moore 458
—— *rectinervis* Schltr. 610
—— *retusa* N.E. Br. 441, †442, 444, *445
—— *sansibariensis* K. Schum. 444
—— *schweinfurthii* K. Schum. 448
—— *siamica* Kerr 608
—— *sinica* Hand.-Mazz. 602
—— *socotrana* Balf.f. 438, 440, †471-3
—— —— var. *glauca* Radcl.-Sm. †472
—— —— var. *socotrana* †472
—— *stenophylla* K. Schum. 444
—— *stuhlmannii* 438, 441, †458
—— *syringifolia* Schltr. 610
—— *szechuanensis* Tsiang & P.T. Li 609
—— *thunbergii* E. Mey. 453
—— —— var. *retusa* E. Mey. 453
—— *timorensis* Decne. 610
—— *toxocarpoides* Choux 473
—— *urdanetensis* Elmer ex Tsiang 610
—— *usambarica* N.E. Br. 451
—— *vestita* Zipp. ex Spanoghe 610
—— *villosa* Blume 611
—— *whytei* N.E. Br. 458
—— *wightiana* (Hook.f. & Arn.) Schumann 611
—— *zambeziaca* Schltr. 448
—— —— var. *parvifolia* N.E. Br. 451
Secamonopsis Jumelle 437
Selaginella asperula Spring 12
Selaginellaceae 12
Senecio: The genus Senecio (Compositae) on Lord Howe and Norfolk Islands, R. O. Belcher 765
Senecio L. 49-52, 54, 69, 74, 78-9, 83, †84, 98, 765-7, 770-2
—— sect. *'Lugentes'* 86
—— sect. *'Triangulares'* †85
—— sect. *Adamantina* Cabr. †84
—— sect. *Amplectentes* Greenm. †86
—— sect. *Andina* Cabr. †92
—— sect. *Aphylli* Harv. †87
—— sect. *Bethencourtii* DC. †87
—— sect. *Brachypappus* (Sch. Bip.) Benth. ex Cabr. †92
—— sect. *Cacaliastrum* Cabr. †85
—— sect. *Chenopodioides* Cabr. †91
—— sect. *Columbaria* Cabr. †90
—— sect. *Corymbosi* Cabr. †91
—— sect. —— subsect. *Amplectentes* Cabr. †85
—— sect. *Crociseris* (Reichenb.) Hall. & Wohlf. †86
—— sect. *'Culcitium'* †90
—— sect. *Delphinifolius* Reichenb. 93
—— sect. *Dendrophorbium* Cuatrec. 65
—— sect. *'Dorobaea'* †90
—— sect. *Extremiorientales* Schischk. †85
—— sect. *Flexicaulis* C. Jeffrey & Y.L. Chen 94
—— sect. *Graveolentes* Cabr. †90
—— sect. *Haplostichia* (Phil.) Cabr. †86

Senecio

Senecio sect. *Hualtatini* (DC.) Bak. †86
—— sect. *Jacobaea* (Mill.) Dumort. †87
—— sect. *Kleinioidei* (DC.) Harv. †94
—— sect. *Leptolobi* (DC) Harv. †87, 93
—— sect. *Leptophylli* Harv. 93
—— sect. *Leucanthemifolium* Cabr. †91
—— sect. *Macbrideus* Cuatrec. 65
—— sect. *Metazanthus* (Meyen.) Cabr. †92
—— sect. *Microlobi* Harv. †86
—— sect. *Mulgediifolii* Greenm. †86
—— sect. *Oreophyton* Cabr. †92
—— sect. *Orientales* Muschl. 94
—— sect. *Otites* Cabr. †85
—— sect. *Paranaia* Cabr. †85
—— sect. *Paucifolii* Harv. †93
—— sect. *Peltati* (Muschl.) C. Jeffrey †93
—— sect. *Pinifolii* (DC) Harv. †87
—— sect. *Pinnatae* (H. Koyama) C. Jeffrey 94
—— sect. *Plantaginei* Harv. †85
—— sect. *Pluricephali* Cabr. 65
—— sect. *Rigidi* (DC.) Harv. 93
—— sect. *Rowleyani* C. Jeffrey †94
—— sect. *Senecio* †93, 770
—— sect. *Suffrutecius* Cabr. †91
—— sect. *Suffruticosi* Greenm. †92
—— sect. *Tomentecio* Cabr. †92
—— sect. *Websteria* Cabr. †92
—— sect. *'Wernerioides'* †91
—— ser. *Arnicoidei* Schischk. ex C. Jeffrey & Y.L. Chen †89
—— ser. *Asperifolii* C. Jeffrey & Y.L. Chen †89
—— ser. *Cernui* C. Jeffrey & Y.L. Chen †88
—— ser. *Coriaceisquami* C. Jeffrey & Y.L. Chen †88
—— ser. *Crassicephali* Cabr. †90
—— ser. *'Culcitiopsis'* †90
—— ser. *Densiserrati* C. Jeffrey & Y.L. Chen †88
—— ser. *Erucifolii* (Rouy) Schischk. †89
—— ser. *Incani* (DC.) O. Hoffm. †89
—— ser. *Lanati* (Muschl.) C. Jeffrey 93
—— ser. *'Latiflorus'* †90
—— ser. *Malacophylli* C. Jeffrey & Y.L. Chen †88
—— ser. *Monticolae* C. Jeffrey & Y.L. Chen †88
—— ser. *Nemorenses* Gagnidze †88
—— ser. *Purpureolobati* C. Jeffrey & Y.L. Chen †88
—— ser. *Senecio* 93
—— ser. *Sinuosi* (Harv.) C. Jeffrey 93
—— ser. *Stenoglossi* C. Jeffrey & Y.L. Chen †88
—— ser. *Subscaposi* C. Jeffrey & Y.L. Chen †88
—— subgen. *'Crociseris'* †84
—— subgen. *'Jacobaea'* †86
—— subgen. *'Kleinioidei'* †93
—— *abietinus* Willd. ex Wedd. 69
—— *abrotanifolius* 87
—— *achilleifolius* 67
—— *adamantinus* 84
—— *adenodontus* DC. 79
—— *adenotrichius* 91
—— *adonidifolius* 87
—— *adscendens* 85
—— *aegyptius* 93
—— *agapetes* C. Jeffrey †95
—— *albirameus* Cuatrec. 69

Senecio

Senecio alcidiphyllus Cuatrec. 69
—— *alleizettii* Humb. subsp. *pleianthus* Humb. 81
—— *almasensis* 85
—— *amabilis* DC. 95
—— *ambiguus* 89
—— *americanus* (Linn.f.) DC. 65
—— *amplexifolius* Humb. 83
—— *anapetes* C. Jeffrey †95
—— *andicola* Turcz. 69
—— *andohahelensis* 85
—— *angulatus* 94
—— *angustifolius* G. Forst. 765
—— *angustiradiatus* 64
—— *antambolorum* 94
—— *anthemidiphyllus* 91
—— *apiculatus* Sch. Bip. ex Wedd. 70
—— *arachnanthus* 88
—— *arboluco* Cuatrec. 65
—— *arborescens* Steetz 54
—— *arbutifolius* Kunth 70
—— *archeri* (Compt.) Jacobsen 95
—— —— Cuatrec. 65
—— *argutus* sensu Endlicher 765
—— *argutus* A. Rich. 766, 770, 772
—— *arniciflorus* 93
—— *arnicoides* 86
—— *asperifolius* 89
—— *auricula* 89
—— *auriculatissimus* 93
—— *australis* Willd. 765-71
—— *barkleyanus* Cuatrec. 65
—— *baronii* 94
—— *batallonensis* Cuatrec. 70
—— *bathiaei* Humb. 80
—— *beguei* Humb. 80
—— *biacuminatus* Rusby 65
—— *bipinnatus* 87
—— *boiteaui* 94
—— *boivinii* Klatt 77
—— *bomanii* R.E. Fries 65
—— *boquetensis* Standl. 96
—— *brachycodon* Bak. 65
—— *bradei* Cabrera 65
—— *brasiliensis* 93
—— *breviscapus* 91
—— *brunonianus* 91
—— *buchtienii* Greenm. 65
—— *bupleuroides* 85
—— *burkartii* 90
—— *cabrerae* Cuatrec. 66
—— *cabrerianus* Greenm. & Cuatrec. 66
—— *cachacoensis* Cuatrec. 70
—— *californicus* 93
—— *callosus* 86
—— *calocephalus* 90
—— *campanulatus* Franch. 58
—— *candicans* 92, 94
—— *canescens* 90
—— *carlomasonii* B. Turner & T. Barkley 54
—— *caroli* 58
—— *carrikeri* Cuatrec. 70
—— *carstenszensis* van Royen 52
—— *catharinensis* Dusén ex Cabrera 66
—— *chaenocephalus* Cabrera 66
—— *chilensis* 91
—— *cineraria* 89
—— *cinerascens* 93
—— *cleefii* Cuatrec. 70
—— *coahuilensis* Greenm. 101

Senecio

Senecio cochlearifolius 85
—— *colombianus* Cuatrec. 66
—— *comosus* 90
—— *conyzifolius* 91
—— *cooperi* Greenm. 63
—— *coriaceisquamus* 88
—— *coroicensis* Rusby 66
—— *coursii* Humb. 83
—— *crassissimus* 94
—— *crassulifolius* 94
—— *culcitioides* 90
—— *cunninghamii* DC. 773
—— *curvatus* Bak. 83
—— *curvidens* Sch. Bip. ex Klatt 66
—— *cyclotus* 58
—— *cydoniifolius* 98
—— *daphnoides* Poir. 81
—— *darwinii* 91
—— *davisii* Matthews 102
—— *debilis* Harv. 95
—— —— Phil. 95
—— × *decipiens* Herborg 95
—— *decorus* 86
—— *delphiniifolius* 93
—— *deltoideus* 94
—— *denisii* 85
—— *densiserratus* 88
—— *desfontainei* 93
—— *dielsii* Domke 66
—— *dieterlenii* 94
—— *dindondl* van Royen 52
—— *diphyllus* 93
—— *dolichodoryius* Cuatrec. 66
—— *doria* 86
—— *doriiformis* 86
—— *doronicum* 86
—— *drukensis* 88
—— *dryophyllus* 91
—— *dumetorum* 92
—— *durangensis* 92
—— *edgeworthii* 89
—— *elegans* L. 93, 765, 772
—— *emilioides* Bak. 95
—— *emiliopsis* C. Jeffrey 95
—— *empetroides* Cuatrec. 70
—— *erechtitoides* 93
—— *eremophilus* 85
—— *eriophyton* 92
—— *eriopodus* Cumm. 60
—— *eriospermus* DC. 102
—— —— var. *crambefolius* Boiss. 102
—— *erubescens* 93
—— *erucifolius* 89
—— *evansianus* Belcher †765-7, 771-2
—— *expansus* Harv. 95
—— *exsertus* Sch. Bip. 83
—— *faberi* 88
—— *farfarifolius* Boiss.& Kotschy 102
—— *fastigiaticephalus* Cabrera 66
—— *faujasioides* Bak. 80
—— *favillosus* Cuatrec. 66
—— *filaginoides* 91
—— *filifolius* Harv. 95
—— *firmipes* Greenm. 70
—— *fistulosus* 86
—— *flaccidus* 92
—— *flexuosus* (Lam.) Less. 77
—— *flocculidens* Sch. Bip. ex Wedd. 70
—— *flosfragrans* Cuatrec. 70
—— *foliatilis* S. Moore 80

Senecio

Senecio fortunatus Cuatrec. 66
—— *francoisii* 94
—— *frigidophila* Cuatrec. 70
—— *fruticosus* Vell. 66
—— *gallicus* 93
—— *gandin* van Royen 52
—— *gelidus* Wedd. 70
—— *gesneriifolius* B.L. Turner †54
—— *glabellus* Poir. 101
—— *glabratus* 91
—— *glastifolius* 93
—— *glaziovii* Bak. 67
—— *glomeratus* 772
—— —— Desf. ex Poir. 772
—— —— J.F. Jeffrey 82, 766, 771
—— —— var. *tridentatus* Belcher ex Turner, Smithers & Hoogland 772
—— *glossophyllus* Mattf. 52
—— *gnaphalodes* 89
—— *gossypinus* 85
—— *grahamii* 89
—— *grandis* 85
—— *greenmanianus* Hieron. 70
—— *griffithii* 89
—— *grimesii* B. L. Turner 55
—— *grisebachii* 91
—— *guadalupe* Cuatrec. 71
—— *guantivanus* Cuatrec. 72
—— *guerkei* Hieron. 54
—— *guerrerensis* T.M. Barkley 64
—— *guicanensis* Cuatrec. 71
—— *haworthii* 94
—— *heimii* Humb. 80
—— *henryi* Hemsl. 58
—— × *herborgii* C. Jeffrey †95
—— *hieracium* 85
—— *hildebrandii* 93
—— *hintoniorum* B.L. Turner 101
—— *hohenackeri* Hook.f. 95
—— *homogyniphyllus* (Cumm.) B. Nord. 60
—— *hooglandii* Belcher 765-7, †769, 770-1
—— *howeanus* Belcher 765, 767, †768-73
—— *hualtata* 86
—— *humblotii* Klatt 80
—— *humidanus* C. Jeffrey †95
—— *humillimus* 91
—— *hygrophilus* Dyer & C.A. Sm. 95
—— *hypargyreus* DC. 80
—— *hypochionaeus* Boiss. 102
—— *hypoleucus* 93
—— *hypsobates* 90
—— *illicifolius* 93
—— *imbricatifolius* Sch. Bip. ex Wedd. 71
—— *inaequidens* 93
—— *incanus* 89
—— *infirmus* C. Jeffrey †95
—— *invalidus* C. Jeffrey †95
—— *ivohibeensis* Humb. 80
—— *jacobaea* 89
—— *jarae* 91
—— *junceus* 87
—— *jurineifolius* Boiss. & Bal. 102
—— *kandambren* van Royen 52
—— *karaguensis* 85
—— *karstenii* Hieron. 67
—— *krukoffii* Cuatrec. 67
—— *kubensis* Grossh. 103
—— *kukul* van Royen 52
—— *laetus* 89
—— *lamarkianus* Bullock 78

Senecio

Senecio lampsanifolius Bak. 80
—— *lampsanoides* DC. 104
—— *lanceus* 93
—— *lanifer* Mart. ex C. Jeffrey †96
—— *laricifolius* 94
—— *lasiorhizus* 85
—— *latiflorus* 90
—— *latifolius* 85
—— *lautus* G. Forst. ex Willd. 93, 771
—— —— subsp. *lautus* 771
—— *lavandulifolius* 89
—— *lazicus* Boiss. & Bal. 103
—— *ledifolius* (Kunth) DC. var. *schlimii* Wedd. 71
—— *lehmannii* Hieron. 71
—— *leioclados* Cuatrec. 71
—— *leucanthothamnus* Humb. 80
—— *leucopappus* Boj. ex DC. 83
—— *leucophyllus* 89
—— *libertatis* Cuatrec. 71
—— *limosus* Dusén ex Malme 67
—— *lindenii* Sch. Bip. ex Wedd. 71
—— *linearifolius* 771
—— *lineatus* 87
—— *linifolius* (DC.) C.B. Cl. 93, 95
—— *lipskyi* Lomak. 103
—— *littoreus* 93
—— *lividus* 93
—— *lloensis* Hieron. ex Sodiro 67
—— *longilinguae* Cuatrec. 67
—— *longiscaposus* 85
—— *lorentii* Hochst. 103
—— *macbridei* Greenm. 65
—— *macdonaldii* B. Turner 55
—— *macroglossus* 94
—— *madagascariensis* 93
—— *madrasensis* C. Jeffrey †95
—— *magnicalyculatus* Badillo 71
—— *mamancanacanus* Cuatrec. 71
—— *marquesii* B.L. Turner 55
—— *masonhalei* Ruíz-Terán & López-Figueiras 71
—— *massagetovii* Schischk. 103
—— *medley-woodii* 94
—— *medullosum* Sch. Bip. ex Greenm. †67
—— *megaphyllus* Greenm. 63
—— *melastomifolius* 93, 94
—— *metepecus* B. Turner 55
—— *micropachyphyllus* Cuatrec. 71
—— *mikanoides* Otto ex Walp. 772
—— *missionum* Cabrera 67
—— *mitophyllus* C. Jeffrey †95
—— *mogrere* van Royen 52
—— *monanthos* 58
—— *monocephalus* 94
—— *montereyanus* S. Wats. 101
—— *monttianus* 91
—— *moranii* T.M. Barkley 101
—— *morrisonensis* 88
—— *moscopanus* Cuatrec. 67
—— *multibracteatus* Bak. 95
—— *multifoliosus* Klatt 80
—— *multinervis* Sch. Bip. ex Klatt 67
—— *multivenius* Benth. ex Oerst. 63
—— *mutisii* Cuatrec. 72
—— *myricifolius* (Boj. ex DC.) Humb. var. *alleizettii* Humb. 79
—— *myriocephalus* Bak. 68
—— *myrsinites* Turcz. 72
—— *myrtifolius* Klatt 81

Senecio

Senecio neelgherryanus 89
—— *neoalleizettii* Humb. 83
—— *neoheimii* Humb. 81
—— *nesomiorum* B. Turner 55
—— *nigrostagnosus* Cuatrec. 72
—— *nikoensis* (Miq.) B. Nord. 60
—— *novolanatus* Cuatrec. 72
—— *nutans* 90
—— *oblanceolatus* Rusby 67
—— *obtusatus* 88
—— *ocanensis* Greenm. & Cuatrec. 67
—— *odontophyllus* C. Jeffrey †95
—— *odoratus* 771
—— *oliganthus* DC. 87, 95
—— *olivaceus* Klatt 81
—— *onae* Cuatrec. 67
—— *oophyllus* †95
—— *oreophyton* 92
—— *orientalis* 86
—— *othonnae* 89
—— *otites* 85
—— *ottoensis* van Royen 52
—— *ovalifolius* Boiss. 95
—— *oxyriifolius* 93, 94
—— *pachypus* Greenm. 72
—— *palmatus* 85
—— *palmensis* 87
—— *palmeri* 92
—— *paludosus* 86
—— *pandurifolius* C. Koch 85, 103
—— *paneroi* B. Turner 55
—— *paniculatus* 93
—— *paranensis* 85
—— *patagonicus* 91
—— *pauciflosculosus* C. Jeffrey †95
—— *pauciradiatus* Belcher 765, 767-9, 772-3
—— *pellucidinervis* Sch. Bip. ex Bak. 68
—— *penicillatus* (Cass.) Sch. Bip. 83
—— *peregrinus* Griseb. 68
—— *perijaensis* Cuatrec. 72
—— *peripotamus* C. Jeffrey †96
—— *perrieri* 85
—— *peruvianus* Pers. 72
—— *pimpinellifolius* 90
—— *pinifolius* 87
—— *pithosillum* DC. 97
—— *platyphylloides* Somm. & Lev. 53, 104
—— *platyphyllus* DC. 104
—— *pleistocephalus* 94
—— *pleistophyllus* C. Jeffrey †95
—— *pluricephalus* Cabr. 65, 68
—— *pohlii* 93
—— *polyanthemoides* 93
—— *polygonoides* Cuatrec. 62
—— *polymerus* Klatt 72
—— *polyphyllus* 91
—— *porteri* Greene 101
—— *prunifolius* Wedd. 72
—— *pseudoarnica* 89
—— *pterophorus* 93
—— *pubigerus* 93
—— *pudicus* 86
—— *pulcher* 86
—— *purpureus* 93
—— *purpusii* Greenm. ex Brandegee 55
—— *pururu* Cuatrec. 68
—— *pyramidalis* 94
—— *pyrenaicus* 86
—— *quadridentatus* Labill. 93, 772-3
—— *quercetorum* Greene 101

Senecio
Senecio quinquelobus 94
—— *quiroana* Cuatrec. 72
—— *racemosus* 86
—— *radicans* 94
—— *ramentosus* Cuatrec. 73
—— *ramosus* 93
—— *reflexus* Kunth 68
—— *reissianus* Hieron. 73
—— *renardii* 89
—— *rhombifolius* (Willd.) Sch. Bip. 93, 104
—— *rigidifolius* Badillo 73
—— *rigidus* 93
—— *riparius* DC. 81
—— *rivularis* Remy 96
—— *rosellatus* Boj. ex DC. 81
—— *rugelia* A. Gray †56
—— *ruiteranii* Cuatrec. 73
—— *salicifolia* Pers. 78
—— *sanguisorbae* DC. 101
—— *santelicis* 92
—— *sarcoides* C. Jeffrey †96
—— *saruwagedensis* Mattf. 52
—— *saussureoides* 88
—— *saxatilis* 89
—— *scalaris* Greene 101
—— *scandens* 94
—— *scaphiformis* Greenm. 68
—— *scaposus* 94
—— *schizotrichus* Greenm. 64
—— *sclerosus* Cuatrec. 73
—— *scytophyllus* Kunth 68
—— *semidentatus* Klatt 68
—— *sibundoyensis* Cuatrec. 68
—— *silvani* Cuatrec. 65, 68
—— *spellenbergii* T.M. Barkley †101
—— *squamosus* (Bory) DC. 78
—— *stauntonii* 94
—— *stellatopilosus* Greenm. & Cuatrec. ex Cuatrec. 62
—— *steudelii* 93
—— *storkii* Cuatrec. 68
—— *stuebelii* Hieron. 73
—— *subarachnoideus* Wedd. 73
—— *subdentatus* 93
—— *subdiscoideus* 92
—— *subulatus* 92
—— *succulentus* DC. 96
—— *sylvaticus* 93
—— *syringifolius* 94
—— *tabacifolius* Rusby 68
—— *tamoides* 94
—— *tampicanus* DC. 101
—— *tangutica* 58
—— *tapianus* B. Turner 53
—— *taxifolius* Poir. 80
—— *telekii* 93
—— *thianshanicus* 88
—— *tolimensis* Sch. Bip. ex Wedd. 73
—— *toluccanus* †86
—— *tomentosus* (Lam.) Cordem. 83, 101
—— *toxotis* C. Jeffrey †95
—— *trapezuntius* 89
—— *triangularis* 85
—— *tricuspidatus* 91
—— *trifurcatus* Klatt 96
—— *triodontiphyllus* C. Jeffrey †96
—— *triqueter* 87
—— *tropicalis* Cabrera 64
—— *tsimihety* Humb. 81
—— *tunamensis* Cuatrec. 73

Senecio
Senecio ullucosanus Hieron. 69
—— *umbellatus* 93
—— *usgorensis* Cuatrec. 69
—— *vaigaindrani* 85
—— *venezuelensis* Sandw. 74
—— *venturae* T.M. Barkley 64
—— *vernalis* 93
—— *vernicifolius* Cuatrec. 74
—— *vernicosus* Sch. Bip. ex Wedd. 74
—— *vernonioides* Sch. Bip. ex Bak. 96
—— *versteegii* Mattf. 52
—— *verticillata* Klatt 74
—— *vira-vira* 91
—— *viridialbus* Cuatrec. 74
—— *viscosus* 93
—— *volkmannii* 91
—— *vulgaris* L. 84, 93, 771-2
—— *websteri* 92
—— *wedermannii* 91
—— *yalusay* Cabrera 69
—— *yungasensis* Britton 69
—— *zosterifolius* 86
—— sp. aff. *quadridentatus* Labill. 772
Senecioneae: The tribe Senecioneae (Compositae) - Corrections, C. Jeffrey 292
Senecioneae: The tribe Senecioneae (Compositae) in the Mascarene Islands with an annotated world check-list of the genera of the tribe. Notes on Compositae: VI, C. Jeffrey 49
Senecioneae subtribe *Blennospermatinae* 104
Senegalia liebmannii Britton & Rose 700
Sequoia sempervirens 30
Sequoiadendron giganteum 30
Serissa capensis Thunb. 392
—— *foetida* Willd. 392
Serra do Aracá: Plant collections from the plateau of Serra do Aracá (Amazonas, Brazil) and their phytogeographic affinities, Ghillean T. Prance & David M. Johnson 1
Shafera Greenm. †64
—— *platyphylla* Greenm. 64
Simon, B.K.: A key to Australian grasses (Rev.) 160
Simpson, D.A.: A new species of Cyperus and a reassessment of Cyperus rufostriatus (Cyperaceae) from Madagascar. Notes on Madagascar Cyperaceae I 745
Sinacalia H. Robins. & Brettell †58
Singh, N.P. & Madhusoodanan, P.V.: A new species of Lepidagathis (Acanthaceae) from South India 301
Sinosenecio B. Nord. †60
—— *eriopodus* C. Jeffrey & Y.L. Chen 60
—— *euosmus* 60
—— *trinervis* 60
Sipaneopsis maguirei Steyerm. 7, 21
Siphanthera hostmannii Cogn. 18
Siphoneugena dussii (Krug & Urban) Proença 17
Smilacaceae 23, 764
Smilax anceps 764
—— sp. 23
Snuff: A rare report of an intoxicating snuff from the Amazon, Richard Evans Schultes & Robert F. Raffauf 743
Sobralia sp. 24
Solanecio (Sch. Bip.) Walp. 94, †98
—— *gigas* 98

Solanecio
Solanecio mannii 98
—— *tuberosus* Sch. Bip. ex A. Rich. 98
Somali: Some new Somali grasses, T.A. Cope 277
Somalia: A new species of Portulaca from Kenya and Somalia, M.G. Gilbert 693
Some new Arabian grasses II, T.A. Cope 655
Some new Somali grasses, T.A. Cope 277
Sorindeia madagascariensis 762
South American: Notes on South American Bromeliaceae, D. Philcox 261
South American: Notes on South American Bromeliaceae- corrections, D. Philcox 544
South-west Pacific: Additions to the orchid flora of Vanuatu in the south-west Pacific, B.A. Lewis 685
Spencer, Kenneth A., illustrated by Spencer, Ann: Host Specialization in the World Agromyzidae (Diptera) (Rev.) 160
Sphaerostenandrium 173
—— *dulce* 173-4
Sphyrospermum cordifolium Benth. 15
Spigelia flava Zappi & Harley (Loganiaceae) - a new species from the Pico das Almas, Bahia, Brazil, D.C. Zappi & R.M. Harley 329
Spigelia 329, 330
—— sect. *Speciosae* 330
—— *cipoensis* Zappi 330
—— *flava* Zappi & Harley †329, 330, *332
—— *kuhlmannii* Guimarães & Fontella Pereira 330
Spooner, B.M.: A new species of Hydnotrya (Helvellaceae) from the British Isles 502
Sporobolus †656, 658
—— *africanus* (Poiret) Robyns & Tournay 659
—— *airiformis* Chiov. 659
—— *airoides* (Torrey) Torrey 660
—— *angustifolius* A. Rich. 660
—— *arabicus* 656-7
—— *confinis* (Steudel) Chiov. 660
—— *consimilis* Fresen. 659
—— *coromandelianus* 658
—— *festivus* Hochst. ex A. Rich. 659
—— *gloeoclados* Cope †656, 659
—— *haminesis* (Schweinf.) Schweinf. 658
—— *helvolus* (Trin.) T. Durand & Schinz 659
—— *ioclados* (Nees et Trin.) Nees 656-7, 659
—— *jemenicus* Pilger ex Schwartz 656-7
—— *kentrophyllus* (Schumann) W.D. Clayton 656-7
—— *marginatus* Hochst. ex A. Rich. 656
—— *minimus* Cope †657-8
—— *minutus* Link 657-8
—— *natalensis* (Steudel) T. Durand & Schinz 659
—— *nervosus* Hochst. 660
—— *panicoides* A. Rich. 658
—— *pellucidus* Hochst. 659
—— *pyramidalis* P. Beauv. 659
—— *ruspolianus* Chiov. 660
—— *spicatus* (Vahl) Kunth 659
—— *stapfianus* Gand. 659
—— *tenuissimus* (Schrank) Kuntze 659
—— *tourneuxii* Cosson 660
—— *virginicus* (L.) Kunth 659
Stachycarpus 30
—— *andina* 30
Stangeria 26

Stangeria
Stangeria eriopus 26
—— *paradoxa* 26
Stangeriaceae 26
States, Jack S.: Mushrooms and truffles of the Southwest (Rev.) 162
Stegolepis 9
—— *membranacea* Maguire 7, 22
Steirodiscus Less. †99
—— *tagetes* 99
Stelis tristyla Lindl. 24
Stenandriopsis 169-74, 176
—— *afromontana* (Mildbr.) Benoist 189
—— *amoena* Benoist 196
—— —— var. *catatii* Benoist 196
—— *boivinii* (Baillon ex S. Moore) Benoist 171, 191
—— *buntingii* (S. Moore) Heine 179
—— *carduacea* Benoist 194
—— *gabonica* (Benoist) Heine 190
—— *guineensis* sensu Heine 185
—— —— (Nees) Benoist 182
—— *humilis* Benoist 195
—— —— var. *keraudrenae* Benoist 195
—— *keraudrenae* Benoist 195
—— *leptostachya* Benoist 198
—— —— var.*longifolia* Benoist 199
—— —— sensu Benoist 199
—— —— var. *longifolia* sensu Benoist 198
—— *perrieri* Benoist 173, 197
—— *subdentata* Benoist 194
—— *talbotii* (S. Moore) Heine 173, 186
—— *thomensis* (Milne-Redh.) Heine 187
—— *thompsonii* S. Moore 171, 173, 176, 193
—— —— var. *subdentata* (Benoist) Benoist 194
—— *warneckei* (S. Moore) Napper 188
Stenandrium: The Old World species of Stenandrium (Acanthaceae: Acantheae), Kaj Vollesen 169
Stenandrium 169-75, †176, 177, 183, 191, 196, 198, 623
—— sect. *Cordifolia* Vollesen 177, †179
—— sect. *Grandiflora* 178, †189
—— sect. *Hirtiflora* Vollesen †191
—— *afromontanum* (Mildbr.) Vollesen 175, 177, *184, †189
—— *amoenum* (Benoist) Vollesen 175, 178-9, †196
—— *boivinii* (S. Moore) Vollesen †191
—— —— Baillon 170, 176, 178
—— *buntingii* (S. Moore) Vollesen 175, 177, †179, *180
—— *carduaceum* (Benoist) Vollesen 176, 178, †194
—— *dulce* 173
—— *elegans* 174
—— *gabonicum* (Benoist) Vollesen 175, 177-8, †189
—— *guineense* (Nees) Vollesen 169, 175, 177, 179, †182-3, *184, 186-8
—— *guineensis* 172
—— *humboldtianum* 174
—— *humile* (Benoist) Vollesen 176, 178, †195
—— *leptostachyum* (Benoist) Vollesen 176, 179, 197, †198, 201
—— *longifolium* (Benoist) Vollesen 176, 179, 197, †199, 201
—— *mandioccanum* 175-6
—— *pauciflorum* Vollesen 176, 179, 191, *200, †201

Stenandrium
Stenandrium perrieri (Benoist) Vollesen 176, 178, 179, †197-8
—— *subcordatum* 172, 174
—— *subdentatum* (Benoist) Vollesen 175, 178, †194-5
—— *talbotii* (S. Moore) Vollesen 175, 177, †186-8
—— *thomense* 175, 177, *180, †187
—— *thompsonii* 175, 178, 191, †193, 195
—— *trinerve* 173
—— *warneckei* (S. Moore) Vollesen 175, 177, *184, †188, 189
—— sp. *A* 175
—— sp. *Hirtiflora* 178
—— sp. aff. *talbotii* 177, †185
Stenochlaena: A note on Stenochlaena (Pteridophyta: Blechnaceae) in Africa, B. Verdcourt 128
Stenochlaena 126
—— *mildbraedii* Brause 128
—— *tenuifolia* (Desv.) Moore †128
Stenopadus 9
—— *araeaensis* Pruski 22
Stenops B. Nord. †98
—— *helodes* B. Nord. 98
Stephanopodium: A new species of Stephanopodium (Dichapetalaceae) from Colombia, G.T. Prance 545
Stephanopodium gentryi Prance †545, *546
—— *peruvianum* Poepp. et Endl. 545
Sterculiaceae 764
Stilpnogyne DC. †100
—— *bellidioides* DC. 100
Stipagrostis †660-1
—— sect. *Schistachne* 661
—— sect. *Stipagrostis* 661
—— *acutiflora* (Trin. & Rupr.) de Winter 662
—— *ciliata* (Desf.) de Winter 661
—— *dhofariensis* Cope †660, 662
—— *drarii* (Täckh.) de Winter 662
—— *foëxiana* (Maire & Wilczek) de Winter 662
—— *hirtigluma* (Steudel ex Trin. & Rupr.) de Winter 882
—— *lanata* (Forsskal) de Winter 660
—— *masirahensis* H. Scholz 660, 662
—— *multinervia* H. Scholz 662
—— *obtusa* (Del.) Nees 660-2
—— *paradisea* (Edgew.) de Winter 662
—— *plumosa* (L.) Munro ex T. Anderson 661-2
—— *raddiana* (Savi) de Winter 662
—— *sokotrana* (Vierh.) de Winter 662
—— *uniplumis* (Lichtenst.) de Winter 662
—— *xylosa* Cope †660-2
—— sp. aff. *obtusa* 661
Stirton, Charles H. & Du Puy, David J.: A new species of Baphia (Leguminosae: Papilionoideae) from Madagascar 289
Stirton, C.H. *Reviewer*: Host Specialization in the World Agromyzidae (Diptera), by Kenneth A. Spencer illustrated by Ann Spencer 160
Streptocalyx 261
—— *biflorus* L.B. Smith 265
—— *curranii* L.B. Smith 263
—— *geminiflorus* Philcox †265, *266, 544
—— *laxiflora* Philcox †263, *264, 544
—— *squamiferus* Philcox †544
—— *subintegerrimus* Philcox †544
Streptosiphon
Streptosiphon hirsutus 763
Striga: A new species of Striga (Scrophulariaceae) from Ethiopia, Getachew Aweke 293
Striga 293, 775
—— *angustifolia* (Don) Saldanha 293
—— *euphrasioides* auctt. 293
—— *pinnatifida* Getachew Aweke †293, *294
Strigina Engl.: The identity of Strigina Engl. (Scrophulariaceae), Sally Bidgood 775
Strigina Engl. 775
—— *pusilla* Engl. 775
Strobopetalum 475
Struthanthus sp. 18
Studies in the Ericoideae (Ericaceae).VIII. New combinations for Philippia are made in Erica for the Flora Zambesiaca region, E.G.H. Oliver 665
Styasasia S. Moore 669, 673
—— sp. nov. 669, 670
Styracaceae 16
Styrax tepuiensis Steyerm. & Maguire 16
Sulawesi: A new species of Racemobambos (Gramineae: Bambusoideae) from Sulawesi with notes on generic delimitation, Soejatmi Dransfield 707
Suregada zanzibariensis 763
Symbolanthus elisabethae(Schomb.) Gilg 7
—— —— subsp. *elisabethae* 20
Symphyochaeta (DC.) Skottsb. 74
Syndyophyllum 112
Syneilesis Maxim. †59
—— *aconitifolia* (Bunge) Maxim. 59
—— *palmata* 59
Syngonanthus longipes 7
Syngonanthus bulbifer Ruhland 22
—— *longipes* Gleason 22
—— sp. nov. 22
A synopsis of Ocimum L. (Labiatae) in Africa, Alan Paton 403
Synosma Raf. ex Britton & Brown 84
Synotis (C.B. Cl.) C. Jeffrey & Y.L. Chen †81
—— *acuminata* 82
—— *alata* 82
—— *densiflora* 82
—— *glomerata* C. Jeffrey 82
—— *wallichii* (DC.) C. Jeffrey & Y.L. Chen 81, 82

Tabernaemontana pachysiphon 763
—— *ventricosa* 763
Taiwania cryptomerioides 30
—— —— var. *flousiana* 30
—— *flousiana* 30
Tanzania: A new Polystachya (Orchidaceae) from Tanzania, P.J. Cribb 257
Tanzania, SE: Bauhinia loeseneriana reinstated, with notes on the forests of the Rondo Plateau, SE Tanzania, Sally Bidgood & Kaj Vollesen 759
Tanzanian giant: Lobelia morogoroensis: another Tanzanian giant, E. Knox & T. Pócs 503
Tapoïdes 112
Tapura fischeri 763
Taralea rigida Schery 17
Tarenna supra-axillaris 763
Taxaceae 31
Taxales 31

Taxodiaceae
Taxodiaceae 30
Taxodium ascendens 30
—— *distichum* 30
—— —— var. *nutans* 30
Taxonomy of Secamone (Asclepiadaceae) in Asia and Australia, Jens Klackenberg 595
Taxus baccata 31
—— *cuspidata* 31
—— *yunnanensis* 31
Telanthophora H. Robins. & Brettell †54
—— *grandifolia* 54
—— *guerkei* (Hieron.) C. Jeffrey †54
Tephroseridinae Jeffrey & Chen 60
Tephroseris (Reichenb.) Reichenb. †60
—— *campestris* (Retz.) Reichenb. 60
—— *crispa* (Jacq.) Reichenb. 60
—— *flammea* 60
—— *japonica* 60
—— *palustris* 60
—— *papposa* 60
—— *rivularis* 60
—— *spathulifolia* (Gmel.) Reichenb. 60
Tepuianthaceae 18
Tepuianthus 6, 9
—— *aracensis* Steyerm. 6, 8, 18
—— *auyantepuiensis* 8
—— *sarisariñamensis* 8
—— sp. 1
Terminalia sambesiaca 762
Ternstroemia aracae Boom 14
—— *campinicola* Boom 7
—— *dentata* (Aubl.) Sw. 14
—— *prancei* Boom 14
Tetracera litoralis 764
Tetraclinis 30
Tetradymia DC. †57
—— *canescens* DC. 57
Tetragastris 713
Tetrapleura tetraptera 762
Tetrapterys cardiophylla 9
—— *cordifolia* W. Anderson 6, 9, 19
—— *fimbripetala* Adr. Juss. 19
Thailand: Notes on Thai Myrtaceae, J. Parnell & E. Nic Lughadha 703
Thailand: A revision of Mucuna (Leguminosae: Phaseoleae) in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 203
Theaceae 7, 9, 14
Thibaudia formosa (Kl.) Hoer 15
—— *nutans* Kl. ex Meissner 15
Thismia: Embryo sac and early post-fertilisation development in Thismia (Burmanniaceae), Paula Rudall & Stephen Morley 625
Thismia Griffith 625, 627, 630
—— sect. *Rodwaya* 630
—— sect. *Sarcosiphon* Jonker 630
—— *alba* Holttum ex Jonker 625, 627, 630
—— *americana* 625, 627, 630
—— *clandestina* 625, 630
—— *episcopalis* (Becc.) F. Muell. 625, 627, 630
—— *fungiformis* 625
—— *javanica* J.J. Sm. 625, 627
—— *luetzelburgii* 625
—— *panamensis* 625
Thismia rodwayi 625, 630
Thismiaceae 625
Thuja 30
Thujopsis
Thujopsis 30
Thulinia 257
—— *albolutea* Cribb 257
Thunbergia stelligera 764
Thuya occidentalis 30
Thyrsacanthus indicus Nees 673
Tiehm, Arnold & Stafleu, Frans A.: Per Axel Rydberg: A Biography, Bibliography and List of His Taxa (Notice) 165
Tiliaceae: A new species of Corchorus (Tiliaceae) from the Northern Territory of Australia, Martin Cheek & Greg Leach 513
Tiliaceae 764
Tillandsia fendleri Griseb. 23
—— sp. 23
Tococa guianensis Aubl. 18
—— *nitens* (Benth.) Triana 18
Topobea ferruginea Gleason 18
Torreya californica 31
—— *grandis* 31
—— —— var. *fargesii* 31
—— *jackii* 31
—— *nucifera* 31
Toxocarpus Wight & Arn. 437, 597
—— *africanus* Oliv. 467
—— *auriculata* (Blume) Decne. 609
—— *kleinii* Wight & Arn. 610
—— *leonensis* Scott Elliot 468
—— *wightianus* Hook. & Arn. 611
Trachelospermum bowringii (Hance) Hemsl. 333
Tragia †681
—— *brevipes* Pax 681
—— *micromeres* A. Radcl.-Sm. †681, *682
—— *petiolaris* A. Radcl.-Sm. 683
Transmission electron micrographs: Exine stratification in extant gymnosperms: a review of published transmission electron micrographs, Marie H. Kurmann 25
Trattinnickia 713
—— *burserifolia* Mart. 20
Traversia Hook.f. 50, †53
—— *baccharoides* Hook.f. 53
The tribe Senecioneae (Compositae) - Corrections, C. Jeffrey 292
The tribe Senecioneae (Compositae) in the Mascarene Islands with an annotated world check-list of the genera of the tribe. Notes on Compositae: VI, C. Jeffrey 49
Tricalysia pallens 763
—— *ruandensis* 763
Trichaulax (Acanthaceae: Justicieae), a new genus from East Africa, Kaj Vollesen 613
Trichaulax mwasumbii: A note on the pollen of Trichaulax mwasumbii (Acanthaceae: Justicieae), Carol A. Furness 619
Trichaulax Vollesen 613, 616-8, 623
—— *mwasumbii* Vollesen †613, *615, 618-9, 623
Trichilia capitata: The wood anatomy of Pseudobersama mossambicensis and Trichilia capitata (Meliaceae) compared, Peter Gasson & Martin Cheek 753
Trichilia 753-4, 757
—— *capitata* 753-4, 757
—— *catigua* A. Juss. 754
—— *emetica* 754
—— *gilgiana* Harms 754
—— *hirta* L. 754
—— *izabalana* Blake 754
—— *lanata* A. Chev. 754

Trichilia

Trichilia lovettii Cheek 753
—— cf. *macrophylla* Benth. 754
—— *martiana* C. DC 754, 757
—— *megalantha* Harms 754
—— *monodelpha* (Thonn.) J.J. De Wilde 754
—— *pallida* Sw. 754, 757
—— *rubescens* Oliv. 754
—— *simplicifolia* Spreng. 754, 757
—— *surumuensis* C.D. Cl. 753
—— *tessmannii* Harms 754
—— *trifolia* L. 753
—— *welwitschii* C. DC. 754, 757
Trichomanes crispum L. vel sp. aff. 12
Trichosalpinx 774
—— *miragliae* (J. Leite) Toscano †774
Triclisia sacleuxii 764
Trigonopleura 112
Trigonostemon 112
Trigonostemoneae 112
Tripogon †662-3
—— *africanus* (Cosson & Durieu) H. Scholz 662-3
—— *capillatus* Jaub. & Spach 663
—— *leptophyllus* (A. Rich.) Cuf. 664
—— *montanus* Chiov. 663-4
—— *multiflorus* Miré & H. Gillet 663
—— *oliganthos* Cope †662-3
—— *purpurascens* Duthie 663
—— *subtilissimus* Chiov. 663
Tristania burmanica Griff. var. *rufescens* (Hance) Gagnep. 705
—— —— var. *tomentosa* Duthie 706
—— *rufescens* Hance 705-6
Tristaniopsis 703, 705
—— *burmanica* (Griff.) Peter G. Wilson & J.T. Waterhouse 705-6
—— —— var. *burmanica* 706
—— —— var. *rufescens* (Hance) J. Parnell & NicLughadha †705-6
—— *rufescens* (Hance) Peter G. Wilson & J.T. Waterhouse 705
Tropical Africa: The genus Scutellaria L. (Labiatae) in tropical Africa, Alan Paton 41
Trusswell, E.M., Owen, J.A.K. (Eds.) : Proceedings of the 7th International Palynological Congress. From Review of Palaeobotany and Palynology, Vols. 64 & 65 (Rev.) 548
Tsuga canadensis 28
—— *chinensis* 28
—— *diversifolia* 28
—— *sieboldii* 28
Turraea holstii 763
—— *robusta* 763
Tussilago L. †59
—— *farfara* L. 59
Two new species of Aeschynomene (Leguminosae: Papilionoideae) from Brazil, G.P. Lewis 141
Two new species of Habenaria (Orchidaceae) from Bahia, Brazil, Toscano de Brito 731
Two new species of Ixora (Rubiaceae subfam. Ixoroideae) from India and Burma, D.B. Deb & R.C. Rout 295
Two new taxa of Protium from eastern Brazil. Studies in neotropical Burseraceae V, Douglas C. Daly 713
Tylophora R. Br. 488
—— *micrantha* Decne. 601

Tylophora

Tylophora minutiflora Woodson 609
—— *oblonga* N.E. Br. 473
Typification of Gerbera jamesonii Adlam (Compositae), D.J.N. Hind 110

Ulmaceae 762
Urostemon B. Nord. 53
Utricularia 6, 7
—— *alpina* Jacq. 7, 20
—— *jamesoniana* Oliv. 20
—— *nana* St. Hil. 20
—— *neottioides* St. Hil. 20
—— *nervosa* Benj. 20
—— *pubescens* Sm. 20
—— *tenuissima* Tutin 7, 21
Uvaria acuminata 764
—— *decidua* 764

Vaccinium pipolyi Luteyn 15
—— *puberulum* Kl. ex Meissner var. *puberulum* 15
van der Ham, R.W.J.M.: Nephelieae pollen (Sapindaceae): Form, function and evolution. Leiden Botanical Series, Vol. 13 (Rev.) 340
Vangueriella Verdcourt 360
—— sect. *Stenosepalae* 359, 360
—— subgen. —— 360
—— *glabrescens* (Robyns) Verdc. 360
—— *rufa* (Robyns) Verdc. 360
Vangueriopsis sect. *Stenosepalae* 360
—— sect. *Vangueriella* 360
—— subgen. *Brachyanthus* 360
—— *soyauxii* (K. Schum.) Verdc. 360
Vantanea obovata (Nees & Mart.) Benth. 19
Vanuatu: Additions to the orchid flora of Vanuatu in the south-west Pacific, B.A. Lewis 685
Vellozia 6
—— *tubiflora* H.B.K. 6, 23
Velloziaceae 23, 630
Verbenaceae 763-4
Verdcourt, B.: A note on Stenochlaena (Pteridophyta: Blechnaceae) in Africa 128
Verdcourt, B. *Reviewer*: Revised Handbook to the Flora of Ceylon, vol.7, by M.D. Dassanayake Ed. 783
Verdcourt, B. *Reviewer*: Le cabinet de curiosités de Thoutmosis III. Orientalia Lovaniensia Annalecta 36, by Nathalie Beaux 147
Verdcourt, B. *Reviewer*: Oak Spring Pomona. A selection of the rare books on fruit in the Oak Spring Garden Library, by Sandra Raphael 159
Vermeulen, J.J.: Additions to the taxonomic revision of the continental African Bulbophyllinae (Orchidaceae) 137
Vernonia voluta Bak. 83
Verrucularia glaucophylla 9
—— *piresii* W. Anderson 9, 19
Viburnum tinoides L.f. 7, 21
Vicia: New combinations and names in the genus Vicia (Leguminosae: Vicieae), Nigel Maxted 129
Vicia sect. *Atossa* (Alef.) Asch. & Graebner †129
—— sect. *Bithynicae* (B. Fedtsch. ex Radzhi) Maxted †130
—— sect. *Microcarinae* Maxted †129

Vicia
Vicia Narbonensis (Radzhi) Maxted †130
—— sect. *Wiggersia* (Alef.) Maxted †129
—— ser. *Narbonensis* (Radzhi) Maxted †130
—— ser. *Pseudovicilla* Maxted †129
—— ser. *Rhombocarpae* Maxted †130
—— ser. *Truncatulae* (B. Fedtsch. ex Radzhi) Maxted †129
—— subsect. *Bithynicae* Radzhi 130
—— subsect. *Narbonensis* Radzhi 130
—— subsect. *Truncatulae* Radzhi 129
—— *abbreviata* Fischer ex Sprengel 129
—— *balansae* Boiss. 129
—— *bithynica* (L.) L. 130
—— *cuspidata* Boiss. 130
—— *dionysiensis* Mout. 129
—— *eristalioides* Maxted 130
—— *galilaea* Plitm. & Zoh. 130
—— *hyaeniscyamus* Mout. 130
—— *johannis* Tamamschjan 130
—— *kalakhensis* Khattab, Maxted & Bisby 130
—— *lathyroides* L. 129, 130
—— *narbonensis* L. 130
—— *oroboides* Wulfen 129
—— *serratifolia* Jacq. 130
Vietnamosasa Nguyen 710
—— *ciliata* †710
—— *darlacensis* Nguyen 710
—— *pusilla* (A. Chev. & A. Camus) Nguyen †710
Violaceae 764
Virola 743
—— *calophylla* Warburg 743
—— *calophylloidea* Markgraf 743
—— *elongata* (Spruce ex Benth.) Warburg 743
—— *sebifera* Aubl. 13
—— *theiodora* (Spruce ex Benth.) Warburg 743
Vismia orientalis 763
—— *pauciflora* 763
Vismianthus punctatus 763
Vitex buchananii 764
—— *mossambicensis* 763
—— *zanzibarensis* 763
Vochysiaceae 19
de Vogel, E.F. *Reviewer*: Orchids of Java, by J.B. Comber 338
Vollesen, Kaj & Bidgood, Sally: Bauhinia loeseneriana reinstated, with notes on the forests of the Rondo Plateau, SE Tanzania 759
Vollesen, Kaj: The Old World species of Stenandrium (Acanthaceae: Acantheae) 169
Vollesen, Kaj: Trichaulax (Acanthaceae: Justicieae), a new genus from East Africa 613
Voyria aphylla (Jacq.) Pers. 7, 20
Vriesea oligantha (Baker) Mez 261
—— *pseudoligantha* Philcox †261

Weibezahn, Franz H.
Weibezahn, Franz H. & Janssen-Weibezahn, Barbara E.: Scientia Guaianae No. 1. The Amazonas Federal Territory, Venezuela: a bibliography (Rev.) 164
Weinmannia sp. aff. *glabra* L.f. var. *glabra* 16
Welwitschia 33
—— *mirabilis* 31
Welwitschiaceae 31
Werneria Kunth †96
—— *graminifolia* Kunth 96
Western Australian: New names and new combinations in 34 taxa of Western Australian tuberous and pygmy Drosera, Neville Marchant & Allen Lowrie 315
White, James J. (Compiler) & Smith, Elizabeth R. (Assistant Compiler): Catalogue of the Botanical Art Collection at the Hunt Institute. Part 4, Plant Portraits, Artists I-O (Notice) 791
Whitmore, T.C. *Reviewer*: Genera of Sapotaceae, by T.D. Pennington 789
Widdringtonia 30
Wiggersia Alef. 129
Wilmot-Dear, C.M.: A revision of Mucuna (Leguminosae: Phaseoleae) in Thailand, Indochina and the Malay Peninsula 203
Wilson, Catherine M. & Given, David R.: Threatened Plants of New Zealand (Rev.) 348
The wood anatomy of Pseudobersama mossambicensis and Trichilia capitata (Meliaceae) compared, Peter Gasson & Martin Cheek 753

Xylia africana 763
Xylopia collina 763
—— *parviflora* 762
Xylotheca tettensis 763
Xyridaceae 7, 9, 22
Xyridopsis Welw. ex B. Nord. 97
Xyris 7
—— *brachyfolia* Kral & Wanderley 22
—— *involucrata* Nees 6, 22
—— *jupicai* L.C. Rich. 7, 22
—— *subglabrata* Malme 22
—— *surinamensis* Spreng. 22
—— *uleana* Malme var. *uleana* 22

Yugoslavia: Leaf anatomy of an Arbutus taxon from Yugoslavia, Tomislav Bačić, T.J. Lawrence & D.F. Cutler 535

Zamia acuminata 26
—— *fischeri* 27
—— *floridana* 27
Zamiaceae 26
Zanthoxylum deremense 763
—— *leprieurii* 763
Zappi, D.C. & Harley, R.M.: Spigelia flava Zappi & Harley (Loganiaceae) - a new species from the Pico das Almas, Bahia, Brazil 329
Zingiberidae 23

Printed in UK for HMSO
Dd 0293681 5/93 C6 Ed(211277)

CAB INTERNATIONAL
MYCOLOGICAL INSTITUTE
LIBRARY
19 OCT 1993